
GROUND FLOOR SLA


60

DA

150

JND FLOOR





STRUCTURAL LINTEL TO S.E'S DESIGN. VOID IN T8060 STEEL TO BE FULLY FILLED WITH INSULATION.

COMPRIBAND SEAL

106

100

Gnd FCL 78025

110

Posi-joist structural floor to be in accordance with the S,E'S specifications

150mm Mineral wool insulation packed between joists

Mineral wool insulation to be packed into the void between the Posi-joists, to be suspended in proprietary netting to effect min 100mm depth & Max 50mm air gap for the heating pipes.

14mm Fastflo tubing supplied by Nu-Heat all to be installed in accordance with the manufacturers specifications.

Shadow gap b

ead to be painted with ceiling.

Plained finished 25mm thick timber board screwed and plug fixed to u/s lintel, with proposed T&G joint to blind box lining board

Finished timber bead screwed and plug fixed to MF ceiling support framework.

20mm Thick between MF5 box.

strips of Plywood screw fixed 5 bars. along perimeter of blind

12.5mm Plast foil backing. T

sterboard with vapour control layer To receive skim coat finish.

RYTONS RYTWEEP TRANSPARENT WEEP HOLE AT MAX 900 CENTRES OR MINIMUM 3 NUMBER ACROSS HEAD OF WINDOW

150

105

DPC ABOVE WINDOW LINTELS TO EXIT THROUGH EXTERNAL LEAF

WALL TIES TO BE FIXED IN ACCORDANCE WITH MNP'S SPECIFICATIONS.

102

90

8

550

10

6 16

FFL 78395 **▼** 

50

MDF SKIRTING WITH SHADOW GAP DETAIL ABOVE22mm CHIPBOARD DECK

C2 PLANNING CONDITION SUBMISSION

09/05/2017 GSK DOW DETAILS REVISED TO ACCORD WITH CLIENTS CONFIRMED IGN REQUIREMENTS. CONSTRUCTION ISSUE.

11/12/2017

220

50mm AIR GAP

DETAIL 4:- WINDOW JAMB DETAIL SCALE 1:5

DETAIL 1:- WINDOW HEAD DETAIL SCALE 1:5

Foam insulation to be applied in gap between structural opening and window frame.

35

PLANNING CONDITION

CONSTRUCTION 4948

LYNDHURST GARDENS
LONDON NW3 GROUND FLOOR DETAIL
BEDROOM WINDOW DETAILS

The Tooley & Foster Partnership

A R C H I T E C T S • D E S I G N E R S

Warwick House, 116 Palmerston Road

Buckhurst Hill, Essex, IG9 5LQ

tel: 020 8504 9771

fax: 020 8506 1779

e-mail: architects@tooleyfoster.com

www.tooleyfoster.com Drawn: Approved: Scale: MRC GSK 1/5 @A1 MAR2017

<u>-</u>