

Tree Aware UK Ltd Company Reg 08330676 Email <u>enquiries@treeawareuk.com</u> Tel 01832 710 874

BS 5837: 2012 Tree Survey

1 Hillfield Road, London

Undertaken by Alastair Gavin on behalf of Tree Aware UK Ltd on the 12/04/2019

[This document sets out to evaluate the trees surveyed on the 12/04/2019 in accordance to BS 5837:2012 "Trees in relation to design demolition and construction" this document is not a tree condition survey it categories the tree or trees based on their quality and value and thus allows for an informed decision to made in respect to the tree/trees retention and removal in connection to development.]

<u>Methodology</u>

This survey has been undertaken in compliance with BS 5837: 2012. This survey is not a tree condition survey; none of the trees have been climbed nor has any decay detection equipment been used, any comments in connection to the tree's condition are incidental and secondary in nature, the main objective of this survey is to inform and guide decisions in connection to development.

Where hazardous trees have been identified and recommendations given for immediate action, this should be undertaken and arranged as soon as possible.

Sequential Reference Number

All trees surveyed have been given a sequential reference number such as T1, T2, T3 or H1, H2, H3 for hedges Etc. Where trees form a group (which is decided by the surveying Arboriculturalist) a group reference number will be provided, these will be in the line of G1, G2, G3 etc.

Species

The tree species will be listed in the schedule by their common name. A key to their scientific names can be found below;

Tree Reference number	Common Name	Scientific Name	Native/None native		
T1	Lime	Tilia europaea	Native		
T2	Lime	Tilia europaea	Native		
Т3	Eucalyptus	Eucalyptus spp	Native		
G1	Conifer	X Cuprocyparis leylandii	None Native		
	Maple	Acer spp	None Native		

G2	Apple	Malus spp	None Native		
	Elderberry	Sambucus nigra	Native		
H1	Conifer	X Cuprocyparis leylandii	None Native		

<u>Tree Height</u>

Tree height has been taken in meters and is an approximate measurement.

Diameter of Stem

The diameter of a single stem is taken at 1.5m above ground level. Where there are multiple stems arising from either the base of the tree or below 1.5m the diameter of the stem is calculated using annex C in the British standard BS 5837: 2012 handbook.

Crown Spread

This is measured in meters using the four cardinal points:

North, South East, West

Height of first branch

Approximate height in meters of the first significant branch. A cardinal point maybe given to indicate the direction the branch is growing in if the branch is of a significant size.

Canopy Height

Approximate height of the canopy taken in meters

<u>Life Stage</u>

The trees are classified into the following life stages dependent on their age. The categories are;

Young Semi-mature Early mature Mature Over mature

General Observations

The tree/trees, hedge and groups are observed for any structural or physiological conditions such as the presence of decay, structural defects, pest and disease pathogens etc. Any such identification will be noted, and preliminary management recommendations made.

Estimated remaining contribution, in years

Based on the tree's condition an estimate on the remaining useful life expectancy of the tree/trees is given - these will be in the following categories.

Under 10 years 10+ 20+ 40+

BS 5837 Category

Category A, B, C or U is given to the trees based on the below criteria.

The purpose of the categorization which is undertaken by the surveying Arboriculturalist is to identify the value (in a non-fiscal sense) and the quality of the tree stock on site so that informed decisions can be made in regard to what trees should be removed or retained in connection to development. Category A, B, C trees are considered worthy of retention, whereas category U trees are generally considered unworthy for retention but may have conservation value which may be desirable to conserve.

Category A

Trees of high quality with an estimated remaining life expectancy of at least 40 years.

(Having one or more of the following qualities)

1. Mainly arboricultural qualities

Trees that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue)

2. Mainly landscape qualities

Trees, groups or woodlands of particular visual importance as arboricultural and/or landscape features

3. Mainly cultural values, including conservation

Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture)

Category B

Trees of moderate quality with an estimated remaining life expectancy of at least 20 years

(Having one or more of the following qualities)

1. Mainly arboricultural qualities

Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation

2. Mainly landscape qualities

Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality

3. Mainly cultural values, including conservation

Trees with material conservation or other cultural value

<u>Category C</u>

Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm

(Having one or more of the following qualities)

1. Mainly arboricultural qualities

Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories

2. Mainly landscape qualities

Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits

3. Mainly cultural values, including conservation

Trees with no material conservation or other cultural value

Category U

Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years

• Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning)

• Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline.

• Trees infected with pathogens of significance to the health and/or safety of other trees nearby, or very low-quality trees suppressing adjacent trees of better quality.

Groups of trees and woodlands

Where groups of trees or woodlands exist on the site it is down to the surveying Arboriculturalist to designate these features and to decide on what information should be recorded in respect to these. In certain circumstances individual trees within a group or woodland are surveyed individually, such as when there is a need to differentiate between them e.g. when variation is present in their structural condition.

Hedgerows, substantial internal or boundary hedges (including evergreen screens)

These are surveyed similarly to groups of trees with the lateral spread and average height and stem diameter ranges recorded. All woody species present on the site are recorded; this is to allow the potential constraints associated with such features to be fully assessed.

Where accurate measurements cannot be gained due to inaccessible trees a # will be put at the end of the figure indicating it is an estimate.

Tree Survey Schedule

Sequential Reference Number	Species (Common Name)	Height	Stem Diameter	Branch Spread N S E W in metres	First Significant Branch	Canopy Height	Life Stage	General Observations	Estimated Remaining Contribution in years	BS 5837 Category
T1	Lime	10m	500mm	3.5, 3, 3, 3	3m	2.5m	Mature	Tree located in pavement, previously pollarded with re- growths present, evidence of past branch pruning, average form, tree overhangs road, footpath and properties garden, bird nest in tree as of 12/04/2019, tree is in a good condition.	20+	B
Τ2	Lime	16m	800mm#	3, 4.5, 2, 2	2m	2m	Mature	Ivy present on stem of tree as such tree could not be fully inspected, tree previously pollarded with re- growths present, average to good form, evidence of past branch pruning, tree located in raised grassed area, potential weak union covered in Ivy. <u>Recommendation</u> Remove Ivy	20+	B
Т3	Eucalyptus	4m	400mm	1, 1, 1, 1	1.6m	1.8m	Mature	Pollarded tree undertaken recently with small re-growths present, average form to tree, trees stem has slight lean northwards.	10+	C
G1	Conifer Maple	5m	150mm	2, 2, 2, 2	30cm	80cm	Semi Mature	Group of two small trees with combined canopies, average form to group which was previously suppressed by T3 canopy before pollard, average condition.	10+	C

Tree Aware UK Ltd

G2	Apple	5m/7m	200mm	3, 2.5, 2#, 2.5	1m	1.6m	Juvenile /	Group of approximately 3 trees	10+	С
02	Elderberry	5117711	20011111	<i>J</i> , <i>Σ</i> . <i>J</i> , <i>Σ</i> π, <i>Σ</i> . <i>J</i>	1	1.011	Early	including tree in neighbours	101	C
	Elderbeity									
							mature	garden, combined canopies,		
								average form with some		
								suppression present, evidence of		
								past branch pruning average		
								condition, Ivy present on stem as		
								such group could not be fully		
								inspected.		
								Recommendation		
								Remove Ivy		
H1	Conifer	3.5m	200mm	1, 1, 1, 1	40cm	30cm	Semi	Previously maintained hedge with	20+	В
							Mature	dense canopy, good form and		
								condition, some minor die back to		
								outer canopy, active birds nest as		
								of 12/04/2019.		

Root Protection-Constraint Plan

(Please see separate document)