

Photo 1



Photo 2




Photo 3



Photo 4




Photo 5



Photo 6





Photo 7



Tree Constraints Plan
(Existing Layout)



Photo 8



Drawing No: CCL 10344 / TCP Rev: 1
 Title: Tree Constraints Plan (Existing Layout)
 Site: 33 Harwood Street NW 8DW
 Scale: 1:75 Paper Size: A1




Tree Retention Categories	
Stems & canopies shown	
	Category A tree
	Category B tree
	Category C tree
	Category U tree

Trees of high quality with an estimated life expectancy of 40+ years. Usually large trees with significant presence or smaller trees with excellent form. Retention of these trees is highly desirable.
 Trees of moderate quality with a life expectancy of 20+ years. Usually maturing trees or younger trees with good form. Retention of these trees is desirable though less than Category A trees.
 Unremarkable trees of low quality and merit. Individual specimens are not considered to be a material planning consideration.
 Trees unsuitable for retention due to their very poor condition.

Tree Constraints Plan

	B5 s537 Root Protection Area (radius = 1xstem diameter)
	Root Protection Area needing amendment due to site conditions, e.g. presence of existing road or building.
	Root Protection Area having been amended to account for site conditions

T1 = Tree No 1 G2 = Group No 2 H3 = Hedge No 3



MN = Measured North
 Canopy spreads are sometimes measured to an approximate N defined by site features. Often more accurate, especially where rows of trees are not aligned N-S or E-W.

Tree Ref.	Species	Height (m)	Root Protection Area	
			Radius (m)	Square (m)
T1	Apple	4.5	1.8	3.2
T2	Apple	4	1.8	3.2
T3	Apple	3.5	1.2	2.1
T4	Cherry	3	1.1	1.9
T5	Lime	8	3.2	5.7