



- Notes:**
- All dimensions are in millimetres unless otherwise stated.
  - All levels are in metres unless otherwise stated.
  - This drawing should be read in conjunction with all relevant architects, structural engineers and m&e engineers drawings and specification.
  - For setting out of rainwater drain points refer to architects and M.E.P. drawings.
  - All pipes are clay to BS EN 295 U.N.O.
  - All stacks/spp/rwp are 1000 U.N.O.
  - All pipes are 1000 unless noted otherwise.
  - All drains are to be laid in a constant gradient between manhole chambers.
  - All buried concrete products and mortars are to contain class 2 sulphate resisting cement.

- Legend:**
- Surface water pipe
  - Site boundary
  - RE Rodding eye
  - RWP RWP stack
  - IC Inspection chamber 450x450
  - Overland Flow Paths

01	02.07.19	MA	Clarification notes added to address comments
-	15.04.19	MA	Issued for Approval
Rev.	Date	Drawn	Amendment

**PRINGUER-JAMES**  
CONSULTING ENGINEERS  
Overseas House, Elm Grove, London, SW19 4HE  
Phone/Fax: 020 8940 4159  
Email: mail@pjce.com Website: www.pjce.com

ARTIN HOMES  
53 FITZROY PARK,  
LONDON, N6 6JA  
DRAINAGE DESIGN & DETAILS

Status: APPROVAL	
Scales: 1:100@A1	Date: APR 2019
Drawn: MA	Engineer: VM
Checked: JL	
Drawing No. L2368-C-52-700	01