



[Ductwork Hygiene Testing](#) | [Filter De-Greasing & Laundry Service](#)
[Kitchen Deep Cleaning](#) | [Kitchen Extraction Ductwork Cleaning](#) | [Water tank cleaning](#)

SITE:

Tony's Pitta

4 New College Parade, London, NW3 5EP

KITCHEN EXTRACTION SYSTEM

PRE AND POST CLEAN PHOTO'S

Clean Completed 10th June 2019

All work is carried out in accordance with Health & Safety Regulations, COSHH and Safe Systems at Work Act, as recommended in BESA TR19 Guide to Good Practice.

On completion of works and receipt of payment a certificate of cleanliness covering the area cleaned will be issued.

Cartel (London) Ltd – Extract Cleaning Deposit Thickness Test (DTT) Gauge Measurement

		Pre-Clean Condition:				Post-Clean Condition:	
Location (Front System)	Pre DTTGM (Microns)	Very Dirty	Dirty	Slightly Dirty	Clean	Clean	Post DTTGM
Canopy	>3000µm	✓				✓	Clear
Duct from canopy	>3000µm	✓				✓	Clear
Fan	>3000µm	✓				✓	Clear
Riser	1200µm	✓				✓	Clear
Date: 10 th June 2019			Operative: Michael Carter				
BESA TR19 Surface Grease Deposit Limits							
200µm as a mean across the system			Complete cleaning required.				
Any single measurement above 500µm			Urgent local cleaning required.				

**Kitchen Extraction System Report:
Front System:**

CANOPY

Fabrication/Description	Stainless Steel Box Canopy. Stainless Steel baffle filters.
Access:	Via filter housing.
Pre Clean:	Heavy grease build-up.
Post Clean:	All areas cleaned.
Recommendations:	Scheduled maintenance clean.

HORIZONTAL DUCT LEADING FROM CANOPY:

Fabrication/Description	Galvanised square duct.
Access:	Via canopy.
Pre Clean:	Heavy build-up.
Post Clean:	All areas cleaned.
Recommendations:	Scheduled maintenance clean.

FAN:

Fabrication/Description	Box fan.
Access:	Via side panel.
Pre Clean:	Heavy build-up.
Post Clean:	Cleaned.
Recommendations:	Scheduled maintenance clean.

RISER:

Fabrication/Description	Galvanised square duct.
Access:	Via access doors.
Pre Clean:	Heavy build-up.
Post Clean:	All accessible areas cleaned.
Recommendations:	Scheduled maintenance clean.

Back System - Inspected:

System is clean – does not require cleaning this visit.

Pre and Post : Canopy:



Pre and Post : Duct from canopy:



Pre and Post : Duct:



Pre and Post : Fan:

