



GENERAL NOTES

DIMENSIONED DRAWINGS ONLY. DO NOT SCALE ALL DIMENSIONS TO BE CHECKED PRIOR TO COMMENCEMENT OF ANY WORKS, AND / OR PREPARTION OF ANY SHOP DRAWINGS. ALL DISCREPENCIES TO BE REPORTED TO THE ARCHITECT. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTS DRAWINGS AND SPECIFICATIONS AND OTHER CONSULTANTS INFORMATION ALL STRUCTURAL ELEMENTS TO BE CROSS CHECKED WITH ENGINEERS DOCUMENTS

NOTES

New glazed panel to match appearance of panels on lower level.

Silicone Sealant - Dow Corning 795 - Colour Black

Glass - All glass to be low iron

Inner Glass - Toughened + Heat Soaked tested glass, PVB bonded to Annealed Glass

 $7^{---}2$ No. Bollards to be removed

Disused door and adjacent small glazed panels on south facade to be replaced —with full glazed panel (to match other ground level glazed panels)

SCHEDULE REFERENCES



REVISION SCHEDULE

REVISION	DATE	DESCRIPTION		ISSUED E
-	10.05.19	Stage 2 Issue		SL
P1	08.07.19	Planning Issue		SL
P2	25.07.19	Planning Issue		SL
P3	29.07.19	Planning Issue		SL
P4	31.07.19	Planning Issue		SL
₋ondon EC1 e: office@n	ex-architecture.			
ondon EC1	M 6BF	com		York He ymour St
-ondon EC1 e: office@n :: +44 20 71 	M 6BF ex-architecture. 83 0900	- Brit	45 Se	York He ymour St
-ondon EC1 e: office@n :: +44 20 71 PROJECT: 338 Eus DRAWING:	M 6BF ex-architecture. 83 0900 ston Road	- Brit	45 Se Lond	.an York Ha tymour St don, W1H
-ondon EC1 e: office@n :: +44 20 71 PROJECT: 338 Eus DRAWING:	M 6BF ex-architecture. 83 0900 ston Road	- Storey	45 Se Lond	York He ymour St

097- NEX- 00-

200 P4

^{SCALE:} 1 : 50 @ A1