



**LEGEND**

- INDICATES REMOVED / RELOCATED WALLS, FIXTURES AND EQUIPMENT
- EXISTING WALLS TO REMAIN
- (A) WALL BY SPECIALISED CONTRACTOR
- (B) NEW METAL NON FIRE RATED, NON INSULATED STUD PARTITION WALL (200mm O.A.) MAX HEIGHT 4000mm
- NEW GYPROC TO 600 METAL STUD PARTITION SYSTEM COMPRISING 2 no. LAYERS OF 12.5mm GYPROC WALLBOARD EACH SIDE OF 70mm GYPROC C STUDS AT ROOM CENTRES. TAPE AND FILL ALL JOINTS & PREPARE FOR DECORATION. FINISH AND INSTALLATION TO BRITISH GYPROC GUIDANCE AND RECOMMENDATIONS. ANY WALL PENETRATIONS THROUGH THIS WALL CONSTRUCTION SHOULD BE SEALED ON COMPLETION. MAIN CONTRACTOR TO CHECK ON SITE OVERALL HEIGHT WALL PARTITION TO BE TIED BACK WHERE EVER POSSIBLE
- NEW FIXTURE AND EQUIPMENT
- EXISTING REPOSITIONED FIXTURE AND EQUIPMENT

**FLOOR WORKS**

- MAKE GOOD ALL AREAS AS NECESSARY. IF REQUIRED, FINISHES TO MATCH EXISTING.

**WALL WORKS**

- MAKE GOOD ALL AREAS AS NECESSARY IF REQUIRED. FINISHES TO MATCH EXISTING.

**CEILING WORKS**

- MAKE GOOD ALL AREAS AS NECESSARY IF REQUIRED. FINISHES TO MATCH EXISTING.

C.O.S CHECK ON SITE

NOTE TO BE READ IN CONJUNCTION WITH LATEST REFRIGERATION RED LINE VISIT SCOPE NOTES.

THIS DRAWING HAS BEEN ASSESSED UNDER THE REQUIREMENTS OF THE CONSTRUCTION DESIGN MANAGEMENT REGULATIONS 2015.

**NOTES**

- A - CHASING OUT OF MASONRY TO ENSURE RAMS ARE IN PLACE.
- B - HOT WORKS ASSOCIATED WITH PIPING MODIFICATIONS TO ENSURE RAMS ARE IN PLACE.

**NOTE:**

ALL FINISHES TO BE AS DESCRIBED IN WAITROSE DESIGN INTENT DWG LATEST REVISION.