



Rev N°	Description	Drawn by	Date
Notes			
This drawing represents a performance guide upon which the contractor/subcontractor must base his/her working drawings & details. Include all necessary tolerances prior to manufacture and installation Contractor to must undertake a full survey of the area to establish all dimensions & ensure accurate setting out. Advise on suitability of all details shown to ensure structural stability, ease and economy of construction Refer to digital master artwork in regard to all graphic work shown All exists will have emergency lighting including outside rear of existing fire door There will be emergency lighting throughout all escape routes and windowless accommodation to BS5266. Fire exit signage will be installed to BS5499 We confirm the suitability of energy efficient systems to meet the relevant recommendations of Approved Documents in respect that the heating system has timed controllers as part of AC system and a closed door policy with no overhead door heaters. The lighting system is all controllable and compact fluorescents used within scheme.			
bedrock Bedrock Design Consultants Ltd 2nd Floor, 39 Gold Street, Northampton, NN1 1RA T 01604 250002 F 01604 250003 info@bedrockdesign.co.uk			
Client			
Caffe Nero			
Project			
West End Lane			
Description			
External Seating			
Scale			
1/75@A3			
Drawn by			
RW			
Date			
26/02/2016			
Drawing N°			
CN445-100			
Revision			
This drawing is the copyright of Bedrock Design Consultants Ltd. This drawing cannot be copied, reproduced, retained or disclosed to any unauthorised person without prior permission in writing from the designer.			