

## **BELSIZE PARK FIRESTATION**





REV

		STATUS	DATE	DESCRIPTION	DRN	ENG	APP	R
								-
BATERCOLIVES . THOULD TO		S4	18.10.2018	CONSTRUCTION ISSUE	KO	TH	BF	(
DATE RECEIVED : 14.06.2019								
ARCHITECTURAL DRAWING REVISION :	( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	S4	18.06.2019	CONSTRUCTION ISSUE	JDT	TH	BF	(
FOR COMPILATION OF IN2 DRAWING.								
NOTE: ARCHITECTURAL DRAWING USED								
(								
	$X {\prec} \to X {\prec} \to X {\prec} \to X {\prec} \to X$							_

THIS DRAWING IS THE PROPERTY OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN PERMISSION OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL BE RETURNED UPON REQUEST.

DUBLIN . ATHLONE . BELFAST . LONDON

PLATINUM LAND
























THIS DRAWING IS THE PROPERTY OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN PERMISSION OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL BE RETURNED UPON REQUEST.

CCTV CAMERA - TYPE 2



**IN**2 ENGINEERING DESIGN PARTNERSHIP DUBLIN . ATHLONE . BELFAST . LONDON

PROJECT **BELSIZE PARK FIRESTATION** CLIENT PLATINUM LAND



DOOR ACCESS REQUEST TO EXIT

CCTV CAMERA - TYPE 3



















KEY OPERATED GREEN EMERGENCY BREAK GLASS UNIT



INTERNAL VIDEO / AUDIO INTERCOM





CCTV CAMERA - TYPE 1









THIS DRAWING IS THE PROPERTY OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN PERMISSION OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL BE RETURNED UPON REQUEST.



ENGINEERING DESIGN PARTNERSHIP DUBLIN . ATHLONE . BELFAST . LONDON



PROJECT BELSIZE PARK FIRESTATION CLIENT PLATINUM LAND

DRAWING TITLE	STA
ELECTRICAL SERVICES INSTALLATION	S
FIRST FLOOR LEVEL	
SECURITY & ACCESS CONTROL SERVICES LAYOUT	
SCALE SIZE PROJECT REF: DRAWING No	REVI

1:100 @ A1 A1 L18051 L18051-IN2-00-01-DR-E-8001 1:200 @ A3



CCTV CAMERA - TYPE 2



CCTV CAMERA - TYPE 1



SION

C2

INTERNAL VIDEO / AUDIO INTERCOM



BREAK GLASS UNIT



KEY OPERATED GREEN EMERGENCY



DOOR ACCESS REQUEST TO EXIT

CCTV CAMERA - TYPE 3

UNIT 16 UNIT 17 UNIT 17								
	UNIT 20 UNIT 18							
	NOTES							
<u>1.00</u>	THE INTRUDER ALARM SYSTEM SHALL BE WIRED IN MULTICORE SECURITY SYSTEM CABLING BY THE ELECTRICAL CONTRACTOR. TAMPER PROOF PROTECTION IS TO BE PROVIDED TO ALL CIRCUITS & DEVICES.							
<u>2.00</u>	THE SYSTEM IS TO BE INSTALLED, TESTED & COMMISSIONED & CERTIFIED IN FULL COMPLIANCE WITH BS EN 50136-1:2012.							
<u>3.00</u>	THE ELECTRICAL CONTRACTOR SHALL EMPLOY THE SERVICES OF A REGISTERED ALARM INSTALLER.							
<u>4.00</u>	THE POWER SUPPLY FOR THE INTRUDER ALARM SYSTEM SHALL BE COMPLETELY DEDICATED WITH THE MAIN DISCONNECTION DEVICE SECURED FROM UNAUTHORISED OPERATION.							
<u>5.00</u>	ALL CABLING ASSOCIATED WITH CCTV SYSTEM TO BE CARRIED OUT BY THE ELECTRICAL CONTRACTOR UNDER THE INSTRUCTION OF THE SPECIALIST SECURITY CONTRACTOR.							
	DOOR INTERCOM / DOOR ACCESS SYSTEM							
(	INTERCOM CALL STATION STATION. IP65 RATED & VANDAL RESISTANT							
	WALL MOUNTED VIDEO PHONE HANDSET C/W DOOR RELEASE							
	GREEN BREAK GLASS UNIT FOR EMERGENCY RELEASE.							
REX 🕻	DOOR ACCESS REQUEST TO EXIT BUTTON (STAINLESS STEEL FINISH)							
	TRANSOMAGNETIC DOOR LOCKS C/W INTEGRAL INTRUDER ALARM CONTACTS.							
	ACD CARD READER							
AC PS	- POWER SUPPLY UNIT							
IA	P INTRUDER ALARM PANEL.							
	<u>CCTV</u> - FIXED CCTV CAMERA C/W VANDAL PROOF HOUSING.							
00	INTERNAL INTRUDER ALARM SOUNDER (SOUND BOMB TYPE).							
0 0 0 0 0 0	INTRUDER ALARM REMOTE KEYPAD AT 1350mm AFFL.							

KEYPLAN

UNIT 8

UNIT 7

UNIT 8 MEZZ

## **BELSIZE PARK FIRESTATION**



	NOTE: ARCHITECTURAL DRAWING USED									
	ARCHITECTURAL DRAWING REVISION :	$\langle \rangle \times \langle \rangle \times \langle \rangle$		S4	18.06.2019	CONSTRUCTION ISSUE	JDT	TH	BF	C2
	DATE RECEIVED : 14.06.2019	$\mathcal{K} \times \mathcal{K}$		S4	18.10.2018	CONSTRUCTION ISSUE	KO	TH	BF	C1
()X()X()X()	)X\/X\/X\/X\/j	()	÷	STATUS	DATE	DESCRIPTION	DRN	ENG	APP	REV

THIS DRAWING IS THE PROPERTY OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN PERMISSION OF IN2 ENGINEERING DESIGN PARTNERSHIP & SHALL BE RETURNED UPON REQUEST.


CCTV CAMERA - TYPE 2



**IN**2 ENGINEERING DESIGN PARTNERSHIP DUBLIN . ATHLONE . BELFAST . LONDON



PROJECT BELSIZE PARK FIRESTATION CLIENT PLATINUM LAND



<u>1.00</u>	CABLING	RUDER ALARM SYSTEM SHALL BE WIRED IN MULTICORE SECURITY SYSTEM B BY THE ELECTRICAL CONTRACTOR. TAMPER PROOF PROTECTION IS TO /IDED TO ALL CIRCUITS & DEVICES.				
<u>2.00</u>	THE SYSTEM IS TO BE INSTALLED, TESTED & COMMISSIONED & CERTIFIED IN FUL COMPLIANCE WITH BS EN 50136-1:2012.					
<u>3.00</u>	THE ELECTRICAL CONTRACTOR SHALL EMPLOY THE SERVICES OF A REGISTERED ALARM INSTALLER.					
<u>4.00</u>	THE POWER SUPPLY FOR THE INTRUDER ALARM SYSTEM SHALL BE COMPLETELY DEDICATED WITH THE MAIN DISCONNECTION DEVICE SECURED FROM UNAUTHORISED OPERATION.					
<u>5.00</u>	ELECTRI	LING ASSOCIATED WITH CCTV SYSTEM TO BE CARRIED OUT BY THE CAL CONTRACTOR UNDER THE INSTRUCTION OF THE SPECIALIST IY CONTRACTOR.				
		DOOR INTERCOM / DOOR ACCESS SYSTEM				
	0	INTERCOM CALL STATION STATION. IP65 RATED & VANDAL RESISTANT				
		WALL MOUNTED VIDEO PHONE HANDSET C/W DOOR RELEASE FUNCTION AND INDUCTIVE AUDIO COUPLER.				
Q	Ø	GREEN BREAK GLASS UNIT FOR EMERGENCY RELEASE.				
REX [		DOOR ACCESS REQUEST TO EXIT BUTTON (STAINLESS STEEL FINISH)				
		TRANSOMAGNETIC DOOR LOCKS C/W INTEGRAL INTRUDER ALARM CONTACTS.				
		ACD CARD READER				
AC PS		POWER SUPPLY UNIT				
IA	P	INTRUDER ALARM PANEL.				
		<u>CCTV</u> - FIXED CCTV CAMERA C/W VANDAL PROOF HOUSING.				
		INTERNAL INTRUDER ALARM SOUNDER (SOUND BOMB TYPE).				
00		INTRUDER ALARM REMOTE KEYPAD AT 1350mm AFFL.				

DOOR ACCESS REQUEST TO EXIT

CCTV CAMERA - TYPE 3
















BREAK GLASS UNIT













ELECTRICAL SERVICES INSTALLATION

CCTV CAMERA - TYPE 1

DRAWING TITLE

BASEMENT LEVEL 1



