


Typical Glazed Partitions - Jamb - Fixed



1.	Refer to 83 series for general notes
2.	Manifestation design to be signed off by
	GOSH as part of the RDD finishes review
3.	Glazed screens and doors to be RAL 7021
4.	Details shown are for non fire-rated glazed
	partitions. FD 60 fire rated glazed partitions
	to match
5.	Whilst SAS systems are noted, these are to
	be purchased by Ocula who have now
	bought SAS. Refer to specification

Glazed Screen Types

Type 01 - Non fire rated - powder coated aluminium Type 02 - 60 min FR - powder coated steel

Rev	Date	Details/ Amended by	Sign
	21.11.11	Dran Olage + 13sue / 5D	
P1	27.11.17	Draft Stage 4 Issue / JB	LM
A7	07.02.18	STAGE 4 SUBMISSION/ LM	AML
A12	25.06.18	REVISED STAGE 4 ISSUE / LM / MJF	LM
C1	26.10.18	Construction Issue - glazed screens, GRP and stairs / LM / MJF	LM/ MJF

## sonnemanntoon architects

Quality House		tel: +44 (0)20 7580 8881				
6-9 Quality Co		nfo@st-arch.co.uk				
Chancery Lane	e web: wv	ww.st-arch.co.uk				
London WC2A	1HP					
United Kingdor	n © This	drawing is copyright				
Do not scale this drawing. Architect to be informed of						
all discrepancies in dimensions. Contractor to check						
all dimensions on site.						
Project title						
ITALIAN HOSPITAL						
Drawing title						
DETAILS: DOORS + GLAZING						
Typical Glazed Partitions						
Scale	Status	Revision				
1: 2 @A1	CONSTR.	C1				
Drawing number						
1615-ST-Q1-XX-DR-A-5360						

200mm