




**NOTES:**

1. This drawing is to be read in conjunction with all relevant contract documentation from the tender pack. Any clarification or amendments to be sought to the attention of Turkington Martin.
2. The contractor is to make sure they identify and remove any trees before construction. Any trees to be retained are to be marked with a red spray paint and a red flag. Any trees to be removed are to be marked with a yellow spray paint and a yellow flag.
3. All quantities are in m<sup>2</sup>, unless otherwise stated.
4. Do not scale from the drawing.
5. All materials and concrete design and specification to engineer's details. All drawings provided are to be checked by the contractor.
6. All quantities are in m<sup>2</sup>, unless otherwise stated.
7. All quantities are in m<sup>2</sup>, unless otherwise stated.
8. All quantities are in m<sup>2</sup>, unless otherwise stated.
9. Any proposed plant installation shall be agreed with the landscape architect prior to planting.



NO.	DATE	DESCRIPTION	BY	CHECKED
20141217	15	Issue for tender and for construction	GA	GA
20141217	15	Issue for tender and for construction	GA	GA
20141217	15	Issue for tender and for construction	GA	GA

**turkington martin**  
 Studio 3, 60 Cavendish House, Kennington Park  
 1-3 Brunton Road, London, SW9 6DE  
 E: [studio@turkingtonmartin.com](mailto:studio@turkingtonmartin.com)

**Camden Council**  
 MAINTENANCE  
 MATERIALS GA

**Camden Council**  
 MAINTENANCE  
 MATERIALS GA

**Camden Council**  
 MAINTENANCE  
 MATERIALS GA

REVISION:	DATE:	BY:	CHECKED:
C	2014.03.10	GA	GA
B	2014.02.10	GA	GA
A	2014.02.10	GA	GA

**DRAWING NUMBER:**  
**122-L04**  
 Turkington Martin LANDSCAPE ARCHITECTS

PAVING, KERBS, EDGING, STEPS	RAILINGS, WALLS, FENCES, GATES	STREET FURNITURE, LIGHTING
P1 City coloured paving to shared surface areas 215 x 52 x 75mm (L x W x D)	R1 Railing to top of wall 1.2m high, vertical balustrade polyester powder coated grey	BL Removable bollards, Stainless steel, satin finish, 800mm high, 100mm dia.
P2 Rein bound gravel, Buff colour 10mm binder course, 24mm thick, 50mm binder course, to others details, All laid to suppliers details.	R2 Railing end wall to Carlton Terrace, 1100mm high overall 600mm high, vertical pale railings, polyester powder coated black	CS Cycle stands Stainless steel, satin finish, 750mm high
P2a Rein bound gravel, Buff colour (over existing tree SPA) 50mm binder course, to others details, 100mm deep callows, sub-base replacement system All laid to suppliers details.	R3 Self binding gravel, Buff colour (beneath existing trees) 50mm thick (after compaction) 150mm subbase, to others details	HR Street steel, satin finish, 500mm diameter
P3 Self binding gravel, Buff colour 50mm thick (after compaction) 150mm subbase, to others details	R3 Self binding gravel, Buff colour (beneath existing trees) 50mm thick (after compaction) 150mm subbase, to others details	SB Concrete bases with timber top
P4 Loose gravel to base of tree, Buff colour, 10mm washed aggregate, 150mm thick	R4 Concrete thick paving to private terraces and gardens, with natural stone aggregate, light granite colour, 100 x 200 x 65mm	LC Lighting columns Stainless steel, satin finish, 800mm high, 100mm dia, painted black
P5 Concrete thick paving to private terraces and gardens, with natural stone aggregate, light granite colour, 100 x 200 x 65mm	R4 Railing to TRA Hall 2.2m high, two-spoke artwork panels, to be painted powder coated colour TBC	FL Feature lighting to existing tree, Stem lights
P6 Natural colour, 500 x 1000 x 70mm	F1 Railing to TRA Hall 2.2m high, two-spoke artwork panels, to be painted powder coated colour TBC	UL Uplights to trees
P7 MULGA fine paving for 54-seats football and basket ball, to include goals, basket ball hoops and back board	G1 Gate to Carlton Mans entrance 2.2m high vertical pale railings, polyester powder coated grey, with key access	
P8 Concrete flag paving to match existing	W1 Brick wall to private terrace 215 x 750mm high, brick to match buildings, 250 x 145mm thick granite coping	
P9 Silver grey granite sets 100 x 100 x 100, textured finish	W2 Brick wall 215 x 800mm high, brick to match buildings, 250 x 145mm thick granite coping	
P10 Mosaic surface to match existing	W3 Brick wall to private gardens, 215 x 800mm high, brick to match buildings, 250 x 145mm thick granite coping	
K1 Granite kerb, 50mm upstand Silver grey, 145 x 255mm	W3 Brick wall to private gardens, 215 x 800mm high, brick to match buildings, 250 x 145mm thick granite coping	
K2 Granite kerb, laid flush Silver grey, 145 x 255mm	W4 Brick wall with timber fence to private gardens, 2.5m high 215 x 750mm high, brick to match buildings, 250 x 145mm thick granite coping	
K3 Aluminium edging, 6mm thick, 150mm deep, laid to suppliers details	W5 Ridged sleepers, endwall, wall and timber parapet, 2.5m high 215mm x 1.5m high, brick to match buildings, Brick pillars located as required (to eng. details), 250 x 145mm thick granite coping	
K4 Timber edging 10mm thick, 50mm deep	W5 Ridged sleepers, endwall, wall and timber parapet, 2.5m high 215mm x 1.5m high, brick to match buildings, Brick pillars located as required (to eng. details), 250 x 145mm thick granite coping	
K5 Granite kerb to match existing, 10mm thick, 50mm deep	W5 Ridged sleepers, endwall, wall and timber parapet, 2.5m high 215mm x 1.5m high, brick to match buildings, Brick pillars located as required (to eng. details), 250 x 145mm thick granite coping	
S1 Steps to Community Garden, Silver grey granite, textured finished 150mm rise, 280mm tread, to incorporate contrast visibility strip to nose	W6 Railing wall to MULGA, 2.0m high 215mm x 2m high, brick to match buildings, 250 x 145mm thick granite coping	
S2 Seating steps to Community Garden, Silver grey granite coloured steps, finished 450 / 600mm high, 800mm wide	W7 Ridged sleeper walls to TRA Community Garden, 450mm high, 250 x 150mm seasoned oak timber sleepers	
S3 Steps to Withbeam House, Silver grey granite coloured steps, textured finished Riser and tread to match existing	W8 Facing to existing brick wall, single skin brick facing to match building, attached using brick ties / anchors to engineers details Existing low abaker wall to be made good with materials to match where necessary Existing boundary wall to be made good with materials to match where necessary	