

SITE: Dr Williams Library, Gordon Square, London -- BS 5837:2012 TREE SCHEDULE -- DATE: 05/04/2019



| TREE NUMBER | SPECIES | SCIENTIFIC NAME | AGE CLASS | STRUCTURAL CONDITION | PHYSIOLOGICAL CONDITION | COMMENTS (INCLUDING RECOMMENDATIONS AS APPROPRIATE) | CONTRIBUTING YEARS | VALUE CATEGORY | OVERALL HEIGHT (m) | CANOPY SPREAD (m) | GROUND - CANOPY (m) | D @ 1.5m | RPA (m²) | RPR (m) |
|----------------|------------------|------------------------|------------------|----------------------|----------------------------|---|-----------------------|----------------|-----------------------|----------------------------|------------------------|-------------|----------------------|---------|
| 1 | Sycamore | Acer pseudoplatanus | Late Semi-Mature | Good | Good | Stem bifurcates at 2.5m from GL. Very minor deadwood in crown. Tree Tag: 01955. | 40+ | В1 | 19.7m | N7 E8.6 S9.5 W6.5 | 9m | 0.59m | 157.48m² | 7.08m |
| 2 | Common holly | Ilex aquifolium | Semi-Mature | Good | Good | Growing within 0.5m of existing building, limited scope for long-term retention without frequent reduction works to crown to prevent nusience and damage to building fabric. | 20+ | C1 | 5.8m | N4 E1 S4.5 W3 | GL | 0.21m | 19.95m² | 2.52m |
| 3 | Cotoneaster tree | Cotoneaster frigidus | Late Semi-Mature | Moderate | Good | Multi-stemmed specimen from GL, with numerous crossing and rubbing branches. Root plate is growing directly under building foundation, no obvious evidence of subsidence to main building fabric, although adjoing wall has slightly subsided approximately 2m to the west of stem, potential for a number of other non-tree related factors which may have accounted for drop in wall line. Given its location, tree has very limited scope for long-term retention. | 10+ | U | 6.8m | N7 E6 S0 W5 | 1-2m | 0.21m | 19.95m² | 2.52m |
| 4 | London plane | Platanus x hispanica | Late Mature | Good | Good | Prominent tall and fully mature tree with a full and dense crown network, appearing from GL to be in overall good condition. Tree Tag: 0920. | 40+ | A1 | 35m (est) | N8 E14.5 S11 W11 | 7-8m | 1.33m | 800.23m ² | 15.96m |
| 5 | Laburnum | Laburnum sp. | Young | Good | Good | Stem bifurcates at 1m from GL. Tree in good overall condition however sub- dominant position under canopy of T4 provides reduced scope for useful long term retention. | 10+ | C1 | 7.5m | N3 E1.5 S3 W3 | 2m | 0.12m | 6.51m ² | 1.44m |

| TREE NUMBER | SPECIES | SCIENTIFIC NAME | AGE CLASS | STRUCTURAL CONDITION | PHYSIOLOGICAL CONDITION | COMMENTS (INCLUDING RECOMMENDATIONS AS APPROPRIATE) | CONTRIBUTING YEARS | VALUE CATEGORY | OVERALL HEIGHT (m) | CANOPY SPREAD (m) | GROUND - CANOPY (m) | D @ 1.5m | RPA (m²) | RPR (m) |
|----------------|----------------|-----------------|-------------|----------------------|----------------------------|--|-----------------------|----------------|-----------------------|----------------------|------------------------|-------------|--------------------|---------|
| 6 | Cherry species | Prunus sp. | Young | Moderate | Good | Wound in stem 1.6m from GL facing NE, probable site of former branch attachment, exposed stem wood evident with early decay and softening of outer wood. Additional young tree growing directly adjacent, appears to be an ash leaved maple. Limited scope for longterm useful rentention of both trees and TS, given their close proximity and subdominant position under the extensive canopy of T4. | 10+ | C1 | 6.8m | N5 E5 S6 W2 | 1.5m | 0.12m | 6.51m² | 1.44m |
| G1 | Various | Various | Semi-Mature | Moderate | Good | Minor group of ornamental shrubs including butterfly bush, castor oil and Cotoneaster - of negligible arboricultural merit. | 10+ | U | 4m | | GL | 0.1m | 4.52m ² | 1.2m |