







- STAGE 1:**
- 1.1 REDUCE UNDERCROFT LEVEL TO JUST ABOVE ORIGINAL FOUNDATIONS.
 - 1.2 UNDER EXTERNAL WALLS MAX 0.9M LONG HIT AND MISS SEQUENCE, EXCAVATE TO FORMATION LEVEL AND FOR 'L' SHAPED UNDERPINS.
 - 1.3 UNDER PARTY WALL EXCAVATE TO FORMATION LEVEL, INSERT DOWEL BARS TO EXISTING NO. 17 AND CAST SLAB AS SHOWN.



- STAGE 3:**
- 3.1 CONSTRUCT RC SLAB.
 - 3.2 REMOVE LATERAL HORIZONTAL SUPPORTS



- STAGE 2:**
- 2.1 EXCAVATE TO FORMATION LEVEL PROVIDING LATERAL HORIZONTAL SUPPORT @ 1.5 C/C.



- STAGE 4:**
- 4.1 COMPLETION

NOTES

1. ALL ERRORS AND OMISSIONS ARE TO BE REPORTED TO THE ENGINEER.
2. THIS DRAWING IS THE COPYRIGHT OF 'WYATT CARRUTHERS JEBB LTD'.
3. THIS DRAWING SHOULD NOT BE SCALED.

P1	1.2.19	INFORMATION ONLY	GG	TS
Issue	Date	Notes	By	Review

Client **CLAUDIO ROCHETTI**

Project **FLAT A,
15 CROFTDOWN ROAD
LONDON, NW5 1EL**

Drawing **PROPOSED BASEMENT
ANTICIPATED CONSTRUCTION
SEQUENCE DRAWING**

Date Drawn	Drawn by	Initiator	Scales
DEC'18	GG	TS	NTS

Drawing status **PRELIMINARY**

WCJ

WYATT · CARRUTHERS · JEBB

ENGINEERS

SURVEYORS

TRIDENT COURT 1 OAKCROFT ROAD
CHESSINGTON SURREY KT9 1BD
01372 466118 HQ@WCJLTD.COM

Drg. No. **17660/07** Issue **P1**