


- DO NOT SCALE THIS DRAWING.
- ALL DIMENSION IN MILLIMETRES. ALL CHAINAGES, LEVELS AND COORDINATES ARE IN METRES UNLESS DEFINED OTHERWISE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE DESIGNERS RISK REGISTER FOR ANY IDENTIFIED POTENTIAL RISKS THAT CANNOT BE MITIGATED THROUGH DESIGN.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWING ISSUES AND SPECIFICATIONS.
- REFER TO LANDSCAPE ARCHITECT'S PAVEMENT LAYOUT FOR PAVEMENT THICKNESS & ORIENTATION FOR RECESSED COVER.
- ALL MANHOLES TO BE CONSTRUCTED TO FACILITATE THE POSITIONING OF COVER AND FRAME TO COINCIDE WITH PAVEMENT PATTERN. ORIENTATION OF PAVEMENT PATTERN TO BE SUPPLIED FROM LANDSCAPE ARCHITECTS.
- ALL MANHOLES TO BE CONSTRUCTED TO FACILITATE THE POSITION OF COVER AND FRAME TO COINCIDE WITH PAVEMENT PATTERN WHERE FEASIBLE. ORIENTATION OF PAVEMENT PATTERN TO BE SUPPLIED FROM LANDSCAPE ARCHITECTS.


I/R	DATE	DESCRIPTION
P04	04/11/19	REVISED STAGE 4
P03	23/01/19	REVISED ENABLING WORKS TENDER
P02	04/01/19	ENABLING WORKS TENDER
P01	29/03/18	STAGE 4 DRAFT ISSUE

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.




**TYPICAL POLYPROPYLENE INSPECTION CHAMBER DETAIL**  
SCALE 1:25

- NOTES:
- MAXIMUM DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE IN AREAS SUBJECT TO HIGH VEHICLE LOADING 3m, NON ENTRY.
  - PLASTIC CHAMBERS AND RINGS SHALL COMPLY WITH BS EN 13598-1 AND BS EN13598-2 OR EQUIVALENT.
  - WHERE RECESSED COVERS ARE USED, THESE SHALL BE ORIENTATED TO SUIT THE PAVING PATTERN. ORIENTATION OF PAVEMENT PATTERN TO BE SUPPLIED FROM HLM ARCHITECTS. REFER TO ARCHITECTS LAYOUT FOR THICKNESS OF PAVEMENT FOR RECESSED COVER.




**SECTION A-A**




**PLAN VIEW**

**TYPICAL INSITU MANHOLE WITH FLOOR FINISH**  
SCALE 1:20




**SECTION A-A**




**PLAN VIEW**

**NORTH HOUSE OUTFALL DETAIL (MH REF. CW1.1)**  
SCALE 1:20




**SECTION A-A**



**PLAN VIEW**

**TYPICAL INSITU MANHOLE WITH FLOOR FINISH**  
SCALE 1:20



ISO A1 594mm x 841mm  
CAD: BL  
Approved: RF  
Checked: RP  
Designer: BL  
Project Management Initials:  
Last Plotted: 2019-11-04  
Filename: \\UKLON06\FPSW001\LN\_TRANSPORT\INFRASTRUCTURE LONDON\60516144 - MIDDLESEX ANNEXE HOSPITAL\06\_CAD\_DATA\01-WIP\DISCIPLINE\01-DRAWINGS\MHA-ACM-XX-XX-DR-C-00013.DWG