<b>Reference</b> G = Group H = Hedge	Age & Species	Height (m)	<b>Crown Ht</b> (m)	<b>Diameter</b> (cm)	Crown Spread (m)		Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value	
					N W E					Physiological Condition	Life Expectancy (yrs)	
<b>~</b> ∪ ±		T	S	Dia	S	9 0 9			Priority	Inspect Freq (yrs)	Structural Condition	
T1	Early-Mature Braod-leaved Cockspur Thorn Crateagus x prunifolia.	4	2	24	3.5	[25 -	Form: S History: N	Situated within the front garden. Single stemmed and vertical with a balanced crown. No evidence of significant pruning. <b>No significant defects observed.</b>	No action required.		Moderate	Moderate
					4 3.5 3	-					Good Good	20-40 C
	Early-Mature					_0 [25			n/a	3		
T2	Braod-leaved Cockspur Thorn Crateagus x prunifolia.	3.5	2	20	2.5	- - - -	Form: History:	Situated on third party land. Multi-stemmed at 2m with a balanced crown. No evidence of significant pruning. <b>No significant defects observed</b> .	No action required.		Moderate Good	Moderate 20-40
					3						Good	C
	Mature				25	Position:	Situated on third party land.		-	Moderate	Moderate	
Т3	<b>Ash</b> Fraxinus excelsior.	15	4	75	5 4.5 5		Form:Twin-stemmed at 4m with a balanced crown.History:Multiple pruning wounds due to crown reduction.	Twin-stemmed at 4m with a balanced crown.	No action requir		Good	20-40
					4.5		Defects: Other:	No significant defects observed. Limited inspection, dimensions estimated.	n/a	3	Fair	
T4	Young					[25 -					High	Low
	Bay Laurel	3	1.5	8	1.5 1.5 1.5	5 -	Form: History: <b>Defects:</b>	Single stemmed and vertical with a balanced crown. Regularly trimmed. No significant defects observed.	No action required.		Good	20-40
					1.5	0		-	n/a	3	Good	C
T5	Early-Mature <b>Ash</b> Fraxinus excelsior.	10	5			. 🏄	Position:Situated on third party land.Form:Multi-stemmed specimen.History:Multiple pruning wounds due to crown reduction.Defects:No significant defects observed.Other:Limited inspection, dimensions estimated.	Situated on third party land.			Moderate	Moderate
				60	3.5 3.5 2 3.5			Multiple pruning wounds due to crown reduction.	No action required		Good	20-40
								n/a 3		Fair	В	
	Early-Mature					L0			Π/d	3		
T6	Apple				2	-	Form: History:	Multi-stemmed at 2m with a balanced crown. Multiple pruning wounds due to crown reduction.	No action re	required.	Moderate	Low
		3	2	21	3 3.5 3.5	-	Defects: Other:	No significant defects observed. Resting on boundary wall.			Good	10-20
	Malus domestica.					0	other.	Kesting on Doundary waii.	n/a	3	Fair	C
T7	Semi-Mature					[25 -					Moderate	Moderate
	<b>Himalayan Birch</b> Betula utilis.	6	2	21	4 4 4 4		Form:Multi-stemmed at 2m with a balanced crown.History:No evidence of significant pruning.Defects:No significant defects observed.		No action required.		Good	20-40
								n/a	3	Good	С	

<b>Reference</b> G = Group H = Hedge	Age & Species	Height (m)	<b>wn Ht</b> (m)	<b>meter</b> (cm)	Crown Spread (m)	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
					N W E					Physiological Condition	Life Expectancy (yrs)
			S	Dia	S	9 0 9		Priority	Inspect Freg (yrs)	Structural Condition	
Т8	Mature <b>Lime</b>	12	5	60	5 5		Position: Situated on third party land. Form: Multi-stemmed at 3.5m with a balanced crown. History: Multiple pruning wounds due to crown reduction.	No action required.		Moderate Good	Moderate 40+
	Tilia sp.				5		Defects: No significant defects observed.   Other: Limited inspection, dimensions estimated.	n/a	3	Fair	