



E12 Specification Notes

This drawing must be read in conjunction with the general notes on drawing 8040.

These notes are for the construction of replica doors that have no fire requirement. If door has fire requirement see 8040 notes. Generally replicate the existing door after surveying it on site. This drawing indicates the general details of the existing door type but not be used as a fabrication drawing. The contractor must use its expertise to produce accurate shop drawings.

Material: To match existing

Finish: To match existing colour and texture as closely as possible. Allow for 6 samples of 200mm x 200mm Oak panel to be stained and varnished to enable colour and texture of existing to be matched. In the first instance, produce two samples and notify the architect when complete to arrange inspection. After inspection further samples may be required to achieve the closest match possible.

Glazing: Clear glazing. To be toughened glass in accordance with BS 6262: Part 4: 1994.

Action: Door to swing in two directions

Door Handles: to match original brass pull handles. Refurbish existing and reuse if possible. In the event of salvage being impossible a replica will be required.

Floor springs and associated pivot: Refurbish and refit existing floor springs and head pivot to each door. Allow for adjusting strength of closer to meet the requirements set out in BS 8300-2:2018.

Provide alternative price for supplying and installing new floor springs and associated alterations to the existing floor recess to enable accommodation of new unit. A custom made brass plate must be allowed for to cover the new floor spring, assuming that the new unit is not available with a polished brass finish. Installation to comply with BS 8300-2:2018.

Finger Plates: No finger plates are required. This is to match existing doors of this type which did not originally have this feature.

Kick Plates: Not required.

| Notes: Drawings are based on survey data and may not accurately represent what is physically present. Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work. All dimensions are in millimeters unless noted otherwise. Purcell shall be notified in writing of any discrepancies. | P00 18 Dec 2019 First Issue 27 Sep 2019 RH RH | CLIENT Lendlease | DRAWING TITLE Details of Existing Door Type E12 This existing door is DE1.04-2 | JOB NUMBER 238664 | | | | | | | | | | |
|--|---|---------------------------------|--|--|---------|-------------|--|--|--|--|--|--------------------------------------|---------------------|--|
| | | PROJECT Camden Town Hall | SIZE & SCALE A3L As Noted | DRAWING NO. CTH-PUR-XXX-DR-31-A-8014 | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>ISSUE</th> <th>DATE</th> <th>DRAWN</th> <th>CHECKED</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | ISSUE | DATE | DRAWN | CHECKED | DESCRIPTION | | | | | | DRAWING STATUS ISSUED FOR LBC | REVISION P00 | |
| ISSUE | DATE | DRAWN | CHECKED | DESCRIPTION | | | | | | | | | | |
| | | | | | | | | | | | | | | |