



FRONT OF PROPERTY
PILE LAYOUT PLAN
(1:30)

115mm DIA. AUGER CLAY PILE C/W 4m SLIP SLEEVES



TP1 - SECTION
(1:20)



REMEDIAL CONNECTION DETAIL
(1:20)

GENERAL NOTES:
1. DO NOT SCALE THIS DRAWING. FOR DISCREPANCIES OR QUESTIONS CONTACT THE ENGINEER PRIOR TO WORK COMMENCING.
2. MATERIALS AND WORKMANSHIP ARE TO COMPLY IN ALL RESPECTS WITH CURRENT BRITISH STANDARD SPECIFICATIONS, BRITISH STANDARD CODE OF PRACTICE AND BUILDING REGULATIONS.
3. THE COPYRIGHT OF THIS DRAWING IS VESTED IN THE ENGINEER AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
4. THE CONTRACTOR IS TO CHECK AND VERIFY ALL BUILDING AND SITE DIMENSIONS, LEVELS AND SEWER INVERT LEVELS AT CONNECTION POINTS BEFORE WORK COMMENCES.
5. THIS DRAWING IS TO READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS AND DRAWINGS ISSUED BY THE ENGINEER, ARCHITECT AND OTHER SPECIALISTS.

- KEY:**
- EXISTING STORM DRAINAGE
 - EXISTING FOUL DRAINAGE
 - PROPOSED STORM DRAINAGE
 - PROPOSED FOUL DRAINAGE
 - RWP RAIN WATER PIPE
 - SVP SOIL VENT PIPE
 - △ RE RODDING EYE
 - GULLY

IN ADDITION TO THE NORMAL HAZARDS/RISKS ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING TAKE NOTE OF THE HAZARD TRIANGLES. IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING WHERE APPROPRIATE TO AN APPROVED METHOD STATEMENT.

SIGNAL WORD	MEANING
DANGER	TO INDICATE AN IMMEDIATELY HAZARDOUS SITUATION, WHICH IF NOT AVOIDED, WILL RESULT IN DEATH OR SERIOUS INJURY TO BE LIMITED TO THE MOST EXTREME SITUATIONS.
WARNING	TO INDICATE A POTENTIALLY HAZARDOUS SITUATION, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY.
CAUTION	TO INDICATE A POTENTIALLY HAZARDOUS SITUATION WHICH IF NOT AVOIDED, MAY RESULT IN MINOR OR MODERATE INJURY.

Minimum Pile Depth: 10m
E-Value: 175mm
Maximum Pile Centers: 830mm

NO	DESCRIPTION	DATE	BY	CHK
01	PRELIMINARY ISSUE	16-04-019	CS	RM

ORIGINAL DRAWING SIZE A3
DO NOT SCALE
THIS DRAWING IS COPYRIGHT AND MUST NOT BE REPRODUCED WITHOUT CONSENT

SHIRE STRUCTURES IS AN ISO 9001 AND ISO 14001 ACCREDITED COMPANY

PILE LAYOUT PLAN - REMEDIAL CONNECTION DETAIL
Client: **PASNER**
ORIEL (6425717)
Home Office: **PASNER**

Address:
**4 HEATH DRIVE,
LONDON,
NW3 7SY**

ShireStructures
The Chapel, Family Hill Road
BROOKSTONE Watlington Oxon OX8 0SZ
T: 01517 579933
F: 01517 579537
e: info@shire.com
w: www.shire.com

Date: 19 APR 19
Scale: 1:50 & 1:20
Checked: RM
Drawn: RM

Job No: **SSE-19-149**
Drawing No: **001**
Issue: **P01**

