

EST 1926  
**BANHAM**  
SECURITY

[REDACTED]  
23 King Henrys Road  
London  
NW3 3QP

Dear Sir/Madam,

Date: as per quote

**Re: Your recent security survey**

Thank you for choosing Banham to carry out your recent security survey and following my visit, I have the pleasure of enclosing your specification and quotation.

In addition to the details laid out in your quotation, we would like to highlight some key reasons why our customers have chosen Banham to protect their properties, which we hope will aid you in making your decision:

- Established in 1926, Banham has over 90 years of security expertise and the most knowledgeable, highly trained and trusted engineers in the Industry
- We are still a family run and owned business, now in our third generation. We are therefore committed to personal customer service, which is unusual in this day and age of often impersonal conglomerates
- Banham locks are high security and protected by patent, meaning only those authorised are able to duplicate your key through our secure key registration system
- Banham are members of the Master Locksmiths Association, BRE Global Loss Prevention Certification Board and are approved by Safecontractor and Secured by Design for 'Police preferred specification'
- All our staff are regularly DBS checked & vetted and our professional Key Guards hold SIA licenses
- Banham can provide a full range of security services and products, including 24 hour emergency engineers and locksmiths as well as our own in-house Alarm Receiving Centre (ARC), dedicated to monitoring and responding to the security activations of only Banham customers

Should you wish to place an order, please contact the sales department on 020 7622 5151 or sales@banham.com. Please note that a 50% deposit or Direct Debit mandate is required to confirm an order and should you select the Direct Debit option, no deposit is required (For commercial contracts, a 50 % deposit is required with the direct debit option). We accept all major cards (except American Express), as well as Bank Transfer, Cheque, Cash. To make a Bank Transfer please use your survey number or customer account number as a reference. Our details are as follows: -

- Account Name: Banham Patent Locks Ltd
- Sort Code: 50 30 10
- Account Number: 31262481
- IBAN: GB96 NWBK 5030 1031 2624 81
- SWIFTBIC: NWBK GB2L

It is important to us to ensure we have met your specific requirements and expectations, so please do not hesitate to contact us with any questions or feedback, either by email at sales@banham.com or by my mobile number [REDACTED]

Yours faithfully,

[REDACTED]

Tony Kavanagh

EST 1926

**BANHAM**

SECURITY

20 Thornsett Road, London SW18 4EF • Tel: 020 7622 5151 • www.banham.co.uk • sales@banham.com

**• FITTING DATE:**

Client:	[REDACTED]	Account No:	
Invoice Address:	23 King Henrys Road London	Site Address:	Same
Postcode:	NW3 3QP	Postcode:	
Home Tel:		Contact Name:	None
Work Tel:		Contact Tel:	
Mobile:	[REDACTED]	Surveyor:	
Email:	[REDACTED]	Surveyor Mobile:	[REDACTED]
Survey Date:	29 April 2019	Survey No:	[REDACTED]

Location	Supply and Installation	Qty	Total
Main Communal Door To Replace Existing Double Doors	<p>Banham Victorian style Accoya security door with FOUR recessed high security wooden panels. The strength of the door has been optimised by using thicker timber sections.</p> <ul style="list-style-type: none"> <li>• Door size: 1190 x 2220 x 45 mm</li> <li>• Panels fitted with integral steel reinforcing</li> <li>• Door finish: Primed ready for painting</li> <li>• Hinge finish: Polished Chrome</li> <li>• Re-fit client's letterbox: No</li> <li>• Re-fit client's door furniture: No</li> <li>• Weather bar: Yes.</li> <li>• Draught excluder: Yes</li> </ul> <p>To ensure that we fully meet with your requirements, our carpentry department will prepare a working drawing for you to sign-off. Following this, installation is generally 5- 7 weeks for a primed door.</p> <p><i>The door, which should be painted within 3 days of fitting, is made from natural materials harvested from a sustainable source and may shrink or expand a little depending on atmospheric conditions. Please note that the re-fitting of any alarm system contact, is the client's responsibility.</i></p> <p>CLIENTS DECORATOR TO PLEASE FILL ANY REMAINING OLD HINGE POINTS ON FRAME WHEN DECORATING DOOR.</p>	1	[REDACTED]
Main Communal Door To Replace Existing Double Doors (A)	<p>Banham EL4000 inward opening rim autobolt lock with secure electric release mechanism. This lock is restricted from being latched back and will fail secure in the event of a power failure. Please note that this lock does not comply with BS3621.</p> <ul style="list-style-type: none"> <li>• Banham key registration system with 2 keys included</li> <li>• Finish: Polished Chrome</li> <li>• Case size: 95 mm</li> <li>• Lock position: Central on right side for doormm from FFL</li> <li>• Cylinder extension: Standard Collar</li> <li>• Finger pull: Included</li> <li>• High security electric release mechanism: 12volt DC/AC</li> </ul> <p>Please note: your insurer may require that this lock is backed up by at least one mortice deadlock, which is keyed both sides and compliant with BS3621.</p> <p>Existing systems: Please be aware that the system may require the attention of the original installer if the voltage/current is not sufficient to operate the electric release mechanism or if the functionality of the system is for any other reason affected. In this event Banham can take no responsibility for any additional costs incurred by the client.</p> <p>MAIN JUCTION BOX WITH CABLE FOR RELEASE IS ON RIGHT SIDE OF DOOR FRAME AND FITTER TO PLEASE CONNECT TO ELECTRIC RELEASE FROM THIS POINT</p>	1	[REDACTED]
Keys (A)	Client to be supplied with a total of 6 keys. (4 extra keys)	4	[REDACTED]
Main Communal Door To Replace Existing Double Doors	<p>Banham Standard External Letter plate. This hand crafted product is made from high quality solid brass which is carefully polished to achieve a deep lustrous enduring finish.</p> <ul style="list-style-type: none"> <li>• Designed to match with Banham locks</li> <li>• Precision engineered with smooth edges</li> <li>• Dimensions: 305 x 101 mm</li> <li>• Aperture 229 x 58 mm</li> <li>• Finish: Polished Chrome</li> </ul>	1	[REDACTED]
Main Communal Door To Replace Existing Double Doors	<p>Banham Standard Internal Letterbox Protector. This hand crafted product is made from high quality solid brass which is carefully polished to achieve a deep lustrous enduring finish.</p> <ul style="list-style-type: none"> <li>• Designed to match with Banham locks</li> <li>• Precision engineered with smooth edges</li> <li>• Dimensions: 300 x 120 mm</li> <li>• Projection 67 mm</li> <li>• Finish: Polished Chrome</li> </ul> <p>INTERNAL LETTERBOX PROTECTOR WILL HELP DETER AGAINST A POSSIBLE FORCED ENTRY THROUGH TO THE HANDLE OF THE MAIN BANHAM EL4000 LATCH</p>	1	[REDACTED]
Note	FFL: Represents the height that the lock will be fitted on the door from the finished floor level to where the key enters the lock.		

Signature: .....

I/We The Subscriber accept this quotation and the enclosed T&C's together with any Installation notes, which are also available to be viewed at [www.banham.co.uk](http://www.banham.co.uk)  
Please note that our products are designed to improve security. Where applicable, any planning consent and necessary permissions regarding installation, are the responsibility of the client.

<b>Sub-Total</b>	██████████
<b>VAT @ 20% *</b>	██████████
<b>TOTAL</b>	██████████
<b>Deposit</b>	
<b>Balance</b>	

To place an order please send an email confirming that you wish to proceed with the work to [sales@banham.com](mailto:sales@banham.com). Please note that we require a 50% deposit of the installation charge with the balance paid on completion.

\* The total VAT amount on the invoice is based on an accumulation of the individual line VAT amounts and not the total nett figure.





**VICTORIAN 4 PANEL DOOR**