


All critical dimensions not noted are to be measured on site or referred to architect.

[illegible][illegible]

OLIVER WEST & JOHN SCOTT
The Studio, 3A Bath Road,
Bedford Park W4 1LL
E-mail: studio@westscottarchitects.co.uk

ARCHITECTS
Tel 020 8995 4275
Fax 020 8742 7186



Architectural floor plan of the existing building. The plan shows a complex layout with numerous rooms, corridors, and a central courtyard. Key features include:

- Rooms and Spaces:** Labeled with numbers and codes, such as TA 1.12, BA 1.12, PS 0.02, TA 2.14, BA 1.14, PS 0.02, TA 2.13, BA 1.13, PS 0.02, TA 2.12, BA 1.12, PS 0.02, TA 2.11, BA 1.11, PS 0.02, TA 2.10, BA 1.10, PS 0.02, TA 2.09, BA 1.09, PS 0.02, TA 2.08, BA 1.08, PS 0.02, TA 2.07, BA 1.07, PS 0.02, TA 2.06, BA 1.06, PS 0.02, TA 2.05, BA 1.05, PS 0.02, TA 2.04, BA 1.04, PS 0.02, TA 2.03, BA 1.03, PS 0.02, TA 2.02, BA 1.02, PS 0.02, TA 2.01, BA 1.01, PS 0.02, TA 2.00, BA 1.00, PS 0.02, TA 2.09, BA 1.09, PS 0.02, TA 2.10, BA 1.10, PS 0.02, TA 2.11, BA 1.11, PS 0.02, TA 2.12, BA 1.12, PS 0.02, TA 2.13, BA 1.13, PS 0.02, TA 2.14, BA 1.14, PS 0.02, TA 2.15, BA 1.15, PS 0.02, TA 2.16, BA 1.16, PS 0.02, TA 2.17, BA 1.17, PS 0.02, TA 2.18, BA 1.18, PS 0.02, TA 2.19, BA 1.19, PS 0.02, TA 2.20, BA 1.20, PS 0.02, TA 2.21, BA 1.21, PS 0.02, TA 2.22, BA 1.22, PS 0.02, TA 2.23, BA 1.23, PS 0.02, TA 2.24, BA 1.24, PS 0.02, TA 2.25, BA 1.25, PS 0.02, TA 2.26, BA 1.26, PS 0.02, TA 2.27, BA 1.27, PS 0.02, TA 2.28, BA 1.28, PS 0.02, TA 2.29, BA 1.29, PS 0.02, TA 2.30, BA 1.30, PS 0.02, TA 2.31, BA 1.31, PS 0.02, TA 2.32, BA 1.32, PS 0.02, TA 2.33, BA 1.33, PS 0.02, TA 2.34, BA 1.34, PS 0.02, TA 2.35, BA 1.35, PS 0.02, TA 2.36, BA 1.36, PS 0.02, TA 2.37, BA 1.37, PS 0.02, TA 2.38, BA 1.38, PS 0.02, TA 2.39, BA 1.39, PS 0.02, TA 2.40, BA 1.40, PS 0.02, TA 2.41, BA 1.41, PS 0.02, TA 2.42, BA 1.42, PS 0.02, TA 2.43, BA 1.43, PS 0.02, TA 2.44, BA 1.44, PS 0.02, TA 2.45, BA 1.45, PS 0.02, TA 2.46, BA 1.46, PS 0.02, TA 2.47, BA 1.47, PS 0.02, TA 2.48, BA 1.48, PS 0.02, TA 2.49, BA 1.49, PS 0.02, TA 2.50, BA 1.50, PS 0.02, TA 2.51, BA 1.51, PS 0.02, TA 2.52, BA 1.52, PS 0.02, TA 2.53, BA 1.53, PS 0.02, TA 2.54, BA 1.54, PS 0.02, TA 2.55, BA 1.55, PS 0.02, TA 2.56, BA 1.56, PS 0.02, TA 2.57, BA 1.57, PS 0.02, TA 2.58, BA 1.58, PS 0.02, TA 2.59, BA 1.59, PS 0.02, TA 2.60, BA 1.60, PS 0.02, TA 2.61, BA 1.61, PS 0.02, TA 2.62, BA 1.62, PS 0.02, TA 2.63, BA 1.63, PS 0.02, TA 2.64, BA 1.64, PS 0.02, TA 2.65, BA 1.65, PS 0.02, TA 2.66, BA 1.66, PS 0.02, TA 2.67, BA 1.67, PS 0.02, TA 2.68, BA 1.68, PS 0.02, TA 2.69, BA 1.69, PS 0.02, TA 2.70, BA 1.70, PS 0.02, TA 2.71, BA 1.71, PS 0.02, TA 2.72, BA 1.72, PS 0.02, TA 2.73, BA 1.73, PS 0.02, TA 2.74, BA 1.74, PS 0.02, TA 2.75, BA 1.75, PS 0.02, TA 2.76, BA 1.76, PS 0.02, TA 2.77, BA 1.77, PS 0.02, TA 2.78, BA 1.78, PS 0.02, TA 2.79, BA 1.79, PS 0.02, TA 2.80, BA 1.80, PS 0.02, TA 2.81, BA 1.81, PS 0.02, TA 2.82, BA 1.82, PS 0.02, TA 2.83, BA 1.83, PS 0.02, TA 2.84, BA 1.84, PS 0.02, TA 2.85, BA 1.85, PS 0.02, TA 2.86, BA 1.86, PS 0.02, TA 2.87, BA 1.87, PS 0.02, TA 2.88, BA 1.88, PS 0.02, TA 2.89, BA 1.89, PS 0.02, TA 2.90, BA 1.90, PS 0.02, TA 2.91, BA 1.91, PS 0.02, TA 2.92, BA 1.92, PS 0.02, TA 2.93, BA 1.93, PS 0.02, TA 2.94, BA 1.94, PS 0.02, TA 2.95, BA 1.95, PS 0.02, TA 2.96, BA 1.96, PS 0.02, TA 2.97, BA 1.97, PS 0.02, TA 2.98, BA 1.98, PS 0.02, TA 2.99, BA 1.99, PS 0.02, TA 3.00, BA 2.00, PS 0.02, TA 3.01, BA 2.01, PS 0.02, TA 3.02, BA 2.02, PS 0.02, TA 3.03, BA 2.03, PS 0.02, TA 3.04, BA 2.04, PS 0.02, TA 3.05, BA 2.05, PS 0.02, TA 3.06, BA 2.06, PS 0.02, TA 3.07, BA 2.07, PS 0.02, TA 3.08, BA 2.08, PS 0.02, TA 3.09, BA 2.09, PS 0.02, TA 3.10, BA 2.10, PS 0.02, TA 3.11, BA 2.11, PS 0.02, TA 3.12, BA 2.12, PS 0.02, TA 3.13, BA 2.13, PS 0.02, TA 3.14, BA 2.14, PS 0.02, TA 3.15, BA 2.15, PS 0.02, TA 3.16, BA 2.16, PS 0.02, TA 3.17, BA 2.17, PS 0.02, TA 3.18, BA 2.18, PS 0.02, TA 3.19, BA 2.19, PS 0.02, TA 3.20, BA 2.20, PS 0.02, TA 3.21, BA 2.21, PS 0.02, TA 3.22, BA 2.22, PS 0.02, TA 3.23, BA 2.23, PS 0.02, TA 3.24, BA 2.24, PS 0.02, TA 3.25, BA 2.25, PS 0.02, TA 3.26, BA 2.26, PS 0.02, TA 3.27, BA 2.27, PS 0.02, TA 3.28, BA 2.28, PS 0.02, TA 3.29, BA 2.29, PS 0.02, TA 3.30, BA 2.30, PS 0.02, TA 3.31, BA 2.31, PS 0.02, TA 3.32, BA 2.32, PS 0.02, TA 3.33, BA 2.33, PS 0.02, TA 3.34, BA 2.34, PS 0.02, TA 3.35, BA 2.35, PS 0.02, TA 3.36, BA 2.36, PS 0.02, TA 3.37, BA 2.37, PS 0.02, TA 3.38, BA 2.38, PS 0.02, TA 3.39, BA 2.39, PS 0.02, TA 3.40, BA 2.40, PS 0.02, TA 3.41, BA 2.41, PS 0.02, TA 3.42, BA 2.42, PS 0.02, TA 3.43, BA 2.43, PS 0.02, TA 3.44, BA 2.44, PS 0.02, TA 3.45, BA 2.45, PS 0.02, TA 3.46, BA 2.46, PS 0.02, TA 3.47, BA 2.47, PS 0.02, TA 3.48, BA 2.48, PS 0.02, TA 3.49, BA 2.49, PS 0.02, TA 3.50, BA 2.50, PS 0.02, TA 3.51, BA 2.51, PS 0.02, TA 3.52, BA 2.52, PS 0.02, TA 3.53, BA 2.53, PS 0.02, TA 3.54, BA 2.54, PS 0.02, TA 3.55, BA 2.55, PS 0.02, TA 3.56, BA 2.56, PS 0.02, TA 3.57, BA 2.57, PS 0.02, TA 3.58, BA 2.58, PS 0.02, TA 3.59, BA 2.59, PS 0.02, TA 3.60, BA 2.60, PS 0.02, TA 3.61, BA 2.61, PS 0.02, TA 3.62, BA 2.62, PS 0.02, TA 3.63, BA 2.63, PS 0.02, TA 3.64, BA 2.64, PS 0.02, TA 3.65, BA 2.65, PS 0.02, TA 3.66, BA 2.66, PS 0.02, TA 3.67, BA 2.67, PS 0.02, TA 3.68, BA 2.68, PS 0.02, TA 3.69, BA 2.69, PS 0.02, TA 3.70, BA 2.70, PS 0.02, TA 3.71, BA 2.71, PS 0.02, TA 3.72, BA 2.72, PS 0.02, TA 3.73, BA 2.73, PS 0.02, TA 3.74, BA 2.74, PS 0.02, TA 3.75, BA 2.75, PS 0.02, TA 3.76, BA 2.76, PS 0.02, TA 3.77, BA 2.77, PS 0.02, TA 3.78, BA 2.78, PS 0.02, TA 3.79, BA 2.79, PS 0.02, TA 3.80, BA 2.80, PS 0.02, TA 3.81, BA

EXISTING PLAN