



Inaccessible upper roof with 28 degree pitch. Installation, cleaning and maintenance considerations preclude the use of photovoltaic panels here.

Plant well at level 21 houses the BMU, lift over run and smoke extract fans. Photovoltaic panels are not possible here.

Inaccessible upper roof with 28 degree pitch. Installation, cleaning and maintenance considerations preclude the use of photovoltaic panels here.

Apartment roof light. Photovoltaic panels are not possible here.

The lower roof is overshadowed by the taller Southern half of the building and is therefore not suitable for Photovoltaic panels.

Do not scale from this drawing.
 Check drawing on receipt and immediately report any discrepancies to the Architect.
 Verify all dimensions and levels on site prior to construction.
 The contents of this drawing are Stiff + Trevillion Architects LLP copyright and shall not be re-used without their written permission.

Notes

Rev.	Date	Note	Approved

Stiff + Trevillion

Stiff + Trevillion Architects Ltd
 16 Woodfield Road
 London W9 2BE

T +44(0)20 8960 5550
 mail@stiffandtrevillion.com
 www.stiffandtrevillion.com

Client
BRILL PLACE LIMITED

Project
**BRILL PLACE
 NW1 1BP**

Drawing Title
**PHOTOVOLTAIC CONSTRAINTS
 DIAGRAM**

Drawing Status
SKETCH

Date	Scale @ A1	Scale @ A3
06.02.2020	1:100	1:200

Project No.	Drawing No.	Revision
4451	SK-200206	-

1 ISOMETRIC VIEW