


FABRICATOR NOTE
Mainframe: 555071 CUT @ 1124mm ~
41x16mm NOTCH OVER BTM OUTER
FRAME AS SHOWN
ENSURE SECTION IS FULLY BONDED
AND SEALED TO FACE OF OUTER
PANEL WITH
SILICONE SEALANT & FIXED WITH
D7981/4.2x19mm S/S SELF TAPPERS

ADD ON SECTION: 555071
FIXED AND SEALED TO CORNER UNIT AS
PER INSTRUCTIONS ON THE SCHEDULE
PAGE.


DRAINAGE PRESSING FIXED AND FULLY
SEALED TO BTM OF CORNER PRESSING
AS SHOWN.

SEE: 3129-WF-PH145-80

CORNER UNIT ref. TBC



DRAINAGE PRESSING FIXED AND FULLY
SEALED TO BTM OF CORNER PRESSING
AS SHOWN.




01 Terrace Corner

Scale: 1:5@A3



CDM Regulations

Hazards	Date Added	Date Mitigated	Risk Assessment Date
HEAVY GLASS - LOADS INDICATED	05/02/15		



KEY PLAN

DO NOT SCALE : IF IN DOUBT ASK!

THIS DRAWING REMAINS THE PROPERTY
OF McMULLEN FACADES LTD AND SHOULD
NOT BE COPIED NOR ITS CONTENTS
DIVULGED WITHOUT PRIOR CONSENT

Signed:	GB-JW	Internal Quality Check
Date:	26/03/19	

001	DM	GB	26/03/19	SECOND ISSUE. ISSUE FOR CONSTRUCTION.	26/03/19
-----	----	----	----------	---------------------------------------	----------

000	SP	SP	28-05-18	FIRST ISSUE	28-05-18
-----	----	----	----------	-------------	----------

No.	Intd	Date		
-----	------	------	--	--

Revision	Check	Description	Date
----------	-------	-------------	------

Contract:	KINGSCROSS S1
-----------	---------------

Architect:	MOSSESIAN
------------	-----------

Main Contractor:	BAM
------------------	-----

Drawing:	LVL 07 WEST ELEV. TERRACE
----------	---------------------------

Drawn By:	SP-JW	Date:	17-06-2018
-----------	-------	-------	------------


Scale:	1:5 @ A3	MFL No.:	3135-774
--------	----------	----------	----------

DMS Code:	KXC-S1-001-Y-3135-21-774	Revision:	001
-----------	--------------------------	-----------	-----

DRAWING ISSUED FOR:	STATUS OF PREVIOUS RETURN
---------------------	---------------------------

CONSTRUCTION	A B C -
--------------	---------






McMullen Facades Limited
66 Lurgan Road, Moira,
Craigavon, Co. Armagh BT67 0LX
Tel: +44 (0) 28 9261 9688
Fax: +44 (0) 28 9261 9711
Email: design@mcmullenfacades.com



001

NOTE:
UPSTAND REQUIREMENTS FOR
INSTALLATION OF CORNER UNITS

UPSTAND AS SHOWN ABOVE
AGREED WITH RUK & BAM
SHOWN IN RUK DWG 20-50706 REV 007



001

NOTE:
UPSTAND AS SHOWN ABOVE
AGREED WITH RUK & BAM
SHOWN IN RUK DWG 20-50706 REV 007