

01

ALL OTHER NOTES AS DETAIL 01-780.

ADDITIONAL 260x75x28 PFC TO BE WELDED TO
TOP OF STRUCTURAL STEEL CROSS BEAMS
IN LOU OF 100mm RC COVER.
ADDITIONAL PFC TO BE SUPPLIED BY STEEL
CONTRACTOR.
ALSO REFER TO MFL BUILDERS WORK DWG'
No 3135-1262.

CILL FLASHING ACROSS SLAB LEVEL BEAMS
TO BE SEALED WITH ILLBRUCK COMBRAND P600
HIGH END ELASTIC SEALANT TAPE (40x30mm) &
LOW MODULUS NATURAL CURING SILICONE
SEALANT.
STRUCTURAL CROSS BEAMS LOCAL, ANY SYSTEM
DRAINAGE TO RUN TO SIDE & DRAIN DOWN EDGE
FACE OF RC UPSTAND.



02

ALL OTHER NOTES AS DETAIL 01-769.

DOOR FRAME SUPPORT BRACKET - CONT' MILD
STEEL PFC 180x75x20 (GRADE S275)
CANTILEVERED OVER TOP OF CROSS BEAMS TO
EITHER SIDE OF DOOR.
TO ALLOW FOR UNIFORM MOVEMENT ACROSS
WIDTH OF DOOR.

CILL FLASHING ACROSS SLAB LEVEL BEAMS
TO BE SEALED WITH ILLBRUCK COMPRIBAND P600
HIGH END ELASTIC SEALANT TAPE (40x30mm) &
LOW MODULUS NATURAL CURING SILICONE
SEALANT.
STRUCTURAL CROSS BEAMS LOCAL. ANY SYSTEM
DRAINAGE TO RUN TO SIDE & DRAIN DOWN EDGE
FACE OF RC UPSTAND.





03

ALL OTHER NOTES AS DETAIL 01-770.

ADDITIONAL 260x75x28 PFC TO BE WELDED TO
TOP OF STRUCTURAL STEEL CROSS BEAMS
IN LOU OF 100mm RC COVER.
ADDITIONAL PFC TO BE SUPPLIED BY STEEL
CONTRACTOR.
ALSO REFER TO MFL BUILDERS WORK DWG'
No 3135-1262.

CILL FLASHING ACROSS SLAB LEVEL BEAMS
TO BE SEALED WITH ILLBRUKT COMPRAND P600
HIGH END ELASTIC SEALANT TAPE (40x30mm) &
LOW MODULUS NATURAL CURING SILICONE
SEALANT.
STRUCTURAL CROSS BEAMS LOCAL, ANY SYSTEM
DRAINAGE TO RUN TO SIDE & DRAIN DOWN EDGE
FACE OF RC UPSTAND. 1



DO NOT SCALE : IF IN DOUBT ASK!

© THIS DRAWING REMAINS THE PROPERTY
OF McMULLEN FACADES LTD AND SHOULD
NOT BE COPIED NOR ITS CONTENTS
DIVULGED WITHOUT PRIOR CONSENT

001	JW	GB	22.02.19	SECOND ISSUE - REVISIONS CLOUDED, ISSUED FOR CONSTRUCTION.	22.02.19
000	SP	SP	28-05-18	FIRST ISSUE	28-05-18
No.	Intd	Intd	Date		
Revision		Check		Description	Date

DRAWING ISSUED FOR:	STATUS OF PREVIOUS RETURN
CONSTRUCTION	A B C ⊖

McMullen Facades Limited
66 Lurgan Road, Moira,
Craigavon, Co. Armagh BT67 0LX
Tel: +44 (0) 28 9261 9688
Fax: +44 (0) 28 9261 9711
Email: design@mcmullenfacades.com