



# Edge™

## RANGE INTRODUCTION

Edge™ is a range of wiring devices that combine function and style. The design is smooth, clean and the products are very slim – in fact just 1.5mm. Edge™ is the choice in modern, contemporary or traditional interiors where style and detail are the desired effect.

With Edge™ comes unrivalled safety. Utilising MK's 3-pin operated safety shutter, that prevents misuse and unsafe access to live circuitry, Edge™ offers the user the peace of mind and comfort that they have the safest range of wiring devices available installed in their surroundings.

### HOW TO SPECIFY

A metal flatplate flush mounting range of wiring accessories, to be made in the UK. Frontplate to have a maximum 1.5mm profile and subtle 5mm radius rounded corners. Fixing screws to be flathead design, flush fitting & coloured to match the frontplate. Cable connections must be upward facing with easy to identify white markings on a dark background, grouped in a straight line with captive terminal screws for ease of installation. All sockets to have a 3 pin operated shutter safety mechanism and double pole switching, with the contacts designed such that the neutral makes before and breaks after the live pole for improved safety. Switches to be large and concave with a minimum 3mm contact gap with a positive 'click' to denote successful operation.

### FEATURES & BENEFITS

#### SLIM PROFILE FRONTPLATES OF ONLY 1.5MM WITH MATCHING FLAT HEAD SCREWS THROUGHOUT

A clean and practical range of products that complement the finest interiors.

#### TOTAL SAFETY

3-pin operated "child resistant shutter system", which is designed to inhibit access to the electricity supply, unless all 3 pins of a standard British 13A plug are in position.


#### COMPREHENSIVE RANGE OF SOCKETS, SWITCHES AND MODULAR ANCILLARY PRODUCTS

Mean that whatever the application, the Edge™ range has a wiring device to suit.

#### 13 STANDARD HIGH QUALITY FINISHES WITH A MADE-TO-ORDER SERVICE

Allows designers the flexibility to provide the finish of their choice.

In addition to the wide choice of standard finishes, a made-to-order service gives designers the ability to match almost any RAL colour required.



Terminal screws are backed out and captive. Terminals are upwards facing to make installation easier.

Funnel entrance to terminals.

Clear terminal markings for easy identification.

The built-in lock in the Edge™ 13A Key Operated Socket ensures that power cannot be turned on or off without the removeable key, making it ideal for communal areas such as hotel lobbies.

Combination plates provide a neat solution to all power, data, TV and satellite outlet requirements.



## Switchsocket Outlets




1 GANG DP  
DUAL EARTH  
13 AMP

1 GANG DP  
WITH NEON  
DUAL EARTH  
13 AMP

NON STANDARD  
1 GANG DP  
CLEAN EARTH  
13 AMP

2 GANG DP  
WITH 2 X USB  
CHARGING PORTS  
DUAL EARTH  
13 AMP

2 GANG DP  
DUAL EARTH  
13 AMP



## FINISHES

BRUSHED STAINLESS STEEL	K14357BSS*	1	K14657BSS*	1	K14268BSS*	1	K14343BSS*	1	K14347BSS*	1
LACQUERED BRUSHED STEEL	K14357LBS*	1	K14657LBS*	1	K14268LBS*	1	K14343LBS*	1	K14347LBS*	1
BRUSHED CHROME	K14357BRC*	1	K14657BRC*	1	K14268BRC*	1	K14343BRC*	1	K14347BRC*	1
POLISHED CHROME	K14357POC*	1	K14657POC*	1	K14268POC*	1	K14343POC*	1	K14347POC*	1
SATIN GOLD	K14357SAG*	1	K14657SAG*	1	K14268SAG*	1	K14343SAG*	1	K14347SAG*	1
PORCELAIN WHITE	K14357WHIW	1	K14657WHIW	1	K14268WHIW	1	K14343WHIW	1	K14347WHIW	1
LUSTROUS IVORY	K14357LIVW	1	K14657LIVW	1	K14268LIVW	1	K14343LIVW	1	K14347LIVW	1
LUSTROUS BLACK	K14357LBKB	1	K14657LBKB	1	K14268LBKB	1	K14343LBKB	1	K14347LBKB	1
POLISHED BRASS	K14357PBR*	1	K14657PBR*	1	K14268PBR*	1	K14343PBR*	1	K14347PBR*	1
TEXTURED IRON	K14357TIRB	1	K14657TIRB	1	K14268TIRB	1	K14343TIRB	1	K14347TIRB	1
DESERT BRONZE	K14357DBZB	1	K14657DBZB	1	K14268DBZB	1	K14343DBZB	1	K14347DBZB	1
ANTIQUE BRASS	K14357ABSB	1	K14657ABSB	1	K14268ABSB	1	K14343ABSB	1	K14347ABSB	1
TEXTURED COPPER	K14357TCOB	1	K14657TCOB	1	K14268TCOB	1	K14343TCOB	1	K14347TCOB	1

LEAD TIMES  
Please contact our Customer  
Services Department on  
01268 563 404

\* Available with the option of either White or Black inserts. Add Suffix 'W' or 'B' to part number when ordering, E.g. KxxxxBSSW.  
Where there is no asterisk, the final suffix W = White Insert, B = Black Insert, E.g. KxxxxWHIW = Porcelain White finish with White inserts

MOUNTING BOXES  
FLUSH 35mm  
866ZIC  
FLUSH 46mm  
877ZIC (for extra wiring space)  
DIMENSIONS  
86 x 86mm  
FIXING CENTRES  
60.3mm  
BS 1363-2:1995

MOUNTING BOXES  
FLUSH 35mm  
866ZIC  
FLUSH 46mm  
877ZIC (for extra wiring space)  
DIMENSIONS  
86 x 86mm  
FIXING CENTRES  
60.3mm  
BS 1363-2:1995  
Neon is only available in white  
or black insulated rocker.

MOUNTING BOXES  
FLUSH 35mm  
866ZIC  
FLUSH 46mm  
877ZIC (for extra wiring space)  
DIMENSIONS  
86 x 86mm  
FIXING CENTRES  
60.3mm  
BS 1363-2:1995 (where  
relevant)  
These products are provided  
with facilities for 'clean earth'  
connections and are suitable  
for non-standard plugs with 'T'  
shaped earth pins.

USB charging sockets, each  
capable of supporting 2A  
charge (total of 2A)  
Pattress available for use  
where existing back box is too  
shallow, see page 34

MOUNTING BOXES  
FLUSH 35mm  
866ZIC  
FLUSH 47mm  
878ZIC (for extra wiring space)  
DIMENSIONS  
86 x 146mm  
FIXING CENTRES  
120.6mm  
BS 5733:2010

MOUNTING BOXES  
FLUSH 35mm  
866ZIC  
FLUSH 47mm  
878ZIC (for extra wiring  
space)  
DIMENSIONS  
86 x 146mm  
FIXING CENTRES  
120.6mm  
BS 1363-2:1995

Dual Earth: Fitted with two earth terminals to provide a double earth facility for use when installations require a high integrity protective connection as specified within BS 7671:2008.



LJU6C Datacom  
BlanksLJU6C  
1 MODULE

## Blank Plates

1 GANG

2 GANG

FINISHES			
BRUSHED STAINLESS STEEL	K170WHI K170BLK	10 10	K14330BSS 1 K14329BSS 1
LACQUERED BRUSHED STEEL			K14330LBS 1 K14329LBS 1
BRUSHED CHROME			K14330BRC 1 K14329BRC 1
POLISHED CHROME			K14330POC 1 K14329POC 1
SATIN GOLD			K14330SAG 1 K14329SAG 1
PORCELAIN WHITE			K14330WHI 1 K14329WHI 1
LUSTROUS IVORY			K14330LIV 1 K14329LIV 1
LUSTROUS BLACK			K14330LBK 1 K14329LBK 1
POLISHED BRASS			K14330PBR 1 K14329PBR 1
TEXTURED IRON			K14330TIR 1 K14329TIR 1
DESERT BRONZE			K14330DBZ 1 K14329DBZ 1
ANTIQUE BRASS			K14330ABS 1 K14329ABS 1
TEXTURED COPPER			K14330TCO 1 K14329TCO 1

LEAD TIMES  
Please contact our Customer  
Services Department on  
01268 563 404

BS 5733:2010 where appropriate

MOUNTING BOXES  
FLUSH  
866ZIC  
DIMENSIONS:  
86 x 86mm  
FIXING CENTRES  
1 gang: 60.3mm  
BS 5733:2010

MOUNTING BOXES  
FLUSH  
866ZIC  
DIMENSIONS  
86 x 146mm  
FIXING CENTRES  
2 gang: 120.6mm  
BS 5733:2010

