For material description and finishing codes Ref. to Drwg.:
KXC-P2-001-Y-LFL-21-2000

GL00
G01
FI22 A01
A01 FI21
F01
FI03 A05
SE 2121
SE 2120
Continuous airseal and vapour barrier
A12 FI00
S04
B00
FFL
SI01
I01
F06
Local bespoke cranked bracket
I07
TOS
A05 FI00
S01 FI70
FI01 A08
Ventilated spandrel
+10/-10
+25/-25
+15/-35
T01
Insulation inside mullion cavity
AB10 Layers
SI02
FI00 A08
FI00 A07
F02
FI21 A01
Black silicone
Fire barrier to provide 120 min fire resistance and air seal
356 to grid A

29.08.2019	Malgorzata Krzewicki	Refer to clouded items and to response on TS001	C01
22.05.2019	Chelsea Martin	Refer to clouded items	01
18.09.2019	Patricia Baus	APPROVED	C01
18.09.2019	Sergio Franco	TECHNICALLY CHECKED	C01
21.03.2019	Jerome Gabriel	DRAFTED	00
DATE	NAME	PROCESS	INDEX

Lindner
Lindner Fassaden GmbH
+49 (0)8723/20-35 00 | www.Lindner-Group.com

OBJECT / PRODUCT: Kings Cross - P2
SCALE: 1:1
SIZE: DIN A0
TITLE: L02-L03 - Vert. Sect. Typical bay. Vision
MATERIAL CATEGORY:

CONSTRUCTION

KXC-P2-001-Y-LFL-21-2101 C01