






Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition		Retention Category	
T1	Early-Mature Sycamore <i>Acer pseudoplatanus.</i>	9	3	39	2.5	3	1.5	2		Position: Street Tree. Form: Single stemmed and vertical with a slightly unbalanced crown. History: Multiple pruning wounds due to crown reduction. Defects: No significant defects observed.	No action required.		Moderate	High	
											n/a	3	Good	Good	40+
T2	Semi-Mature Ash <i>Fraxinus excelsior.</i>	8	3.5	28	3	4.5	4.5	3		Position: Street Tree. Form: Single stemmed with a slight lean and a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High	High	
											n/a	3	Good	Good	40+
T3	Semi-Mature Ash <i>Fraxinus excelsior.</i>	5.5	3	11	2	2	2		Position: Street Tree. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High	High		
										n/a	3	Good	Good	40+	B
T4	Early-Mature Sycamore <i>Acer pseudoplatanus.</i>	8	3.5	57	2	2	2.5		Form: Twin-stemmed at 2m with a balanced crown. History: Multiple pruning wounds due to crown reduction. Defects: No significant defects observed. Other: I understand that this tree has damaged and distorted the adjacent wall in the past.	No action required.		Moderate	Moderate		
										n/a	3	Good	Fair	20-40	B -
T5	Early-Mature Sycamore <i>Acer pseudoplatanus.</i>	10	4	55	1.5	3	3		Position: Situated on third party land. Form: Twin-stemmed at 3.5m with an unbalanced crown. History: Occasional pruning wounds due to crown reduction. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate		
										n/a	3	Good	Fair	20-40	B -