



(This drawing must be printed in colour)

Roof Strategy Key		
Roof Type		
<div></div> FT-D01 - Landscape over decking (L/G)	<div></div> FT-D08 - Concrete balcony	<div></div> FT-D15 - Lightwell decking - North Block
<div></div> FT-D02 - Attenuated decking areas (L/G)	<div></div> FT-D09 - Steel bolted balcony	Other elements
<div></div> FT-D03A - Landscape on insulated decking (U/G)	<div></div> FT-D10 - Extensive green roof	<div></div> Planter. Refer to the Landscape architect information.
<div></div> FT-D03B - Granite Paving on insulated decking (U/G)	<div></div> FT-D11 - Extensive green roof (attenuated)	<div></div> Allotments. Refer to the Landscape architect information.
<div></div> FT-D03C - Granite Paving on insulated decking (U/G)	<div></div> FT-D12 - Aluminium tray roof	
<div></div> FT-D03D - Gravel strip on insulated decking (U/G)	<div></div> FT-D13 - Gravel roof	
<div></div> FT-D03E - Granite Paving on insulated decking (U/G)	<div></div> FT-D14 - Lift / services overrun	
<div></div> FT-D04A - Attenuated and insulated decking 01 (U/G)		
<div></div> FT-D04B - Attenuated and insulated decking 02 (U/G)		
<div></div> FT-D04C - Attenuated and insulated planting 03 (U/G)		
<div></div> FT-D05 - Insulated ground level terrace		
<div></div> FT-D05A - Insulated UG terrace access		
<div></div> FT-D06 - Residential large terraces		

All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

Drawing to be read in conjunction with relevant 1000 Series Substructure drawings where applicable and any discrepancies highlighted to the Architect for review.

Refer to LDA Landscaping Construction issue drawings for details/setting out/etc of proposed Landscaping Strategy.

05	10.07.19	Key updated	JG
04	03.07.19	UG Communal garden attenuation layout updated.	JG
03	11.04.19	Level 01 roofs added to layout. Updates as per revision clouds - Roof hatches updated to reflect specific roof build-up variations and for added clarity. Key updated to suit	JG
02	06.11.18	Construction Issue to 4P - Roof sub-types added for clarity. Roof Type FT-D07 removed. Extent of FT-D05 updated	JG
01	16.02.18	General updates as per revision clouds. Planter removed from the terraces as per client's instruction.	GF
-	13.10.17	Stage 04 Main Building Submission	GF
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS


3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden

DRAWING TITLE / LOCATION
Roof Strategy - Lower and Upper Ground Floors

DRAWN BY DV	CHECKED GFV	SCALE 1:200 @ A1 / 1:400 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 AL 2700 001	REVISION 05	

CLIENT



All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

Landscaping elements are shown indicatively only - Refer to LDA information for element types / setting out / details / etc

Refer to Cudd Bentley information for specs of bollards and relevant technical/direction of light spread/etc output of each

04	29.11.19	As instructed by Ardmore - Bollards and setting out dimensions from grid added.	JG
03	25.10.19	Indicative planters & allotment boxes added.	JG
02	11.04.19	Construction issue to 4P - LDA Landscaping provision works removed for clarity. Key Updated. Balconies references to upper levels added.	JG
01	16.02.18	General updates as per revision clouds. Planter removed from the terraces as per client's instruction.	GF
-	13.10.17	Stage 04 Main Building Submission	GF
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden


DRAWING TITLE / LOCATION
Roof Strategy - Levels 6 & 5

DRAWN BY DV	CHECKED GFV	SCALE 1:200 @ A1 / 1:400 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 AL 2700 002	REVISION 04	

CLIENT




© 2018 HUTCHINSON & PARTNERS Limited



(This drawing must be printed in colour)

Roof Strategy Key		
Roof Type		
FT-D01 - Landscape over decking (L/G)	FT-D08 - Concrete balcony	FT-D15 - Lightwell decking - North Block
FT-D02 - Attenuated decking areas (L/G)	FT-D09 - Steel bolted balcony	Other elements
FT-D03A - Landscape on insulated decking (U/G)	FT-D10 - Extensive green roof	Planter. Refer to the Landscape Architect information.
FT-D03B - Granite Paving on insulated decking (U/G)	FT-D11 - Extensive green roof (attenuated)	Allotments. Refer to the Landscape Architect information.
FT-D03C - Granite Paving on insulated decking (U/G)	FT-D12 - Aluminium tray roof	Bollards. Refer to the Services Engineers information.
FT-D03D - Gravel strip on insulated decking (U/G)	FT-D13 - Gravel roof	
FT-D03E - Granite Paving on insulated decking (U/G)	FT-D14 - Lift / services overrun	
FT-D04A - Attenuated and insulated decking 01 (U/G)	FT-D16 - Concrete pavours (to roof level only)	
FT-D04B - Attenuated and insulated decking 02 (U/G)		
FT-D04C - Attenuated and insulated planting 03 (U/G)		
FT-D05 - Insulated ground level terrace		
FT-D05A - Insulated UG terrace access		
FT-D06 - Residential large terraces		



20/10/2019 16:52:52

All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

Landscaping elements are shown indicatively only - Refer to LDA information for element types / setting out / details / etc

Refer to Cudd Bentley information for specs of bollards and relevant technical/direction of light spread/etc output of each

05	29.11.19	As instructed by Ardmore - Bollards and setting out dimensions from grid added.	JG
04	25.10.19	Indicative planters & allotment boxes added. Fan Enclosure extent updated.	JG
03	11.04.19	Construction issue to 4P - LDA Landscaping provision works removed for clarity. Key Updated. Balconies references to upper levels added.	JG
02	16.02.18	General updates as per revision clouds. Planter removed from the terraces as per client's instruction.	GF
01	13.10.17	Stage 04 Main Building Submission	GF
	29.06.17	Issue for information	DV
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden


DRAWING TITLE / LOCATION
Roof Strategy - Levels 9 & 7

DRAWN BY DV	CHECKED GFV	SCALE 1:200 @ A1 / 1:400 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 AL 2700 005	REVISION 05	

CLIENT




© 2018 HUTCHINSON & PARTNERS Limited



(This drawing must be printed in colour)

Roof Strategy Key		
Roof Type	Roof Type	Roof Type
FT-D01 - Landscape over decking (L/G)	FT-D08 - Concrete balcony	FT-D15 - Lightwell decking - North Block
FT-D02 - Attenuated decking areas (L/G)	FT-D09 - Steel bolted balcony	Other elements
FT-D03A - Landscape on insulated decking (U/G)	FT-D10 - Extensive green roof	Planter. Refer to the Landscape Architect information.
FT-D03B - Granite Paving on insulated decking (U/G)	FT-D11 - Extensive green roof (attenuated)	Allotments. Refer to the Landscape Architect information.
FT-D03C - Granite Paving on insulated decking (U/G)	FT-D12 - Aluminium tray roof	Bollards. Refer to the Services Engineers information.
FT-D03D - Gravel strip on insulated decking (U/G)	FT-D13 - Gravel roof	
FT-D03E - Granite Paving on insulated decking (U/G)	FT-D14 - Lift / services overrun	
FT-D04A - Attenuated and insulated decking 01 (U/G)	FT-D16 - Concrete pavours (to roof level only)	
FT-D04B - Attenuated and insulated decking 02 (U/G)		
FT-D04C - Attenuated and insulated planting 03 (U/G)		
FT-D05 - Insulated ground level terrace		
FT-D05A - Insulated UG terrace access		
FT-D06 - Residential large terraces		



29/10/2019 16:53:33

All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

04	25.10.19	Indicative planters added to terrace edge.	JG
03	11.04.19	Construction Issue to 4P	JG
02	16.02.18	General updates as per revision clouds. Planter removed from the terraces as per client's instruction.	GF
01	13.10.17	Stage 04 Main Building Submission	GF
-	29.06.17	Issue for information	DV
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden


DRAWING TITLE / LOCATION
Roof Strategy - Levels 11

DRAWN BY DV	CHECKED GFV	SCALE 1:200 @ A1 / 1:400 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 AL 2700 006	REVISION 04	

























CLIENT




© 2018 HUTCHINSON & PARTNERS Limited



(This drawing must be printed in colour)

Roof Strategy Key					
Roof Type					
	FT-D01 - Landscape over decking (L/G)		FT-D08 - Concrete balcony		FT-D15 - Lightwell decking - North Block
	FT-D02 - Attenuated decking areas (L/G)		FT-D09 - Steel bolted balcony	<u>Other elements</u>	
	FT-D03A - Landscape on insulated decking (U/G)		FT-D10 - Extensive green roof		Planter. Refer to the Landscape architect information.
	FT-D03B - Granite Paving on insulated decking (U/G)		FT-D11 - Extensive green roof (attenuated)		Allotments. Refer to the Landscape architect information.
	FT-D03C - Granite Paving on insulated decking (U/G)		FT-D12 - Aluminium tray roof		
	FT-D03D - Gravel strip on insulated decking (U/G)		FT-D13 - Gravel roof		
	FT-D03E - Granite Paving on insulated decking (U/G)		FT-D14 - Lift / services overrun		
	FT-D04A - Attenuated and insulated decking 01 (U/G)		FT-D16 - Concrete pavours access walkway		
	FT-D04B - Attenuated and insulated decking 02 (U/G)				
	FT-D04C - Attenuated and insulated planting 03 (U/G)				
	FT-D05 - Insulated ground level terrace				
	FT-D05A - Insulated UG terrace access				
	FT-D06 - Residential large terraces				



29/06/2018 17:23:53

All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

Note: Mansafe post arrangement to Level 09 South block as per on site survey conducted by Ardmore following as-built conditions.

Landscaping elements are shown indicatively only - Refer to LDA information for element types / setting out / details / etc

07	29.11.19	As instructed by Ardmore - N Block plant enclosure and handrail position shifted centrally. Indicative planters & allotment boxes & lighting bollards added to lower levels. Photovoltaic panel removed from North block following comments from sub-contractor	JG
06	15.10.19	Roof layout updated to reflect plant enclosure requirements	JG
05	20.08.19	As instructed by Ardmore, roof layout updated to reflect on-site conditions to L09 S Block and updated fan sizes - photovoltaic panels arrangement updated to suit.	JG
04	10.07.19	Key updated. FT-D10 hatch updated for clarity.	JG
03	03.07.19	General arrangement updated - Photovoltaic panels and Mansafe positionings updated. Extent of attenuated area updated. Space provision for future kitchen extract fan added.	JG
02	11.04.19	Construction Issue to 4P	JG
01	13.10.17	Stage 04 Main Building Submission	GF
-	29.06.17	Issue for information	DV
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden


DRAWING TITLE / LOCATION
Roof Strategy - Roof Plan

DRAWN BY DV	CHECKED GFV	SCALE 1:200 @ A1 / 1:400 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 AL 2700 016	REVISION 07	

CLIENT




© 2018 HUTCHINSON & PARTNERS Limited




(This drawing must be printed in colour)

Roof Strategy Key		
Roof Type	Roof Type	Roof Type
FT-D01 - Landscape over decking (L/G)	FT-D08 - Concrete balcony	FT-D15 - Lightwell decking - North Block
FT-D02 - Attenuated decking areas (L/G)	FT-D09 - Steel bolted balcony	Other elements
FT-D03A - Landscape on insulated decking (U/G)	FT-D10 - Extensive green roof	Planter. Refer to the Landscape Architect information.
FT-D03B - Granite Paving on insulated decking (U/G)	FT-D11 - Extensive green roof (attenuated)	Allotments. Refer to the Landscape Architect information.
FT-D03C - Granite Paving on insulated decking (U/G)	FT-D12 - Aluminium tray roof	Bollards. Refer to the Services Engineers information.
FT-D03D - Gravel strip on insulated decking (U/G)	FT-D13 - Gravel roof	
FT-D03E - Granite Paving on insulated decking (U/G)	FT-D14 - Lift / services overrun	
FT-D04A - Attenuated and insulated decking 01 (U/G)	FT-D16 - Concrete pavours (to roof level only)	
FT-D04B - Attenuated and insulated decking 02 (U/G)		
FT-D04C - Attenuated and insulated planting 03 (U/G)		
FT-D05 - Insulated ground level terrace		
FT-D05A - Insulated UG terrace access		
FT-D06 - Residential large terraces		



08/20/2019 14:52:12



01 - Roof Terrace - Parapet Detail S Block L07 & N Block L06, L09, L11

All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others



NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication.
All dimensions are in millimeters unless otherwise noted.
All dimensions are to be checked on site and any discrepancies reported to the Architect.

SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		

01	10.10.19	Parapet Details updated to suit sub-contractors's proposals.	LOG
-	18.09.19	Issued for Construction	LOG
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden

DRAWING TITLE / LOCATION
Roof & Terrace Details - Miscellaneous




DRAWN BY	CHECKED	SCALE	STATUS
LOG	DH	1:5 @ A1 / 1:10 @ A3	STAGE 05
PROJECT	DRAWING NO	REVISION	
16022	01 DT 2700 007	01	

CLIENT



© 2018 HUTCHINSON & PARTNERS Limited





05	19.02.20	Site Instruction 97 - Detail 02 - Ballast added between paving and coping	LOG
04	10.10.19	Parapet Details updated to suit sub-contractor's proposals	LOG
03	02.09.19	Details updated in line with ACL comments. Upstand insulation and coping profiles updated in line with sub-contractor's proposals. Site Instruction 52 - Paving specification amended	LOG
02	09.08.19	Coping with updated to Guaraboard upstand insulation. Detail 06 added.	JG
01	15.02.19	Parapet Details renewed and reorganized	AO
-	16.02.18	First Issue	GF
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8192 e. info@hutchinsonandpartners.com w. www.hutchinsonandpartners.com

JOB TITLE	Stanley Sidings, 101 Camley Street, Camden
-----------	--


DRAWING TITLE / LOCATION
Roof & Terrace Details - Miscellaneous

DRAWN BY DV	CHECKED GVF	SCALE 1:5 @ A1 / 1:10 @A3	STATUS STAGE 05
PROJECT 16022		DRAWING NO 01 DT 2700 004	REVISION 05


CLIENT





© 2018 HUTCHINSON & PARTNERS Limited





FT-D04C - Attenuated & Insulated Landscaping
- Porcelain Tiles Finish





FT-D08 - Concrete Balcony





FT-D12 - Aluminium Tray Roof





FT-D05 - Residential U/G Level Terrace
- Gravite Terrazzo Paving Finish





FT-D09 - Steel Balcony





FT-D13 - Gravel Roof





FT-D05A - Terrace Access U/G Level
- Granite Paving Finish





FT-D10 - Extensive Green Roof






FT-D14 - Lift/Services Overrun




FT-D06 - Residential Large Terrace



FT-D11 - Attenuated Bio Diverse FT-D16 - Attenuated Plant Paving



FT-D15 - Lightwell Decking - North Block



06	30.08.19	Site Structure 404 - Timber soffit cladding replaced with Ceramapanel fibre cement. Site Installation 52 - Balcony and terrace decking replaced with granite treading paving.	LOG
05	20.08.19	General FF 016 - Plant paving detail added.	JG
04	17.04.19	General FF paving depth updated	JG
03	09.11.18	Construction Issue to 4P - Details added for clarity and updated with relevant insulation build-ups/finishes	JG
02	16.02.18	General updates as per revision clouds. Planter removed from the terraces as per client's instruction.	GF
01	13.10.17	Stage 04 Main Building Submission	GF
-	17.05.17	Stage 03 Main Building Pack	GF
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8196 e. info@hutchinsonandpartners.com
www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden

DRAWING TITLE / LOCATION
Roof Buildups - Typical Details - Upper Levels

DRAWN BY MH	CHECKED DMV	SCALE 1:5 @ A1 / 1:10 @ A3	STATUS STAGE 05
PROJECT 16022		DRAWING NO 01 DT 2700 002	REVISION 06

CLIENT	
--------	--



All dimensions are in mm unless otherwise stated
All dimensions to be verified on site before proceeding with the work
Any discrepancies to be notified in writing to Architect immediately
All boundaries indicative only and to be confirmed by others

NOTE

Contractor drawings and samples to be submitted for approval prior to fabrication. Any discrepancies must be reported to the Architect.

All dimensions are in mm unless stated otherwise
All dimensions to be site checked prior to fabrication/construction


SSL – Structural Slab Level
SFL – Screed Floor Level – Top of the Screed
FFL – Finish Floor Level (including finish eg: carpet or tiles)

This drawing must be read in conjunction with all relevant Specifications and Consultant Drawings. Specific drawing information can be found under the following drawing series:

0000	Site	3200	Internal Openings
0010	GA Plans & Reference Plans	3400	Metal Works
0020	GA Elevations	3500	Suspended Ceilings
0030	GA Sections	3600	Balconies
0040	3D Views	4300	Floors
0400	Fire Strategy	5000	Mainly Ducted
1000	Substructure	6600	Mainly Electrical
2000	Structure Coordination	7300	Kitchen
2100	External Walls	7400	Bathrooms
2200	Internal Walls	7500	Cleaning and Maintenance
2400	Stairs and Ramps	7600	Storage and Cupboards
2500	Concrete Finishes	7700	Entrances and Lobbies
2700	Roof	SCH31	Residential Interior Finishes
3000	Curtain Walling	SCH34	Communal Interior Finishes
3100	External Openings		


All products and systems to be installed as per manufacturers recommendations.

Drawing to be read in conjunction with relevant U-value datasheets and NBS clauses




FT-D01 - Landscape over decking
- Lower Ground Floor - Landscaped finish

PERFORMANCE
U Value - N/A
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D03C - Paving on void former & insulation

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D02 - Attenuated decking areas
- Lower Ground Floor - Granite paviour finish

PERFORMANCE
U Value - N/A
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D03D - Gravel Strip on insulated decking

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D03E -Paving on insulated decking

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D03A - Landscape on insulated decking
- Upper Ground Floor - Landscaped finish

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report




FT-D04A - Attenuated & insulated decking
- Upper Ground Floor - Granite Paving Finish

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report



FT-D03B - Paving on insulated decking
- Upper Ground Floor - Granite paving finish

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report



- Porcelain Tiles Finish

PERFORMANCE
U Value - 0.16 W/m².K
Fire Resistance - refer to fire report
Sound Reduction - refer to acoustic report

0 0.05 0.1 0.25 m

05	10.07.19	Detail FT-D03C updated - Screed removed	JG
04	17.04.19	Detail FT-D03B updated. Details FT-D03C / FT-D03D & FT-D03E added. Paving depth updated. Sheet reformatted for clarity.	JG
03	06.11.18	Construction Issue to 4P - Detail FT-D07 removed. Details added for clarity and updated with relevant insulation build-ups/finishes	JG
02	16.02.18	T-Sheets reference tags added.	GF
01	13.10.17	Stage 04 Main Building Submission	GF
	17.05.17	Stage 03 Main Building Pack	GF
REV	DATE	NOTES	INT

STAGE 05 - CONSTRUCTION

HUTCHINSON & PARTNERS

3.14 The Record Hall, 16-16A Baldwin's Garden, London, EC1N 7RJ
t. 020 3176 8196 e. info@hutchinsonandpartners.com
www.hutchinsonandpartners.com

JOB TITLE
Stanley Sidings, 101 Camley Street, Camden

DRAWING TITLE / LOCATION
Roof Buildups - Typical Details - Lower Levels

DRAWN BY MH	CHECKED DV	SCALE 1:5 @ A1 / 1:10 @ A3	STATUS STAGE 05
PROJECT 16022	DRAWING NO 01 DT 2700 001	REVISION 05	

CLIENT

