

Resin Bound Gravel.  
Refer to ALD dwg. 91-006 for details and specification

5mm spacing between paving units working with  
pedestal spacer tabs


Chevron granite paving  
775mm L x 255mm W x 50mm D.  
Supported on pedestals.  
Two tone - A - Jinan Blue  
B - Pink Pearl  
by Hardscape or equivalent  
Pattern as installed at Cubitt Square  
5mm joint  
Flamed finish to top surface

Indicative layout of supporting pedestals. Kinley VersiJack  
with variable angle spacer tab or equal and approved.

Edge type 3 - refer to ALD816\_HL110 for details

Oversized unit with false joints to avoid small cuts

**003a** DETAIL PLAN OF INTERFACE BETWEEN GRANITE PAVING AND RESIN BOUND GRAVEL  
SCALE: 1:10 @ A3



5mm spacing between paving units working with pedestal spacer tabs

Chevron granite paving 775mm L x 255mm W x 50mm D.  
Two tone - light and dark grey (colours A and B)

Resin Bound Gravel  
Refer to ALD dwg. no. 91-706 for buildup details

Edge type 3 - refer to ALD816\_HL110 for details

Rigid Thermal Insulation System to architects detail and specification

Single Ply Waterproof Membrane to architects detail and specification

**003b** DETAIL SECTION THROUGH GRANITE PAVING AND RESIN BOUND GRAVEL INTERFACE  
SCALE: 1:10 @ A3

All dimensions to be verified on site. Figured dimensions to take precedent to those scaled. Any areas indicated on this drawing are for guidance only, no responsibility is taken for their accuracy.

The drawing is the property of Applied Landscape Design Limited. Copyright is reserved by them and the drawing is issued on the condition that it is not copied, reproduced, retained or disclosed to any unauthorised person, other entity or its part without the written consent in writing of Applied Landscapes.

© 2018 Applied Landscape Design Limited. All rights reserved.

CDM/H&S:

The works illustrated on this drawing have been reviewed against the Designers CDM Risk Register, document reference ALD816\_RA901, significant risks are noted as:

Construction:

- Mechanical lifting of heavy materials onto terraces
- Working adjacent building facades on narrow ledges / terraces
- Working over public realm and highways
- Loading over cantilevered corners with strict parameters
- On site cutting of fine detail into natural stone pavers

Maintenance:

- Working over public realm and below others
- Cultivation over waterproofing layers and buried services
- Risk of working at height in strong winds

Demolition:

- Risk of void formers breaking down with disturbance

NOTES / KEY:

REFERENCE DRAWINGS/DOCUMENTS

KXC-P2-001-ALD816-L-91-005	5th Floor: Landscape GA
KXC-P2-001-ALD816-L-91-702	Typical Loggia Granite Paving Detail

REVISIONS

no.	Issued	date
C01	STAGE 5: CONSTRUCTION ISSUE	02.03.20
P02	STAGE 4 CP ISSUE	05.10.18
P01	INFORMATION	21.09.18

no. Issued date

CLIENT:

ARGENT

CONTRACTOR:

KIER

LANDSCAPE ARCHITECT:

The Threshing Barn  
Blignell Park Barns  
Chesherton, Nr. Bicester  
Oxfordshire, OX26 1TD

Tel: 01869 249776  
Email: mail@appliedlandscape.co.uk

**ALD**  
applied landscape design

PROJECT:

KING'S CROSS CENTRAL  
BUILDING P2

DRAWING TITLE:

GRANITE PAVING AND RBG INTERFACE  
TO LOGGIA AND TERRACES  
TYPICAL PLAN LAYOUT AND SECTION

drawn:	checked:
MF	KmJ
scale	date:
1:20 @ A3	21.09.2018
status:	xref file ref:
CONSTRUCTION	ALD816_LDbase
DRAWING NUMBER:	REVISION:
KXC-P2-001-ALD816-L-91-703	C01

ORIGINAL A3 SIZE SHEET