

Area of restricted loading capacity - extends TBC

Area of restricted loading capacity - extends TBC

All dimensions to be verified on site. Figured dimensions to take precedence to those scaled. Any areas indicated on this drawing are for guidance only, no responsibility is taken for their accuracy.

This drawing is the property of Applied Landscape Design Limited. Copyright is reserved by them and the drawing is issued on the condition that it is not copied, reproduced, retained or disclosed to any unauthorized person, either wholly or in part without the written consent in writing of Applied Landscapes.

© 2018 Applied Landscape Design Limited. All rights reserved.


CDM/H&S:

The works illustrated on this drawing have been reviewed against the Designers CDM Risk Register, document reference KXC-P2-001-ALD816-L-91-911. Significant risks are noted as:

- Construction:
 - Mechanical lifting of heavy materials onto terraces
 - Working adjacent building facades on narrow ledges / terraces
 - Working above public realm and highways
 - Loading over cantilevered corners with strict loading parameters
 - On site cutting of fine detail into natural stone pavers
- Maintenance:
 - Working above public realm and highways and below others
 - Cultivation over waterproofing layers and buried services
 - Risk of working at height in strong winds
- Demolition:
 - Risk of void formers breaking down with disturbance

NOTES / KEY:

- Multistem Tree P1**
1000 x 1000 x 250mm
50mm depth ornamental bark mulch (Melcourt or equivalent)
400mm lightweight topsoil (local OG Substrate Intensive Type 1)
Lightweight teac or free draining sand layer to remaining depth
Refer to KXC-P2-001-ALD816-L-91-720 for detail
- Soil Profile 1: Within Balustrade Planters to Edge of Terrace / Ledges**
50mm depth ornamental bark mulch (Melcourt or equivalent)
400mm lightweight topsoil (local OG Substrate Intensive Type 1)
185mm lightweight aggregate
Refer to KXC-P2-001-ALD816-L-91-701 for detail
- Soil Profile 2: Within Planters**
50mm depth ornamental bark mulch (Melcourt or equivalent)
400mm lightweight topsoil (local OG Substrate Intensive Type 1)
Lightweight teac or free draining sand layer - depth varies
Refer to KXC-P2-001-ALD816-L-91-720 for detail
- Void Former Layer 01**
Top of void former @ +95.820
- Void Former Layer 02**
Top of void former @ +95.020
- Void Former Layer 03**
Top of void former @ +95.220
- Void Former Layer 04**
Top of void former @ +95.420



REFERENCE DRAWINGS/DOCUMENTS

KXC-P2-001-ALD816-L-91-005 5th Floor: Landscape General Arrangement

REVISIONS

| | | |
|-----|-----------------------------|------------|
| C01 | STAGE 5: CONSTRUCTION ISSUE | 02.03.2020 |
| P02 | STAGE 4 CP ISSUE | 05.10.18 |

| no. | issued | date |
|-----|--------|------|
|-----|--------|------|

CLIENT: ARGENT

CONTRACTOR: KIER

LANDSCAPE ARCHITECT:
ALD
applied landscape design
The Threshing Barn, Bignell Park
Barns, Chesterton, Nr. Bicester,
Oxfordshire OX26 1TD
Tel: 01869 243776
Fax: 01869 327513
Email: mail@appliedlandscape.co.uk

PROJECT:
KING'S CROSS CENTRAL: BUILDING P2

ARCHITECT:
ALLFORD HALL MONAGHAN MORRIS

DRAWING TITLE:
5th FLOOR: EARTHWORKS
GENERAL ARRANGEMENT

| | |
|-------------------------|---|
| drawn: YW | checked: KmJ |
| scale: 1:125 @ A1 | date: 05.10.2018 |
| status: CONSTRUCTION | xref file ref: ALD816_EWbase-5th-floor |

| | |
|---|------------------|
| DRAWING NUMBER: KXC-P2-001-ALD816-L-91-501 | REVISION: C01 |
|---|------------------|