



Type B1 Type B2

## Notes: Secondary Glazing Notes

- To be read in conjunction with Window schedules (8311 - 8313
- Types to be developed with subcontractor, whose is to produce schedule of sizes once
- surved on site Secondary glazing ironmongery to be determined with subcontractor - required to
- be openable for cleaning and maintenance 4. Where interstitial blinds are to be installed (to clinical areas only), top hung single
- to inner face Where interstitial blinds are not required,

glazed casement to have translucent glass

- single glazing to be specified

  New windows adjacent to existing windows to be single glazed (e.g. In corridors) and secondary glazing installed so the space is visually aligned and to provide thermal performance
- 7. No secondary glazing allowed to new
- curtain walling
- 8. No secondary glazing allowed to staircase as top level needs to be openable for smoke extraction
- For 3no. doors to lower ground requiring
- secondary glazing, refer to door schedule Type C1 and C2 (to mansard roof) removed
- as Kier confirmed not required already double glazed

C3 15.02.19 Scale amended C2 30.11.18 Construction Issue / LM / MJF C1 05.11.18 Construction Issue -Secondary Glazing A12 25.06.18 REVISED STAGE 4 ISSUE LM /LM/MJF A7 07.02.18 STAGE 4 SUBMISSION/ AML P1 27.11.17 Draft Stage 4 Issue / CL LM

## sonnemanntoon architects

Rev Date Details/ Amended by Sign

Quality House 6-9 Quality Court Chancery Lane London WC2A 1HP United Kingdom

tel: +44 (0)20 7580 8881 email: info@st-arch.co.uk web: www.st-arch.co.uk

© This drawing is copyright Do not scale this drawing. Architect to be informed of all discrepancies in dimensions. Contractor to check

all dimensions on site.

## Project title

ITALIAN HOSPITAL Drawing title

DETAILS: WINDOWS Secondary Glazing Elevations Status Revision

1: 10 @A1 1: 20 @A3 CONSTR. C3

Drawing number

1615-ST-Q1-XX-DR-A-5310