




LEVEL MONITORING - RELATIVE SURVEY READINGS

Provider Details		Client Details		Risk Address	
Name:	MHN Ltd	Insurance Co.:		Occupier:	22 Daleham Gardens
Date of Issue:	8/4/20	Client Name:	Crawford & Co	Address:	NW3 Management
		Contact:		Address:	22 Daleham Gardens
		Email:		Town:	London
		Client Ref:		County:	
		Address:		Post Code:	NW3 5DA
		Address:		Tel Home:	
		Town:		Tel Work:	
		County:		Mobile:	
		Post Code:		Other:	
		Other Email:		Other:	
Monitoring Details					
Instruction Date:	23/5/19				
First Reading Date:	09/06/2019				
Maximum No Visits:	UFN				
Anticipated Expiry Date:	UFN				
Monitoring Int:	2 Monthly				

		Target Date:													
		Reading Date:		9/6/19	21/8/19	29/10/19	9/12/19	8/4/20							
		Issue Date:		15/6/19	23/8/19	1/11/19	18/12/19	8/4/20							
Row No.	Point Name	X Co-ordinate	Y Co-ordinate	1	2	3	4	5	6	7	8	9	10	11	
1		0.00	0.00												
2		6.20	0.00												
3	Datum	6.20	0.60	10.0000	10.0000	10.0000	10.0000	10.0000							
4	1	15.90	0.60	9.9743	9.9719	9.9727	9.9737	9.9738							
5	2	15.90	-3.10	10.0968	10.0938	10.0939	10.0953	10.0976							
6	3	15.90	-7.60	10.3543	10.3496	10.3498	10.3521	10.3569							
7	4	15.90	-11.40	10.5414	10.5336	10.5344	10.5386	10.5460							
8	5	15.10	-11.40	10.1959	10.1887	10.1892	10.1949	10.2012							
9		14.70	-11.40												
10		14.70	-11.50												
11	6	13.90	-12.30	10.2718	10.2635	10.2646	10.2702	10.2783							
12	7	11.20	-12.30	10.2852	10.2789	10.2808	10.2857	10.2925							
13		10.40	-11.50												
14		10.40	-11.40												
15	8	9.90	-11.40	10.0883	10.0842	10.0852	10.0886	10.0927							
16		3.70	-11.40												
17		3.70	-11.50												
18		3.30	-11.90												
19		1.10	-11.90												
20		0.70	-11.50												
21		0.70	-11.40												
22	9	0.00	-11.40	11.6699	11.6690	11.6686	11.6692	11.6714							
23		0.00	0.00												
24															
25															
26															
27															
28															
29															
30															
31															
32															



- 08/04/2020
- No new concerns raised at time of
- It was not possible to install all sta within a common brickcourse. The initial readings cannot be interpreted as Distortion Data.
- Readings have been made relative to point at the rear of the property as requested. It has an assumed value of 10.0000m. If this is not appropriate, please advise if a deep datum is required.
- Further readings to be taken June

