


Reproduced from the Ordnance Survey Map with the permission of the Controller of HMSO. Crown Copyright Reserved. Licence No. 100019279.

TP3 1





 Heavy Standard tree with minimum 2m clear stem
 Loose fill granite chippings around tree stem. Colour to match paving. Sample to be approved.
 Recessed tree grille with paved infill.
 RootRain ArborVent with cast inlets & vertical inspection pipe. Fully compatible components. Centrally located within the Rootspace and clear of rootform.
 RootForm root barrier filled with concrete to Engineer's specification.
GLTWGNA twinwall geonet laid over RootSpace structure.
RootSpace structure - 2 modules deep x 9 modules across x 4 modules wide loaded with approved rootsoil. Covered with Airflow deck.
ArborVent pipe extension piece in to gravel drainage layer.

Plastic open reinforcing mesh, 20mm aperture laid below and around sides of RootSpace structure Drainage layer - 150mm depth of clean angular stone around sides and base of Rootspace structure

Sub-base and drainage installed below RootSpace to Engineer's requirement/detail

	Project Ingestre Ro	oad		
	Drawing Title			
Soft Landscape Tree Pit Details (Sheet 2)				
	04.02.19	Varies	MY	AC
	Project No	Drawing No		Revision
	27463	RG-L-05-2		-

