Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m N W S	n) E	Scaled Tree Diagram (m)				ent of any t proposals) Inspect	Vigour Physiological Condition Structural	
T1	Early-Mature Cherry Prunus sp.	6	3	45 @ Base	4.5	4 -	, y	Form: History: Defects:	Twin-stemmed at 1m with a balanced crown. Multiple pruning wounds due to crown reduction. No significant defects observed.	No action required.		Moderate Fair Fair	Low 10-20
T2	Early-Mature Apple Malus sp.	4.5	3	30 @ Ваѕе	2.5 1.5 1 2.5	- - - - - - - - - - -	-	Form: History: Defects:	Multi-stemmed at 1.5m with a balanced crown. Multiple pruning wounds due to crown reduction. No significant defects observed .	No action		Moderate Fair Fair	Low 20-40 C
T3	Semi-Mature Cherry Prunus sp.	5	2	30 @ Base	3 3 4	4 - 0		Position: Form: History: Defects: Other:	Situated on third party land. Multi-stemmed specimen. Multiple pruning wounds due to crown reduction. No significant defects observed. Limited inspection, dimensions estimated.	No action	required.	Moderate Good Fair	Low 20-40 C
T4	Semi-Mature Whitebeam Sorbus aria.	7	2.5	37	4 4 3	4 -		Position: Form: History: Defects:	Street tree. Single stemmed and vertical with a balanced crown. No evidence of significant pruning. No significant defects observed.	No action required.		Moderate Good Good	High 20-40 B
T5	Semi-Mature Lawson Cypress Chamaecyparis lawsoniana.	12	2	39	2.5 2.5 2	2 - 0	4	Form: History: Defects:	Single stemmed and vertical with a narrow, upright habit. No evidence of significant pruning. No significant defects observed .	No action required.		Moderate Good Good	Moderate 40+ C +
Т6	Semi-Mature Cherry Prunus sp.	6	3	12	2 1.5 1 2	- - - - 0	*	Form: History: Defects:	Single stemmed and vertical with a compact crown. No evidence of significant pruning. No significant defects observed.	No action required.		Moderate Good Good	Low 20-40 C
T7	Semi-Mature Holly Ilex aquifolium.	7	3	20	1.5 1.5 1 2	- - - - - - - - - - - - -	*	Form: History: Defects: Other:	Multi-stemmed at ground level with a poorly formed crown. No evidence of significant pruning. No significant defects observed. Ivy prevented detailed inspection . Poor specimen. Four stems with actual diameters of 10, 6, 9 and 14cm.	No action required.		Moderate Fair Fair	Low 10-20 C