



Level 0 Plan Secant Piling
 1 : 100

Concrete (RC) - Column Schedule	
Column Ref	Column Size
C1	300x300
C2	300x400
C3	300x500
C4	300x600
C5	350x600
C6	450x700
C8	600x600
C9	700x700

SERVICE HOLES IN SLABS, INCLUDING RISERS, SVP AND R/WP TO BE DEVELOPED AND ARE NOT CURRENTLY FULLY SHOWN ON THESE DRAWINGS

NOTE: STRUCTURE DESIGNED TO CARRY "TRADITIONAL" BRICK CLADDING, COMPRISING HALF BRICK OUTER LEAF AND COLD ROLLED STEEL INFILL INNER LEAF, SUPPORTED AT ALTERNATE STOREYS. SHOULD THE PROPOSED CLADDING SYSTEM BE CHANGED TO AN ALTERNATIVE, SUCH AS PRE-CAST CONCRETE WITH CAST-IN BRICK SLIPS, ALL SUBSTRUCTURE AND SUPERSTRUCTURE IS TO BE SUBJECT TO A COMPLETE RE-DESIGN.



Project
BEDFORD PASSAGE DEVELOPMENT

UK & IRELAND
Client
MIDDLESEX ANNEXE LLP

Consultant
AECOM
 Aldgate Tower
 2 Leman Street
 London E1 8FA
 United Kingdom
 Tel +44 (0) 20 7061 7000
 www.aecom.com

- Notes**
- Do not scale from this drawing. Work to figured dimensions only.
 - This drawing is to be read in conjunction with:
 - General notes drawing MHA-ACM-00-ZZ-DR-SE-00001
 - Design reports
 - Survey and Interpretative Reports
 - Project Specifications and Performance Specifications
 - Health and Safety Hazard Register
 - Relevant drawings and documentation issued by the architect, engineers and specialists.
 - Building Information Model (BIM)
 - Outline Construction Methodology
 - Movements and Tolerances Report
 - All dimensions are in mm except levels which are in metres and relate to [ordance datum].
 - Any discrepancies shall be referred to the Designer before work commences.

Issue/Revision

CONSTRUCTION ISSUE

CONSTRUCTION ISSUE NOTE:
 THIS CONSTRUCTION ISSUE DRAWING IS STRICTLY LIMITED TO THE SECANT PILING AND CAPPING BEAM CONSTRUCTION TO THE SOUTH AND SOUTH EAST SITE BOUNDARY. UNDER THE CURRENT WSI 1 CONTRACT, ALL OTHER DETAILED DESIGN IS STILL UNDER FINAL DEVELOPMENT.

Rev	Date	Description
C3	30.04.20	SECANT PILING UPDATED TO SUIT OTHER DRG. REVISIONS
C2	21.04.20	C/BEAMS ALTERED: SLAB THICKENED
C1	03.04.20	CONSTRUCTION ISSUE
A	21.12.17	STAGE 3 ISSUE, WIP

Key Plan

CONTRACT B, PART 1
Purpose Of Issue
CONSTRUCTION
Project Number
 60516144
Sheet Title
 New Build
 Secant Piling. Level 0

Sheet Number
 MHA-ACM-00-GF-DR-SE-01106

Scale: 1 : 100@A1 **Rev:** C3

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document.