


Data taken from 2015 tree survey to BS5837:2012

Tree Group Reference	Species	BH (m)	Crown spread (m)					Overall Spans		Stem Dia. (mm)					BPA Rad (m)	BPA Area (m ²)	Lith. range Y:CSL:EM:O:R:AD	Pgs	Condition and observations	Preliminary management recommendation	Per. Spcs	Grade
			N	S	W	E	Base	Span	Count	1	2	3	4	5								
4	Weying Alb	13	3	6	8	2	1m E	1	500						600	113	M	O	Prostrate tree. Distorted stem growth on grass areas at 3 metres. Crown asymmetry east over neighbouring property. No definite signs of apparent structural significance.	No action required at time of survey	20+	B1
7	Apple	5	3	3	2	4	2m S	3	200	140	230			4.42	61	M	F	Small tree of relatively low significance generally suppressed by Tree 6	No action required at time of survey	20+	C	
10	Other	8	2	2	1	2	2m E	2	120	180				2.60	21	S/M	F	Slender, dramatic tree of relatively low significance. Spans visible	No action required at time of survey	10+	C	
11	Table degraded	5	3	1	0	3	1m E	1	120					1.44	7	S/M	F	Prostrate crown asymmetry to south and east. Small tree of relatively low significance	No action required at time of survey	20+	C	
15	Eucalyptus	14	1	2	4	0	1m W	1	320					3.84	46	S/M	P	These slender stems have re-grown from past topping at 2 metres with moderate lean to west. Tree canopy appears thin, few limited stems protruding and retention open.	No action required at time of survey	10+	C	



It is apparent from a photograph sent by our client that the condition of Tree 6 has deteriorated since 2015. It now has extensive twig death, almost certainly caused by 'ash dieback' - see photograph adjacent



This drawing must be viewed in colour

This plan is based on a Tree Survey Plan prepared in 2015 following a site survey in accordance with BS5837:2012

TREE LOCATION PLAN

SITE ADDRESS
10 Nutley Terrace, London, NW3 5SB

CLIENT
Priya Chadra

JOB REF
DS14051501

DRAWING NO
DS14051501.01-B

REV B DATE
15/07/2020

Patrick Stileman Ltd
9 Chestnut Drive, Berkhamsted, Herts, HP4 2LJ 01442 866112




KEY
Tree canopy spread of tree proposed for removal

- Category U tree
- Category A tree
- Category B tree
- Category C tree

BS 5837 Category key

SCALE
1:250 @ A3



NOTE:

Stem diameters are not drawn to scale. See schedule for dimensions

Tree 15 is a poor quality Eucalyptus with slender, leaning stem, and has re-grown from past topping. Tree leans towards school and has short likely retention span