

Appendix 7.2

Daylight and Sunlight Results

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
54-64 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F00	35.8	29.3	6.5	18.2%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F00	35.8	28.9	6.9	19.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F00	36.7	22.2	14.5	39.5%	93.7	72.1	15	231%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F00	36.9	21.9	15	40.7%					N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F01	36.7	30.8	5.9	16.1%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F01	36.6	30.4	6.2	16.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F01	37.4	23.9	13.5	36.1%	93.7	75.2	1.3	19.7%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F01	37.6	23.7	13.9	37.0%					N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F02	37.6	32.3	5.3	14.1%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F02	37.5	31.9	5.6	14.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F02	38.1	25.9	12.2	32.0%	93.7	79.8	1.0	14.8%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F02	38.2	25.6	12.6	33.0%					N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F03	38.4	33.9	4.5	11.7%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F03	38.3	33.5	4.8	12.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W5/F03	38.7	28.1	10.6	27.4%	93.7	85.3	0.6	8.9%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W6/F03	38.8	27.9	10.9	28.1%					N/A	N/A	N/A	N/A	N/A	N/A
69-73 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F00	37.3	18.5	18.8	50.4%	80.1	54.5	1.6	32.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F00	37.3	18.7	18.6	49.9%	89.1	30.1	4.0	66.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F00	37.5	19.8	17.7	47.2%	94.7	56.1	4.3	40.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W5/F00	36.5	21.6	14.9	40.8%	100	99.8	0.1	0.2%	19	9	13	9	0.0%	0.0%
			LIVING ROOM		W6/F00	36.9	28.9	8	21.7%					33	8	31	4	9.1%	33.3%
			LIVING ROOM		W7/F00	36.5	30.5	6	16.4%					59	19	48	8	18.6%	57.9%
			LIVING ROOM		W8/F00	31.7	23.3	8.4	26.5%					59	20	47	8	20.3%	60.0%
	R6	RESIDENTIAL	BEDROOM		W9/F00	36.6	26.2	10.4	28.4%	94.7	79.3	1.7	16.2%	75	25	56	8	25.3%	68.0%
	R7	RESIDENTIAL	BEDROOM		W10/F00	36	24.6	11.4	31.7%	97.5	75.6	1.5	22.4%	73	26	51	6	30.1%	76.9%
	R9	RESIDENTIAL	LIVING ROOM		W12/F00	27.1	16.4	10.7	39.5%	98.9	54.2	7.3	45.2%	58	21	39	5	32.8%	76.2%
F01	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F01	37.8	20.3	17.5	46.3%	80.1	60.9	1.2	24.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F01	37.8	20.5	17.3	45.8%	89.1	34.9	3.6	60.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F01	38.2	21.8	16.4	42.9%	94.7	61	3.8	35.6%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
69-78 JUNIPER CRESCENT (CONTINUED)																			
	R5	RESIDENTIAL	LIVING ROOM		W5/F01	37.2	23.5	13.7	36.8%	100	99.8	0.1	0.2%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W6/F01	37.8	30.5	7.3	19.3%					34	6	38	4	9.9%	33.3%
			LIVING ROOM		W7/F01	37.4	31.7	5.7	15.2%					59	19	48	8	18.6%	57.9%
			LIVING ROOM		W8/F01	32.1	24	8.1	25.2%					58	20	47	9	19.0%	55.0%
	R6	RESIDENTIAL	BEDROOM		W9/F01	37.6	27.3	10.3	27.4%	94.7	80.5	16	15.0%	76	26	58	9	23.7%	65.4%
	R7	RESIDENTIAL	BEDROOM		W10/F01	37.1	26.1	11	29.6%	97.5	78.1	1.3	19.9%	72	25	53	7	26.4%	72.0%
	R9	RESIDENTIAL	LIVING ROOM		W12/F01	28.6	16.8	11.8	41.3%	99	59	6.5	40.4%	61	26	41	8	32.8%	69.2%
F02	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F02	34.1	18.2	15.9	46.6%	78.4	63.7	0.9	18.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F02	34.1	18.4	15.7	46.0%	87.5	40.4	3.2	53.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F02	38.8	23.9	14.9	38.4%	94.7	68.6	2.9	27.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W5/F02	37.8	25.5	12.3	32.5%	100	99.8	0.1	0.2%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W6/F02	38.5	31.9	6.6	17.1%					34	6	38	4	9.9%	33.3%
			LIVING ROOM		W7/F02	38.1	32.8	5.3	13.9%					59	19	51	11	13.6%	42.1%
			LIVING ROOM		W8/F02	32.7	25	7.7	23.5%					58	20	49	11	15.5%	45.0%
	R6	RESIDENTIAL	BEDROOM		W9/F02	38.2	28.4	9.8	25.7%	94.7	82.2	1.4	13.2%	75	25	61	11	18.7%	56.0%
	R7	RESIDENTIAL	BEDROOM		W10/F02	32.7	22.4	10.3	31.5%	100	100	0.0	0.0%	62	24	46	8	25.8%	66.7%
			BEDROOM		W7/F03 / INC (2)	78.7	70.5	8.2	10.4%					89	28	72	12	19.1%	57.1%
	R9	RESIDENTIAL	LIVING ROOM		W12/F02	36.1	24.5	11.6	32.1%	98.9	60	6.3	39.3%	70	25	50	8	28.6%	68.0%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	39.2	26.4	12.8	32.7%	94.1	84.3	1.1	10.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W2/F03	38.4	27.8	10.6	27.6%	100	99.9	0.0	0.1%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W3/F03	39	33.4	5.6	14.4%					34	6	38	4	9.9%	33.3%
			LIVING ROOM		W4/F03	38.7	33.8	4.9	12.7%					59	19	53	13	10.2%	31.6%
			LIVING ROOM		W5/F03	35.9	28.7	7.2	20.1%					60	20	52	12	13.3%	40.0%
	R3	RESIDENTIAL	BEDROOM		W6/F03	38.8	29.7	9.1	23.5%	94	92	0.2	2.2%	76	26	63	13	17.1%	50.0%
79 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	33.3	21.1	12.2	36.6%	98.7	69.2	4.1	29.9%	69	24	42	4	39.1%	83.3%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37	24.3	12.7	34.3%	96.5	70.1	2.9	27.4%	74	26	48	5	35.1%	80.8%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	31.4	19.7	11.7	37.3%	100	100	0.0	0.0%	60	24	41	6	31.7%	75.0%
			BEDROOM		W2/F02 / INC (2)	91.3	81.4	9.9	10.8%					92	28	71	9	22.8%	67.9%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
80 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	33.3	20.1	13.2	39.6%	98.9	66.8	4.4	32.5%	71	25	44	5	38.0%	80.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.3	23.6	13.7	36.7%	97.1	68.4	3.2	29.6%	77	27	51	7	33.8%	74.1%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	31.4	18.6	12.8	40.8%	100	100	0.0	0.0%	63	25	42	6	33.3%	76.0%
			BEDROOM		W2/F02 / INC (2)	91.4	80.5	10.9	11.9%					91	27	70	9	23.1%	66.7%
81 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	32.9	19.1	13.8	41.9%	98.7	64.6	4.7	34.6%	70	25	41	6	41.4%	76.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.3	22.6	14.7	39.4%	96.6	67.1	3.3	30.5%	78	27	51	8	34.6%	70.4%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	31.4	17.6	13.8	43.9%	100	100	0.0	0.0%	63	25	43	7	31.7%	72.0%
			BEDROOM		W2/F02 / INC (2)	91.3	79.5	11.8	12.9%					91	27	69	9	24.2%	66.7%
82 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	33.4	18.5	14.9	44.6%	99	63.8	4.8	35.5%	70	25	38	5	45.7%	80.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.2	21.3	15.9	42.7%	97.1	65.2	3.6	32.9%	76	26	46	6	39.5%	76.9%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	31.4	16.3	15.1	48.1%	100	100	0.0	0.0%	64	25	39	6	39.1%	76.0%
			BEDROOM		W2/F02 / INC (2)	90.8	77.9	12.9	14.2%					91	27	64	8	29.7%	70.4%
83 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	33.3	17.5	15.8	47.4%	98.5	62.1	5.0	37.0%	67	24	31	2	53.7%	91.7%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	36.8	20	16.8	45.7%	96.3	62.3	3.8	35.3%	73	25	42	5	42.5%	80.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	88.8	75	13.8	15.5%	100	98.4	0.2	1.6%	80	23	55	4	31.3%	82.6%
			BEDROOM		W2/F02	31.2	15.2	16	51.3%					63	25	37	5	41.3%	80.0%
84 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	28.8	14.9	13.9	48.3%	96.6	58.1	5.3	39.8%	54	20	26	3	51.9%	85.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.4	17	15.4	47.5%	92.5	58	3.9	37.3%	59	20	33	3	44.1%	85.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	28.1	13.3	14.8	52.7%	96.8	92.1	0.5	4.9%	58	20	33	3	43.1%	85.0%
			BEDROOM		W2/F02 / INC (2)	73.1	62.7	10.4	14.2%					56	16	38	4	32.1%	75.0%
85-92 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	36.5	17.8	18.7	51.2%	98.9	61.1	5.1	38.2%	81	27	44	6	45.7%	77.8%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
85-92 JUNIPER CRESCENT (CONTINUED)																			
	R2	RESIDENTIAL	BEDROOM		W2/F00	34.7	16.5	18.2	52.4%	98.9	66.2	3.8	33.0%	76	25	41	5	46.1%	80.0%
	R3	RESIDENTIAL	BEDROOM		W3/F00	34.7	16	18.7	53.9%	99	73.9	2.9	25.4%	71	24	35	5	50.7%	79.2%
	R4	RESIDENTIAL	BEDROOM		W4/F00	36.2	17	19.2	53.0%	99	64.2	4.8	35.1%	80	26	43	6	46.3%	76.9%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.6	18.9	18.7	49.7%	98.9	60.5	5.2	38.9%	81	27	47	6	42.0%	77.8%
	R2	RESIDENTIAL	BEDROOM		W2/F01	36.6	17.6	19	51.9%	98.9	65.9	3.8	33.4%	78	27	45	7	42.3%	74.1%
	R3	RESIDENTIAL	BEDROOM		W3/F01	36.4	17.1	19.3	53.0%	99.1	73.2	3.0	26.1%	71	24	36	5	49.3%	79.2%
	R4	RESIDENTIAL	BEDROOM		W4/F01	37.7	18	19.7	52.3%	99	63.8	4.8	35.5%	81	27	45	7	44.4%	74.1%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	38.3	19.9	18.4	48.0%	99	65.9	4.5	33.4%	82	28	49	6	40.2%	78.6%
	R2	RESIDENTIAL	BEDROOM		W2/F02	37.2	18.6	18.6	50.0%	98.9	69.4	3.4	29.8%	78	27	46	7	41.0%	74.1%
	R3	RESIDENTIAL	BEDROOM		W3/F02	37	18.1	18.9	51.1%	99.1	78	2.4	21.2%	71	24	39	5	45.1%	79.2%
	R4	RESIDENTIAL	BEDROOM		W4/F02	38.3	18.9	19.4	50.7%	99	67.7	4.3	31.6%	81	27	48	7	40.7%	74.1%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	38.7	21	17.7	45.7%	99	69.6	4.0	29.7%	82	28	51	7	37.8%	75.0%
	R2	RESIDENTIAL	BEDROOM		W2/F03	37.8	19.7	18.1	47.9%	98.9	72.1	3.1	27.1%	79	28	49	8	38.0%	71.4%
	R3	RESIDENTIAL	BEDROOM		W3/F03	37.5	19.2	18.3	48.8%	99.1	81.2	2.1	18.1%	72	25	41	5	43.1%	80.0%
	R4	RESIDENTIAL	BEDROOM		W4/F03	38.7	19.8	18.9	48.8%	99	69.9	4.0	29.4%	82	28	48	7	41.5%	75.0%
93-100 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	35.4	14.7	20.7	58.5%	98.9	40.2	8.0	59.4%	83	27	45	8	45.8%	70.4%
	R2	RESIDENTIAL	BEDROOM		W2/F00	31	11.6	19.4	62.6%	98.7	49.9	5.8	49.4%	65	18	30	1	53.8%	94.4%
	R3	RESIDENTIAL	BEDROOM		W3/F00	31.9	14.9	17	53.3%	98.9	52.2	5.4	47.2%	67	24	34	7	49.3%	70.8%
	R4	RESIDENTIAL	BEDROOM		W4/F00	34.5	15.5	19	55.1%	98.8	55.8	6.0	43.5%	81	24	44	6	45.7%	75.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.8	15.7	22.1	58.5%	98.9	41.6	7.8	57.9%	89	30	50	9	43.8%	70.0%
	R2	RESIDENTIAL	BEDROOM		W2/F01	37.1	16.1	21	56.6%	98.9	52.7	5.5	46.8%	80	28	42	8	47.5%	71.4%
	R3	RESIDENTIAL	BEDROOM		W3/F01	36.7	16.4	20.3	55.3%	99	54	5.2	45.5%	79	28	41	8	48.1%	71.4%
	R4	RESIDENTIAL	BEDROOM		W4/F01	37.9	18.6	19.3	50.9%	98.8	57.9	5.7	41.5%	89	30	52	12	41.6%	60.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	38.3	16.5	21.8	56.9%	98.7	47.3	7.0	52.0%	89	30	52	9	41.6%	70.0%
	R2	RESIDENTIAL	BEDROOM		W2/F02	37.6	16.9	20.7	55.1%	98.7	59.7	4.6	39.5%	80	28	42	8	47.5%	71.4%
	R3	RESIDENTIAL	BEDROOM		W3/F02	37.2	17.3	19.9	53.5%	98.7	65.6	3.8	33.6%	79	28	42	8	46.8%	71.4%
	R4	RESIDENTIAL	BEDROOM		W4/F02	38.4	19.5	18.9	49.2%	98.6	68.9	4.1	30.1%	89	30	53	13	40.4%	56.7%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	38.7	17.4	21.3	55.0%	98.6	54.1	6.0	45.1%	89	30	53	10	40.4%	66.7%
	R2	RESIDENTIAL	BEDROOM		W2/F03	38.1	17.9	20.2	53.0%	98.7	70.5	3.3	28.6%	82	28	45	8	45.1%	71.4%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
93-100 JUNIPER CRESCENT (CONTINUED)																			
	R3	RESIDENTIAL	BEDROOM		W3/F03	37.7	18.2	19.5	51.7%	98.7	75.7	2.6	23.3%	79	28	43	8	45.6%	71.4%
	R4	RESIDENTIAL	BEDROOM		W4/F03	38.8	20.4	18.4	47.4%	98.6	75	3.3	24.0%	89	30	57	13	36.0%	56.7%
101 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.5	15.9	16.6	51.1%	98.9	54.7	10.5	44.7%	70	21	40	7	42.9%	66.7%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	34.3	17.3	17	49.6%	91.2	75.5	17	17.3%	77	30	48	15	37.7%	50.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	31	14.4	16.6	53.5%	96.9	95.6	0.1	1.3%	68	30	40	15	41.2%	50.0%
			BEDROOM		W2/F02 / INC (2)	75.4	62.5	12.9	17.1%					77	28	55	15	28.6%	46.4%
102 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.1	17.2	14.9	46.4%	98.9	64.4	8.2	34.9%	70	20	37	5	47.1%	75.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.4	21.2	16.2	43.3%	95.2	84.6	11	11.1%	85	30	54	15	36.5%	50.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	33.1	17.4	15.7	47.4%	100	99.9	0.0	0.1%	77	30	46	15	40.3%	50.0%
			BEDROOM		W2/F02 / INC (2)	89.4	75.1	14.3	16.0%					94	30	66	16	29.8%	46.7%
103 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	28.5	18.3	10.2	35.8%	99.1	72.4	6.4	27.0%	64	16	42	8	34.4%	50.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.6	22.8	14.8	39.4%	95	86.9	0.8	8.5%	86	30	58	17	32.6%	43.3%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	91	77.9	13.1	14.4%	100	100	0.0	0.0%	94	30	68	17	27.7%	43.3%
			BEDROOM		W2/F02	33.2	18.9	14.3	43.1%					79	30	52	17	34.2%	43.3%
104 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	25.3	14.4	10.9	43.1%	99	74.7	5.8	24.6%	57	13	34	3	40.4%	76.9%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.7	24.7	13	34.5%	95	86.2	0.9	9.3%	87	30	60	17	31.0%	43.3%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	33.2	20.8	12.4	37.3%	100	100	0.0	0.0%	77	30	53	17	31.2%	43.3%
			BEDROOM		W2/F02 / INC (2)	91.3	79.6	11.7	12.8%					97	30	73	17	24.7%	43.3%
105 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	31.2	22.3	8.9	28.5%	99	86.5	3.0	12.6%	70	20	50	12	28.6%	40.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.7	26.7	11	29.2%	95.1	86.2	0.9	9.4%	87	30	65	19	25.3%	36.7%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	91.4	81.3	10.1	11.1%	100	100	0.0	0.0%	98	30	78	19	20.4%	36.7%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
105 JUNIPER CRESCENT (CONTINUED)																			
			BEDROOM		W2/F02	33.2	22.8	10.4	31.3%					78	30	57	19	26.9%	36.7%
106 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	32.3	24.8	7.5	23.2%	99	93.3	1.3	5.8%	74	23	56	17	24.3%	26.1%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.7	28.5	9.2	24.4%	95.7	87.2	0.9	8.9%	87	30	66	21	24.1%	30.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	33.3	24.6	8.7	26.1%	100	100	0.0	0.0%	77	30	59	21	23.4%	30.0%
			BEDROOM		W2/F02 / INC (2)	91.4	82.9	8.5	9.3%					98	30	78	21	20.4%	30.0%
107 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	30.9	25.2	5.7	18.4%	99.1	96.4	0.6	2.6%	70	21	53	15	24.3%	28.6%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.7	30.1	7.6	20.2%	95.4	86.1	1.0	9.8%	87	30	65	21	25.3%	30.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	33.3	26.2	7.1	21.3%	100	100	0.0	0.0%	76	30	58	21	23.7%	30.0%
			BEDROOM		W2/F02 / INC (2)	91.5	84.2	7.3	8.0%					98	30	79	21	19.4%	30.0%
108 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	31.5	27	4.5	14.3%	99	97.3	0.4	1.8%	71	22	54	16	23.9%	27.3%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	37.7	31.7	6	15.9%	95.3	87.3	0.8	8.5%	88	30	67	21	23.9%	30.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	33.3	27.8	5.5	16.5%	100	100	0.0	0.0%	76	30	63	21	17.1%	30.0%
			BEDROOM		W2/F02 / INC (2)	91.5	85.5	6	6.6%					97	30	81	21	16.5%	30.0%
109 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	31.2	30	1.2	3.8%	98	95.8	0.4	2.3%	64	24	60	23	6.3%	4.2%
			KITCHEN-RESI		W2/F00	27	23.2	3.8	14.1%					72	24	60	21	16.7%	12.5%
F01	R1	RESIDENTIAL	LIVING ROOM		W1/F01	37.7	32.5	5.2	13.8%	98.1	96.5	0.3	1.6%	87	30	71	23	18.4%	23.3%
			LIVING ROOM		W2/F01	37.6	32.9	4.7	12.5%					87	30	72	24	17.2%	20.0%
F02	R2	RESIDENTIAL	BEDROOM		W2/F02	33.2	28.9	4.3	13.0%	100	100	0.0	0.0%	76	30	66	24	13.2%	20.0%
			BEDROOM		W3/F02 / INC (2)	91.2	86.4	4.8	5.3%					94	30	81	24	13.8%	20.0%
110 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27.1	26.9	0.2	0.7%	99.9	99.9	0.0	0.0%	58	18	54	18	6.9%	0.0%
			LIVING ROOM		W2/F00	11.6	11.2	0.4	3.4%					1	0	0	0	100.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

110 JUNIPER CRESCENT (CONTINUED)

			LIVING ROOM		W3/F00	35.6	32.6	3	8.4%					79	25	68	22	13.9%	12.0%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W4/F00	35.1	31.6	3.5	10.0%	94	92.5	0.1	1.6%	81	26	67	20	17.3%	23.1%
F01	R1	RESIDENTIAL	LIVING ROOM		W1/F01	37.7	33.5	4.2	11.1%	100	100	0.0	0.0%	86	30	73	24	15.1%	20.0%
			LIVING ROOM		W2/F01	22.4	22	0.4	1.8%						0	0	0	100.0%	100%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W3/F01	37.5	34	3.5	9.3%	94	93	0.1	1.1%	84	30	70	24	16.7%	20.0%
F02	R1	RESIDENTIAL	LIVING ROOM		W1/F02	33.2	29.4	3.8	11.4%	100	100	0.0	0.0%	76	30	66	24	13.2%	20.0%
			LIVING ROOM		W2/F02 / INC (2)	90.5	86.3	4.2	4.6%					93	30	81	24	12.9%	20.0%
			LIVING ROOM		W4/F02	34.7	34.2	0.5	1.4%					3	0	3	0	25.0%	0.0%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W3/F02	33.1	29.9	3.2	9.7%	89.8	89.5	0.0	0.3%	76	30	68	24	10.5%	20.0%

GILBEYS YARD (BLOCK A)

F00	R1	RESIDENTIAL	UNKNOWN		W2/F00	27.7	20.3	7.4	26.7%	94.1	50.5	4.9	46.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W3/F00	28	19.2	8.8	31.4%	72	38.6	5.5	46.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	LIVING ROOM		W4/F00	29	18.8	10.2	35.2%	82.7	35.8	7.8	56.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LIVING ROOM		W5/F00	27.2	16.3	10.9	40.1%	90.1	41.4	9.6	54.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W6/F00	30.4	18.5	11.9	39.1%	90.7	41.8	9.7	53.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LIVING ROOM		W7/F00	30.9	17.9	13	42.1%	82.7	37.1	9.0	55.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	LIVING ROOM		W8/F00	31.3	17.2	14.1	45.0%	94.3	38.5	11.0	59.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	LIVING ROOM		W9/F00	31.6	16.7	14.9	47.2%	85.8	34.3	10.2	60.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	LIVING ROOM		W10/F00	32	16.3	15.7	49.1%	96.7	37	11.8	61.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	LIVING ROOM		W11/F00	32.3	15.9	16.4	50.8%	89.9	33.6	11.1	62.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	LIVING ROOM		W12/F00	32.6	15.5	17.1	52.5%	96.6	36.9	11.8	61.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	LIVING ROOM		W13/F00	32.7	15.2	17.5	53.5%	92.5	42.4	9.9	54.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LIVING ROOM		W14/F00	30.2	13.2	17	56.3%	95.5	70.6	4.9	26.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	LIVING ROOM		W15/F00	32.3	14.6	17.7	54.8%	99.3	77	3.7	22.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	LIVING ROOM		W16/F00	30	12	18	60.0%	97.8	66.6	5.2	31.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W18/F00	33.1	15.1	18	54.4%	97.4	50.1	7.2	48.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W19/F00	17.2	11.9	5.3	30.8%	71.1	29.6	3.1	58.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W20/F00	24.1	8	16.1	66.8%	86.9	19.6	5.7	77.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W17/F00	33.2	13.9	19.3	58.1%	97.6	46.3	7.8	52.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W1/F00	28.2	21.2	7	24.8%	94.7	44.2	5.7	53.3%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK A) (CONTINUED)																			
F01	R1	RESIDENTIAL	UNKNOWN		W2/F01	32.8	23.7	9.1	27.7%	96.3	87.3	10	9.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W3/F01	34.2	23.2	11	32.2%	93.9	90.2	0.4	4.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W4/F01	34.7	22.7	12	34.6%	94.7	77.2	17	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F01	31.8	19.8	12	37.7%	81.5	72.9	10	10.6%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W6/F01	34.4	22	12.4	36.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F01	35	22.2	12.8	36.6%	80.7	78.8	0.2	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F01	34.8	21.7	13.1	37.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W9/F01	35	20.7	14.3	40.9%	73.5	66.3	0.8	9.8%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W10/F01	35.4	20.8	14.6	41.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	KITCHEN-RESI (1)		W29/F01	21.5	13.2	8.3	38.6%	74.5	28.6	3.5	61.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	KITCHEN-RESI (1)		W30/F01	26.1	8.7	17.4	66.7%	95.3	22.1	6.1	76.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F01	35.4	20.4	15	42.4%	83.4	76.9	0.7	7.8%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W12/F01	35.1	19.8	15.3	43.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM		W13/F01	35.3	19.1	16.2	45.9%	76.5	63.4	1.5	17.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W14/F01	35.7	19.2	16.5	46.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W27/F01	36.9	15.2	21.7	58.8%	97.3	52.3	6.8	46.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W1/F01	33.5	25	8.5	25.4%	96.4	78.5	2.0	18.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W15/F01	35.8	18.9	16.9	47.2%	84.9	74.7	1.2	12.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W16/F01	35.5	18.5	17	47.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F01	35.6	17.9	17.7	49.7%	79.3	64.6	1.7	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W18/F01	36	18	18	50.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W19/F01	36	17.7	18.3	50.8%	84.9	77.7	0.8	8.5%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W20/F01	35.7	17.4	18.3	51.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W21/F01	35.8	16.9	18.9	52.8%	82	71.4	1.2	13.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W22/F01	36	16.9	19.1	53.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R23	RESIDENTIAL	BEDROOM		W23/F01	35.3	16.2	19.1	54.1%	83.1	75.4	0.9	9.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W24/F01	33.3	14.8	18.5	55.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R24	RESIDENTIAL	BEDROOM		W25/F01	35.9	16.2	19.7	54.9%	94	74.9	1.8	20.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R25	RESIDENTIAL	BEDROOM		W26/F01	33.6	13.4	20.2	60.1%	89.2	73.1	1.5	18.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R26	RESIDENTIAL	BEDROOM		W28/F01	37.1	16.5	20.6	55.5%	97.2	58.5	5.9	39.8%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM		W2/F02	36.8	26.9	9.9	26.9%	97.8	95	0.3	2.8%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK A) (CONTINUED)																			
	R2	RESIDENTIAL	BEDROOM		W3/F02	38	26.5	11.5	30.3%	92.2	91.6	0.1	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W4/F02	38.1	25.9	12.2	32.0%	92.9	91.1	0.2	1.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F02	31.7	19.4	12.3	38.8%	79.6	73.3	0.7	7.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F02	33.2	19.6	13.6	41.0%	79.2	73.1	0.7	7.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W7/F02	33.2	18.5	14.7	44.3%	72	67.3	0.5	6.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W8/F02	33.2	17.6	15.6	47.0%	81.9	71	1.2	13.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W9/F02	33.3	16.9	16.4	49.2%	75	66	1.0	12.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W10/F02	33.4	16.2	17.2	51.5%	83.4	67.2	1.8	19.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W11/F02	33.4	15.4	18	53.9%	77.9	64.2	1.6	17.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W12/F02	33.4	14.7	18.7	56.0%	83.4	68.8	1.7	17.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM		W13/F02	33.3	14	19.3	58.0%	80.6	66.7	1.6	17.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W14/F02	32.1	13.2	18.9	58.9%	82.1	69.6	1.4	15.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F02	38	17.7	20.3	53.4%	92.4	77.8	1.4	15.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F02	35.8	15.1	20.7	57.8%	89.6	74.7	1.4	16.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W18/F02	38.4	17.6	20.8	54.2%	98.6	56.9	6.3	42.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W29/F02	22.2	14.5	7.7	34.7%	75.1	27.6	3.6	63.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W30/F02	27.9	9.7	18.2	65.2%	95.3	24.1	6.0	74.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W17/F02	38.3	16.2	22.1	57.7%	98	51.2	7.1	47.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W1/F02	37.2	27.8	9.4	25.3%	97.7	86.2	1.3	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	BEDROOM		W2/F03	39	29.3	9.7	24.9%	97.5	96.7	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W4/F03	39.2	18.7	20.5	52.3%	98.1	61.6	5.5	37.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W29/F03	23.9	16.4	7.5	31.4%	76.4	38.6	2.9	49.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W30/F03	30.6	12.4	18.2	59.5%	95.7	25.6	5.9	73.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W3/F03	39.1	17.2	21.9	56.0%	98	54.7	6.6	44.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	BEDROOM		W1/F03	38.9	29.8	9.1	23.4%	97.3	91.6	0.6	5.9%	N/A	N/A	N/A	N/A	N/A	N/A
GILBEYS YARD (BLOCK B)																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	32.8	13.7	19.1	58.2%	97.1	48.9	5.6	49.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F00	31	12.6	18.4	59.4%	99.8	37.7	6.8	62.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F00	31.2	13.6	17.6	56.4%	99.9	56.6	4.8	43.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F00	35.3	14.6	20.7	58.6%	97.1	63.5	2.4	34.6%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK B) (CONTINUED)																			
	R5	RESIDENTIAL	BEDROOM		W5/F00	35.3	14.2	21.1	59.8%	99	41.2	5.4	58.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F00	31.2	13.4	17.8	57.1%	99.8	40.5	6.5	59.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F00	31.2	13.3	17.9	57.4%	99.9	36.6	7.0	63.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F00	35.4	13.7	21.7	61.3%	97.2	40.9	3.9	57.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F00	35.4	13.7	21.7	61.3%	99	28.6	6.6	71.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F00	31.2	13.3	17.9	57.4%	99.8	28.2	7.9	71.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F00	31.2	13.3	17.9	57.4%	99.9	27.8	8.0	72.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F00	35.3	13.5	21.8	61.8%	96.6	41.3	3.9	57.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W13/F00	29.3	11.6	17.7	60.4%	98.9	32.7	7.3	66.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W14/F00	28.9	11.7	17.2	59.5%	88.8	20.9	8.4	76.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W15/F00	33.2	12	21.2	63.9%	100	36.6	5.3	63.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W16/F00	30.8	10.8	20	64.9%	99.8	37.6	4.9	62.3%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	36.5	17.1	19.4	53.2%	96.8	75.2	2.5	22.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F01	37.3	17.3	20	53.6%	97.7	70.4	3.0	27.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F01	37.6	17.1	20.5	54.5%	98.5	60.3	4.2	38.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F01	37.5	16.7	20.8	55.5%	96.3	73	1.6	24.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F01	37.4	16.4	21	56.1%	98.2	49.7	4.5	49.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F01	37.6	16.1	21.5	57.2%	97.6	43	6.0	55.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F01	37.7	16.1	21.6	57.3%	98.5	37.6	6.7	61.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F01	37.5	16.2	21.3	56.8%	96.4	58.9	2.6	38.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F01	37.4	16.2	21.2	56.7%	98.2	39.9	5.5	59.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F01	37.7	16.3	21.4	56.8%	98	34.6	7.0	64.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F01	37.8	16.3	21.5	56.9%	98.9	37	6.8	62.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F01	37.1	16	21.1	56.9%	95.4	59.9	2.5	37.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F01	30.1	13.9	16.2	53.8%	88.9	31	7.1	65.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F01	37.8	14.8	23	60.8%	98.5	50.1	4.0	49.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F01	37.8	13.5	24.3	64.3%	98.3	41.1	4.5	58.1%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	37.4	18.9	18.5	49.5%	96.8	82	1.7	15.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F02	38.2	19.3	18.9	49.5%	97.7	79.1	2.0	19.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F02	38.4	19.3	19.1	49.7%	98.5	67.6	3.4	31.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F02	38.3	18.9	19.4	50.7%	96.3	80.6	1.1	16.2%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK B) (CONTINUED)																			
	R5	RESIDENTIAL	BEDROOM		W5/F02	38.2	18.8	19.4	50.8%	98.2	56.8	3.9	42.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F02	38.3	18.6	19.7	51.4%	97.6	50.2	5.2	48.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F02	38.4	18.7	19.7	51.3%	98.5	46.4	5.7	52.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F02	38.2	18.8	19.4	50.8%	96.4	73.2	1.6	241%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F02	38.1	18.9	19.2	50.4%	98.2	50.1	4.5	491%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F02	38.3	19	19.3	50.4%	98	45.1	5.8	53.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F02	38.4	19.1	19.3	50.3%	98.9	45.5	5.9	53.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F02	37.7	18.7	19	50.4%	95.4	72.7	1.6	23.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F02	31	16.2	14.8	47.7%	88.9	40.5	6.0	54.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F02	38.5	17.4	21.1	54.8%	98.5	61.1	3.1	37.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F02	38.5	16	22.5	58.4%	98.3	52.2	3.7	46.9%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	38.3	20.6	17.7	46.2%	96.4	85.6	1.3	11.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F03	38.8	21	17.8	45.9%	97.5	85.4	1.3	12.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F03	39.1	21.3	17.8	45.5%	98.4	75.9	2.5	22.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F03	38.9	21.1	17.8	45.8%	96.6	94.4	0.2	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F03	38.8	21.1	17.7	45.6%	98.4	69.8	2.7	29.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F03	38.8	21.1	17.7	45.6%	97.5	61.9	3.9	36.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F03	38.9	21.3	17.6	45.2%	98.3	61.5	4.1	37.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F03	38.8	21.4	17.4	44.8%	97.1	95.3	0.1	1.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F03	38.6	21.5	17.1	44.3%	98.9	65.9	3.1	33.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F03	38.8	21.6	17.2	44.3%	97.8	61.3	4.0	37.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F03	39	21.6	17.4	44.6%	98.8	58.2	4.5	41.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F03	38.4	21.4	17	44.3%	95.4	92.7	0.2	2.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F03	33.4	20	13.4	40.1%	92.5	52.9	4.9	42.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F03	39	20.1	18.9	48.5%	98.4	79.2	1.6	19.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F03	39	18.6	20.4	52.3%	97.9	69.1	2.3	29.4%	N/A	N/A	N/A	N/A	N/A	N/A
56 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	19.4	19.4	0	0.0%	82.5	82.3	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F00	20.8	20.8	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
F01	R2	RESIDENTIAL	UNKNOWN		W1/F01	28.2	27	1.2	4.3%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
56 GLOUCESTER AVENUE (CONTINUED)																			
			UNKNOWN		W2/F01	31.4	30.1	1.3	4.1%					N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	33.1	30.7	2.4	7.3%	98.4	98.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F02	37.5	34.9	2.6	6.9%					N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	38.6	36.2	2.4	6.2%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F03	38.9	36.5	2.4	6.2%					N/A	N/A	N/A	N/A	N/A	N/A
58 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	15.3	15.3	0	0.0%	83	82.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	23.3	22	1.3	5.6%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37.9	35.4	2.5	6.6%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F02	37.9	35.4	2.5	6.6%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	38.7	36.4	2.3	5.9%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F03	38.8	36.5	2.3	5.9%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
60 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	8	8	0	0.0%	80	80	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	14.9	14.2	0.7	4.7%	96.7	96.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	36.4	34.1	2.3	6.3%	87.9	87.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	37.8	35.6	2.2	5.8%	87.6	87.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
62 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	15.8	15.8	0	0.0%	45.3	45.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	33.4	32.6	0.8	2.4%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	38.7	36.4	2.3	5.9%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
66 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	5.8	5.8	0	0.0%	77.9	77.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F00	15.8	15.8	0	0.0%	45.3	45.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	9	9	0	0.0%	92.8	92.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F01	33.4	32.7	0.7	2.1%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	12.7	12.5	0.2	1.6%	96.4	96.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SOM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
66 GLOUCESTER AVENUE (CONTINUED)																			
	R2	RESIDENTIAL	UNKNOWN		W2/F02	38.6	36.5	2.1	5.4%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	33.1	31.9	1.2	3.6%	92.4	92.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
51 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	35	23.9	11.1	31.7%	94.1	57	6.0	39.4%	76	23	61	9	19.7%	60.9%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	36.4	26.2	10.2	28.0%	95.6	64.3	5.0	32.7%	82	26	68	12	17.1%	53.8%
52 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	36	24.4	11.6	32.2%	94.7	47.8	8.9	49.5%	80	25	64	10	20.0%	60.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37	26.2	10.8	29.2%	94.9	53.5	7.9	43.6%	83	28	69	14	16.9%	50.0%
52A CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	36.1	24.3	11.8	32.7%	96	42.9	8.2	55.3%	80	26	64	11	20.0%	57.7%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37.1	26	11.1	29.9%	95.8	49.2	7.2	48.7%	82	28	68	14	17.1%	50.0%
55 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	36	24.6	11.4	31.7%	98.6	47	10.1	52.3%	83	28	65	10	21.7%	64.3%
			UNKNOWN		W2/F01	35.8	24.5	11.3	31.6%					83	28	65	10	21.7%	64.3%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37.4	26.3	11.1	29.7%	98.5	48.8	9.7	50.5%	85	29	70	14	17.6%	51.7%
			UNKNOWN		W2/F02	37.4	26.3	11.1	29.7%					85	29	69	13	18.8%	55.2%
57A CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	36.8	26.2	10.6	28.8%	96.7	75.4	5.5	22.0%	84	28	67	11	20.2%	60.7%
			UNKNOWN		W2/F01	36.8	26	10.8	29.3%					84	28	68	12	19.0%	57.1%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	37.6	28.1	9.5	25.3%	99.2	90.1	2.3	9.2%	86	30	73	17	15.1%	43.3%
			UNKNOWN		W2/F02	37.6	27.9	9.7	25.8%					86	30	74	18	14.0%	40.0%
			UNKNOWN		W3/F02	37.7	27.7	10	26.5%					86	30	74	18	14.0%	40.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
54-64 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F00	29.3	29.3	0	0.0%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F00	28.9	28.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F00	22.2	22.2	0	0.0%	72.1	72.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F00	21.9	21.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F01	30.8	30.8	0	0.0%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F01	30.4	30.4	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F01	23.9	23.9	0	0.0%	75.2	75.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F01	23.7	23.7	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F02	32.3	32.3	0	0.0%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F02	31.9	31.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	KITCHEN-RESI (1)		W7/F02	25.9	25.9	0	0.0%	79.8	79.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W8/F02	25.6	25.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F03	33.9	33.9	0	0.0%	93.3	93.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W2/F03	33.5	33.5	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W5/F03	28.1	28.1	0	0.0%	85.3	85.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			KITCHEN-RESI (1)		W6/F03	27.9	27.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A

69-78 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F00	18.5	18.5	0	0.0%	54.5	54.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F00	18.7	18.7	0	0.0%	30.1	30.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F00	19.8	19.8	0	0.0%	56.1	56.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W5/F00	21.6	21.6	0	0.0%	99.8	99.8	0.0	0.0%	15	0	13	0	0.0%	0.0%
			LIVING ROOM		W6/F00	29	28.9	0.1	0.3%					31	4	31	4	0.0%	0.0%
			LIVING ROOM		W7/F00	31	30.5	0.5	1.6%					49	9	48	8	2.0%	11%
			LIVING ROOM		W8/F00	24.1	23.3	0.8	3.3%					48	9	47	8	2.1%	11%
	R6	RESIDENTIAL	BEDROOM		W9/F00	27.1	26.2	0.9	3.3%	80.5	79.3	0.1	1.4%	57	8	56	8	1.8%	0.0%
	R7	RESIDENTIAL	BEDROOM		W10/F00	25.6	24.6	1	3.9%	77.5	75.6	0.1	2.4%	54	8	51	6	5.6%	25.0%
	R9	RESIDENTIAL	LIVING ROOM		W12/F00	17.3	16.4	0.9	5.2%	54.6	54.2	0.1	0.7%	42	7	39	5	7.1%	28.6%
F01	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F01	20.3	20.3	0	0.0%	60.9	60.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F01	20.5	20.5	0	0.0%	34.9	34.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F01	21.8	21.8	0	0.0%	61	61	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
69-78 JUNIPER CRESCENT (CONTINUED)																			
	R5	RESIDENTIAL	LIVING ROOM		W5/F01	23.5	23.5	0	0.0%	99.8	99.8	0.0	0.0%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W6/F01	30.5	30.5	0	0.0%					32	4	32	4	0.0%	0.0%
			LIVING ROOM		W7/F01	32.3	31.7	0.6	1.9%					50	10	48	8	4.0%	20.0%
			LIVING ROOM		W8/F01	24.9	24	0.9	3.6%					48	10	47	9	2.1%	10.0%
	R6	RESIDENTIAL	BEDROOM		W9/F01	28.2	27.3	0.9	3.2%	82.7	80.5	0.2	2.7%	60	10	58	9	3.3%	10.0%
	R7	RESIDENTIAL	BEDROOM		W10/F01	27.1	26.1	1	3.7%	81	78.1	0.2	3.6%	54	8	53	7	1.9%	12.5%
	R9	RESIDENTIAL	LIVING ROOM		W12/F01	17.7	16.8	0.9	5.1%	59.2	59	0.0	0.3%	42	9	41	8	2.4%	11.1%
F02	R1	RESIDENTIAL	KITCHEN-RESI (1)		W1/F02	18.2	18.2	0	0.0%	63.7	63.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F02	18.4	18.4	0	0.0%	40.4	40.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F02	23.9	23.9	0	0.0%	68.6	68.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W5/F02	25.5	25.5	0	0.0%	99.8	99.8	0.0	0.0%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W6/F02	32	31.9	0.1	0.3%					32	4	32	4	0.0%	0.0%
			LIVING ROOM		W7/F02	33.3	32.8	0.5	1.5%					53	13	51	11	3.8%	15.4%
			LIVING ROOM		W8/F02	25.9	25	0.9	3.5%					51	13	49	11	3.9%	15.4%
	R6	RESIDENTIAL	BEDROOM		W9/F02	29.4	28.4	1	3.4%	84.7	82.2	0.3	3.0%	61	11	61	11	0.0%	0.0%
	R7	RESIDENTIAL	BEDROOM		W10/F02	23.3	22.4	0.9	3.9%	100	100	0.0	0.0%	48	10	46	8	4.2%	20.0%
			BEDROOM		W7/F03 / INC (2)	71.4	70.5	0.9	1.3%					74	14	72	12	2.7%	14.3%
	R9	RESIDENTIAL	LIVING ROOM		W12/F02	25.6	24.5	1.1	4.3%	61.5	60	0.2	2.3%	52	8	50	8	3.8%	0.0%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	26.4	26.4	0	0.0%	84.3	84.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W2/F03	27.8	27.8	0	0.0%	99.9	99.9	0.0	0.0%	13	0	13	0	0.0%	0.0%
			LIVING ROOM		W3/F03	33.5	33.4	0.1	0.3%					35	4	35	4	0.0%	0.0%
			LIVING ROOM		W4/F03	34.4	33.8	0.6	1.7%					54	14	53	13	1.9%	7.1%
			LIVING ROOM		W5/F03	29.6	28.7	0.9	3.0%					55	15	52	12	5.5%	20.0%
	R3	RESIDENTIAL	BEDROOM		W6/F03	30.6	29.7	0.9	2.9%	93.3	92	0.1	1.3%	65	15	63	13	3.1%	13.3%
79 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	22.1	21.1	1	4.5%	69.6	69.2	0.1	0.6%	44	5	42	4	4.5%	20.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	25.4	24.3	1.1	4.3%	71.4	70.1	0.1	1.8%	52	7	48	5	7.7%	28.6%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	20.7	19.7	1	4.8%	100	100	0.0	0.0%	42	6	41	6	2.4%	0.0%
			BEDROOM		W2/F02 / INC (2)	82.5	81.4	1.1	1.3%					73	10	71	9	2.7%	10.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
80 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	21.1	20.1	1	4.7%	69.1	66.8	0.3	3.4%	46	6	44	5	4.3%	16.7%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	24.7	23.6	1.1	4.5%	72	68.4	0.4	4.9%	52	7	51	7	1.9%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	19.7	18.6	1.1	5.6%	100	100	0.0	0.0%	44	7	42	6	4.5%	14.3%
			BEDROOM		W2/F02 / INC (2)	81.7	80.5	1.2	1.5%					71	9	70	9	1.4%	0.0%
81 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	20.1	19.1	1	5.0%	69.9	64.6	0.7	7.6%	43	7	41	6	4.7%	14.3%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	23.8	22.6	1.2	5.0%	72.3	67.1	0.6	7.1%	54	8	51	8	5.6%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	18.6	17.6	1	5.4%	100	100	0.0	0.0%	44	7	43	7	2.3%	0.0%
			BEDROOM		W2/F02 / INC (2)	80.7	79.5	1.2	1.5%					71	9	69	9	2.8%	0.0%
82 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	19.5	18.5	1	5.1%	69.9	63.8	0.8	8.7%	41	6	38	5	7.3%	16.7%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	22.4	21.3	1.1	4.9%	69.6	65.2	0.5	6.3%	49	7	46	6	6.1%	14.3%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	17.3	16.3	1	5.8%	100	100	0.0	0.0%	40	6	39	6	2.5%	0.0%
			BEDROOM		W2/F02 / INC (2)	79.2	77.9	1.3	1.6%					68	9	64	8	5.9%	11.1%
83 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	18.6	17.5	1.1	5.9%	68.8	62.1	0.9	9.7%	38	4	31	2	18.4%	50.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	21.2	20	1.2	5.7%	67	62.3	0.5	6.9%	46	5	42	5	8.7%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	76.3	75	1.3	1.7%	98.6	98.4	0.0	0.2%	60	7	55	4	8.3%	42.9%
			BEDROOM		W2/F02	16.3	15.2	1.1	6.7%					39	6	37	5	5.1%	16.7%
84 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	15.8	14.9	0.9	5.7%	65.9	58.1	1.1	11.9%	28	2	26	3	7.1%	-50.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	17.9	17	0.9	5.0%	60.6	58	0.3	4.2%	36	4	33	3	8.3%	25.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	14.2	13.3	0.9	6.3%	92.9	92.1	0.1	0.9%	35	4	33	3	5.7%	25.0%
			BEDROOM		W2/F02 / INC (2)	63.7	62.7	1	1.6%					40	5	38	4	5.0%	20.0%
85-92 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	18.9	17.8	1.1	5.8%	63.6	61.1	0.3	4.0%	48	7	44	6	8.3%	14.3%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
85-92 JUNIPER CRESCENT (CONTINUED)																			
	R2	RESIDENTIAL	BEDROOM		W2/F00	17.5	16.5	1	5.7%	67.9	66.2	0.2	2.5%	44	5	41	5	6.8%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F00	17.2	16	1.2	7.0%	76.1	73.9	0.3	2.9%	39	5	35	5	10.3%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F00	18.1	17	1.1	6.1%	66.6	64.2	0.3	3.6%	46	6	43	6	6.5%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	20	18.9	1.1	5.5%	63	60.5	0.3	4.1%	50	7	47	6	6.0%	14.3%
	R2	RESIDENTIAL	BEDROOM		W2/F01	18.8	17.6	1.2	6.4%	67.6	65.9	0.2	2.4%	48	7	45	7	6.3%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F01	18.3	17.1	1.2	6.6%	75.8	73.2	0.3	3.4%	40	5	36	5	10.0%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F01	19.2	18	1.2	6.2%	65.8	63.8	0.3	3.0%	48	7	45	7	6.3%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	21.1	19.9	1.2	5.7%	69.8	65.9	0.5	5.6%	53	8	49	6	7.5%	25.0%
	R2	RESIDENTIAL	BEDROOM		W2/F02	19.8	18.6	1.2	6.1%	71.8	69.4	0.3	3.3%	49	7	46	7	6.1%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F02	19.3	18.1	1.2	6.2%	80.9	78	0.3	3.5%	41	5	39	5	4.9%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F02	20.1	18.9	1.2	6.0%	70.6	67.7	0.4	4.0%	49	7	48	7	2.0%	0.0%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	22.2	21	1.2	5.4%	73.8	69.6	0.6	5.8%	56	10	51	7	8.9%	30.0%
	R2	RESIDENTIAL	BEDROOM		W2/F03	20.9	19.7	1.2	5.7%	74.9	72.1	0.3	3.8%	51	9	49	8	3.9%	11.1%
	R3	RESIDENTIAL	BEDROOM		W3/F03	20.4	19.2	1.2	5.9%	84	81.2	0.3	3.4%	45	7	41	5	8.9%	28.6%
	R4	RESIDENTIAL	BEDROOM		W4/F03	21.1	19.8	1.3	6.2%	72.5	69.9	0.4	3.6%	51	9	48	7	5.9%	22.2%
93-100 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	16.1	14.7	1.4	8.7%	45.7	40.2	0.8	12.2%	47	8	45	8	4.3%	0.0%
	R2	RESIDENTIAL	BEDROOM		W2/F00	12.7	11.6	1.1	8.7%	52.3	49.9	0.3	4.6%	31	1	30	1	3.2%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F00	15.8	14.9	0.9	5.7%	52.4	52.2	0.0	0.4%	35	7	34	7	2.9%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F00	16.6	15.5	1.1	6.6%	55.4	55.8	-0.1	-0.8%	46	6	44	6	4.3%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	17.1	15.7	1.4	8.2%	47.1	41.6	0.7	11.6%	52	9	50	9	3.8%	0.0%
	R2	RESIDENTIAL	BEDROOM		W2/F01	17.4	16.1	1.3	7.5%	55.7	52.7	0.4	5.4%	43	8	42	8	2.3%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F01	17.6	16.4	1.2	6.8%	55.2	54	0.1	2.2%	43	8	41	8	4.7%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F01	19.7	18.6	1.1	5.6%	57.8	57.9	0.0	-0.2%	54	12	52	12	3.7%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	18	16.5	1.5	8.3%	53.3	47.3	0.8	11.2%	53	10	52	9	1.9%	10.0%
	R2	RESIDENTIAL	BEDROOM		W2/F02	18.3	16.9	1.4	7.7%	64	59.7	0.5	6.7%	44	8	42	8	4.5%	0.0%
	R3	RESIDENTIAL	BEDROOM		W3/F02	18.5	17.3	1.2	6.5%	65.8	65.6	0.0	0.3%	46	8	42	8	8.7%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F02	20.6	19.5	1.1	5.3%	67.6	68.9	-0.2	-2.0%	58	13	53	13	8.6%	0.0%
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	18.9	17.4	1.5	7.9%	62.3	54.1	1.1	13.0%	54	10	53	10	1.9%	0.0%
	R2	RESIDENTIAL	BEDROOM		W2/F03	19.3	17.9	1.4	7.3%	75.7	70.5	0.6	7.0%	49	9	45	8	8.2%	11.1%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO.	PR.	LOSS	LOSS	CO.	PR.	LOSS	LOSS	CO.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
93-100 JUNIPER CRESCENT (CONTINUED)																			
	R3	RESIDENTIAL	BEDROOM		W3/F03	19.6	18.2	1.4	7.1%	76.3	75.7	0.1	0.7%	46	8	43	8	6.5%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/F03	21.5	20.4	1.1	5.1%	76.6	75	0.2	2.1%	59	13	57	13	3.4%	0.0%
101 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	16.7	15.9	0.8	4.8%	55.2	54.7	0.1	0.9%	40	7	40	7	0.0%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	18.2	17.3	0.9	4.9%	78.1	75.5	0.3	3.4%	48	14	48	15	0.0%	-7.1%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	15.3	14.4	0.9	5.9%	96.5	95.6	0.1	0.9%	40	15	40	15	0.0%	0.0%
			BEDROOM		W2/F02 / INC (2)	63.4	62.5	0.9	1.4%					56	16	55	15	1.8%	6.3%
102 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	18	17.2	0.8	4.4%	64.5	64.4	0.0	0.1%	40	7	37	5	7.5%	28.6%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	22.1	21.2	0.9	4.1%	85.8	84.6	0.1	1.4%	55	14	54	15	1.8%	-7.1%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	18.3	17.4	0.9	4.9%	100	99.9	0.0	0.1%	49	16	46	15	6.1%	6.3%
			BEDROOM		W2/F02 / INC (2)	76.3	75.1	1.2	1.6%					68	16	66	16	2.9%	0.0%
103 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	19	18.3	0.7	3.7%	72.3	72.4	0.0	-0.1%	43	8	42	8	2.3%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	23.6	22.8	0.8	3.4%	87.2	86.9	0.0	0.3%	58	16	58	17	0.0%	-6.3%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	79	77.9	1.1	1.4%	100	100	0.0	0.0%	71	17	68	17	4.2%	0.0%
			BEDROOM		W2/F02	19.7	18.9	0.8	4.1%					54	17	52	17	3.7%	0.0%
104 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	15.1	14.4	0.7	4.6%	75	74.7	0.1	0.4%	36	4	34	3	5.6%	25.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	25.4	24.7	0.7	2.8%	87.8	86.2	0.2	1.9%	64	18	60	17	6.3%	5.6%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	21.5	20.8	0.7	3.3%	100	100	0.0	0.0%	54	18	53	17	1.9%	5.6%
			BEDROOM		W2/F02 / INC (2)	80.7	79.6	1.1	1.4%					74	18	73	17	1.4%	5.6%
105 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	22.8	22.3	0.5	2.2%	86.7	86.5	0.0	0.2%	50	12	50	12	0.0%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	27.3	26.7	0.6	2.2%	86.6	86.2	0.0	0.5%	66	19	65	19	1.5%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02 / INC (2)	82.2	81.3	0.9	1.1%	100	100	0.0	0.0%	79	20	78	19	1.3%	5.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
105 JUNIPER CRESCENT (CONTINUED)																			
			BEDROOM		W2/F02	23.3	22.8	0.5	2.1%					58	19	57	19	1.7%	0.0%
106 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	25.3	24.8	0.5	2.0%	92.7	93.3	-0.1	-0.6%	57	17	56	17	1.8%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	29	28.5	0.5	1.7%	87	87.2	0.0	-0.3%	66	21	66	21	0.0%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	25.1	24.6	0.5	2.0%	100	100	0.0	0.0%	58	21	59	21	-1.7%	0.0%
			BEDROOM		W2/F02 / INC (2)	83.7	82.9	0.8	1.0%					81	21	78	21	3.7%	0.0%
107 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	25.6	25.2	0.4	1.6%	96.6	96.4	0.0	0.1%	54	15	53	15	1.9%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	30.6	30.1	0.5	1.6%	87.1	86.1	0.1	1.2%	67	21	65	21	3.0%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	26.6	26.2	0.4	1.5%	100	100	0.0	0.0%	61	21	58	21	4.9%	0.0%
			BEDROOM		W2/F02 / INC (2)	84.9	84.2	0.7	0.8%					81	21	79	21	2.5%	0.0%
108 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	27.3	27	0.3	1.1%	97.3	97.3	0.0	0.0%	55	16	54	16	1.8%	0.0%
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	32.1	31.7	0.4	1.2%	87.9	87.3	0.1	0.7%	70	21	67	21	4.3%	0.0%
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	28.2	27.8	0.4	1.4%	100	100	0.0	0.0%	63	21	63	21	0.0%	0.0%
			BEDROOM		W2/F02 / INC (2)	86.1	85.5	0.6	0.7%					82	21	81	21	1.2%	0.0%
109 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	KITCHEN-RESI		W1/F00	30.2	30	0.2	0.7%	96.1	95.8	0.1	0.4%	62	23	60	23	3.2%	0.0%
			KITCHEN-RESI		W2/F00	23.4	23.2	0.2	0.9%					62	21	60	21	3.2%	0.0%
F01	R1	RESIDENTIAL	LIVING ROOM		W1/F01	32.8	32.5	0.3	0.9%	96.6	96.5	0.0	0.1%	72	23	71	23	1.4%	0.0%
			LIVING ROOM		W2/F01	33.2	32.9	0.3	0.9%					74	24	72	24	2.7%	0.0%
F02	R2	RESIDENTIAL	BEDROOM		W2/F02	29.2	28.9	0.3	1.0%	100	100	0.0	0.0%	67	24	66	24	1.5%	0.0%
			BEDROOM		W3/F02 / INC (2)	86.9	86.4	0.5	0.6%					83	24	81	24	2.4%	0.0%
110 JUNIPER CRESCENT																			
F00	R1	RESIDENTIAL	LIVING ROOM		W1/F00	26.9	26.9	0	0.0%	99.9	99.9	0.0	0.0%	56	18	54	18	3.6%	0.0%
			LIVING ROOM		W2/F00	11.2	11.2	0	0.0%					0	0	0	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

110 JUNIPER CRESCENT (CONTINUED)

			LIVING ROOM		W3/F00	32.9	32.6	0.3	0.9%					69	22	68	22	14%	0.0%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W4/F00	31.8	31.6	0.2	0.6%	92.9	92.5	0.0	0.4%	68	20	67	20	15%	0.0%
F01	R1	RESIDENTIAL	LIVING ROOM		W1/F01	33.7	33.5	0.2	0.6%	100	100	0.0	0.0%	73	24	73	24	0.0%	0.0%
			LIVING ROOM		W2/F01	22	22	0	0.0%					0	0	0	0	0.0%	0.0%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W3/F01	34.2	34	0.2	0.6%	93.6	93	0.0	0.7%	73	24	70	24	4.1%	0.0%
F02	R1	RESIDENTIAL	LIVING ROOM		W1/F02	29.7	29.4	0.3	1.0%	100	100	0.0	0.0%	68	24	66	24	2.9%	0.0%
			LIVING ROOM		W2/F02 / INC (2)	86.7	86.3	0.4	0.5%					84	24	81	24	3.6%	0.0%
			LIVING ROOM		W4/F02	34.2	34.2	0	0.0%					0	0	0	0	0.0%	0.0%
	R2	RESIDENTIAL	KITCHEN-RESI (1)		W3/F02	30.1	29.9	0.2	0.7%	89.5	89.5	0.0	0.1%	68	24	68	24	0.0%	0.0%

GILBEYS YARD (BLOCK A)

F00	R1	RESIDENTIAL	UNKNOWN		W2/F00	20.7	20.3	0.4	1.9%	51.6	50.5	0.1	2.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W3/F00	19.5	19.2	0.3	1.5%	39.5	38.6	0.1	2.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	LIVING ROOM		W4/F00	18.9	18.8	0.1	0.5%	36.1	35.8	0.0	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LIVING ROOM		W5/F00	16.3	16.3	0	0.0%	41.4	41.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	LIVING ROOM		W6/F00	18.5	18.5	0	0.0%	41.8	41.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LIVING ROOM		W7/F00	17.9	17.9	0	0.0%	37.1	37.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	LIVING ROOM		W8/F00	17.2	17.2	0	0.0%	38.5	38.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	LIVING ROOM		W9/F00	16.8	16.7	0.1	0.6%	34.3	34.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	LIVING ROOM		W10/F00	16.4	16.3	0.1	0.6%	37.1	37	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	LIVING ROOM		W11/F00	16	15.9	0.1	0.6%	33.9	33.6	0.0	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	LIVING ROOM		W12/F00	15.6	15.5	0.1	0.6%	37.6	36.9	0.1	1.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	LIVING ROOM		W13/F00	15.3	15.2	0.1	0.7%	44.6	42.4	0.4	5.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LIVING ROOM		W14/F00	13.5	13.2	0.3	2.2%	72.1	70.6	0.3	2.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	LIVING ROOM		W15/F00	14.8	14.6	0.2	1.4%	78.1	77	0.2	1.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	LIVING ROOM		W16/F00	12.3	12	0.3	2.4%	67.3	66.6	0.1	1.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W18/F00	15.3	15.1	0.2	1.3%	52.6	50.1	0.4	4.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W19/F00	12.2	11.9	0.3	2.5%	32	29.6	0.2	7.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W20/F00	8.3	8	0.3	3.6%	21.4	19.6	0.1	8.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W17/F00	14.1	13.9	0.2	1.4%	48.4	46.3	0.3	4.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W1/F00	21.6	21.2	0.4	1.9%	46.9	44.2	0.3	5.7%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK A) (CONTINUED)																			
F01	R1	RESIDENTIAL	UNKNOWN		W2/F01	24.2	23.7	0.5	2.1%	88.7	87.3	0.2	16%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W3/F01	23.7	23.2	0.5	2.1%	91.9	90.2	0.2	1.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W4/F01	23	22.7	0.3	1.3%	78.3	77.2	0.1	1.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F01	19.9	19.8	0.1	0.5%	72.9	72.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W6/F01	22	22	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F01	22.3	22.2	0.1	0.4%	78.9	78.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F01	21.8	21.7	0.1	0.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W9/F01	20.8	20.7	0.1	0.5%	66.5	66.3	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W10/F01	20.9	20.8	0.1	0.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	KITCHEN-RESI (1)		W29/F01	13.5	13.2	0.3	2.2%	32.3	28.6	0.3	11.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	KITCHEN-RESI (1)		W30/F01	9	8.7	0.3	3.3%	23.9	22.1	0.1	7.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F01	20.5	20.4	0.1	0.5%	77	76.9	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W12/F01	20	19.8	0.2	1.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM		W13/F01	19.4	19.1	0.3	1.5%	64.2	63.4	0.1	1.2%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W14/F01	19.6	19.2	0.4	2.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W27/F01	15.4	15.2	0.2	1.3%	54.5	52.3	0.3	4.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W1/F01	25.5	25	0.5	2.0%	81.1	78.5	0.3	3.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W15/F01	19.3	18.9	0.4	2.1%	75.4	74.7	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W16/F01	18.9	18.5	0.4	2.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F01	18.3	17.9	0.4	2.2%	64.8	64.6	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W18/F01	18.4	18	0.4	2.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W19/F01	18.1	17.7	0.4	2.2%	78	77.7	0.0	0.5%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W20/F01	17.7	17.4	0.3	1.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W21/F01	17.3	16.9	0.4	2.3%	72.1	71.4	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W22/F01	17.3	16.9	0.4	2.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R23	RESIDENTIAL	BEDROOM		W23/F01	16.6	16.2	0.4	2.4%	76.4	75.4	0.1	1.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W24/F01	15.2	14.8	0.4	2.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R24	RESIDENTIAL	BEDROOM		W25/F01	16.6	16.2	0.4	2.4%	75.6	74.9	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R25	RESIDENTIAL	BEDROOM		W26/F01	13.8	13.4	0.4	2.9%	73.4	73.1	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R26	RESIDENTIAL	BEDROOM		W28/F01	16.7	16.5	0.2	1.2%	62.3	58.5	0.6	6.2%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM		W2/F02	27.5	26.9	0.6	2.2%	96.4	95	0.2	1.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO.	PR.	LOSS	LOSS	CO.	PR.	LOSS	LOSS	CO.		PR.		LOSS %	
						%	%	%	%	%	%	SOM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK A) (CONTINUED)																			
	R2	RESIDENTIAL	BEDROOM		W3/F02	27.1	26.5	0.6	2.2%	92.2	91.6	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W4/F02	26.3	25.9	0.4	1.5%	91.9	91.1	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F02	19.8	19.4	0.4	2.0%	73.7	73.3	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F02	20	19.6	0.4	2.0%	73.3	73.1	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W7/F02	19	18.5	0.5	2.6%	67.9	67.3	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W8/F02	18	17.6	0.4	2.2%	71	71	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W9/F02	17.4	16.9	0.5	2.9%	66.1	66	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W10/F02	16.7	16.2	0.5	3.0%	67.3	67.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W11/F02	15.9	15.4	0.5	3.1%	64.8	64.2	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W12/F02	15.1	14.7	0.4	2.6%	69.5	68.8	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM		W13/F02	14.5	14	0.5	3.4%	67.3	66.7	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W14/F02	13.6	13.2	0.4	2.9%	71.1	69.6	0.2	2.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F02	18.1	17.7	0.4	2.2%	79.4	77.8	0.2	2.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F02	15.5	15.1	0.4	2.6%	74.7	74.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W18/F02	17.9	17.6	0.3	1.7%	60.6	56.9	0.6	6.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W29/F02	14.8	14.5	0.3	2.0%	30.5	27.6	0.2	9.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W30/F02	10	9.7	0.3	3.0%	26.1	24.1	0.2	7.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W17/F02	16.4	16.2	0.2	1.2%	53.8	51.2	0.4	4.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R20	RESIDENTIAL	BEDROOM		W1/F02	28.4	27.8	0.6	2.1%	88	86.2	0.2	2.1%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	BEDROOM		W2/F03	30	29.3	0.7	2.3%	97.5	96.7	0.1	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W4/F03	19.1	18.7	0.4	2.1%	65.5	61.6	0.6	6.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	KITCHEN-RESI (1)		W29/F03	16.9	16.4	0.5	3.0%	43.4	38.6	0.4	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	KITCHEN-RESI (1)		W30/F03	12.7	12.4	0.3	2.4%	28.1	25.6	0.2	8.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM		W3/F03	17.5	17.2	0.3	1.7%	56.7	54.7	0.3	3.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R21	RESIDENTIAL	BEDROOM		W1/F03	30.5	29.8	0.7	2.3%	92.9	91.6	0.1	1.4%	N/A	N/A	N/A	N/A	N/A	N/A
GILBEYS YARD (BLOCK B)																			
F00	R1	RESIDENTIAL	BEDROOM		W1/F00	13.8	13.7	0.1	0.7%	53.9	48.9	0.6	9.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F00	12.6	12.6	0	0.0%	37.7	37.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F00	13.6	13.6	0	0.0%	61.3	56.6	0.5	7.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F00	14.8	14.6	0.2	1.4%	63.6	63.5	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
GILBEYS YARD (BLOCK B) (CONTINUED)																			
	R5	RESIDENTIAL	BEDROOM		W5/F00	14.3	14.2	0.1	0.7%	42.7	41.2	0.1	3.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F00	13.4	13.4	0	0.0%	41.8	40.5	0.1	3.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F00	13.3	13.3	0	0.0%	37.5	36.6	0.1	2.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F00	13.7	13.7	0	0.0%	40.9	40.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F00	13.7	13.7	0	0.0%	28.6	28.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F00	13.3	13.3	0	0.0%	28.2	28.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F00	13.3	13.3	0	0.0%	27.8	27.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F00	13.5	13.5	0	0.0%	41.3	41.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W13/F00	11.6	11.6	0	0.0%	32.8	32.7	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W14/F00	11.7	11.7	0	0.0%	20.9	20.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W15/F00	11.9	12	-0.1	-0.8%	36.6	36.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W16/F00	10.8	10.8	0	0.0%	37.6	37.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	17.5	17.1	0.4	2.3%	80.2	75.2	0.6	6.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F01	17.6	17.3	0.3	1.7%	77.3	70.4	0.8	8.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F01	17.4	17.1	0.3	1.7%	63.2	60.3	0.3	4.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F01	16.9	16.7	0.2	1.2%	73.2	73	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F01	16.5	16.4	0.1	0.6%	50.4	49.7	0.1	1.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F01	16.1	16.1	0	0.0%	44.9	43	0.2	4.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F01	16.1	16.1	0	0.0%	38	37.6	0.0	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F01	16.2	16.2	0	0.0%	59	58.9	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F01	16.3	16.2	0.1	0.6%	40.2	39.9	0.0	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F01	16.3	16.3	0	0.0%	34.8	34.6	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F01	16.3	16.3	0	0.0%	37.1	37	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F01	16.1	16	0.1	0.6%	60.3	59.9	0.0	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F01	13.9	13.9	0	0.0%	31.5	31	0.1	1.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F01	14.8	14.8	0	0.0%	50.5	50.1	0.0	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F01	13.5	13.5	0	0.0%	41.3	41.1	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM		W1/F02	19.3	18.9	0.4	2.1%	82.8	82	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F02	19.7	19.3	0.4	2.0%	81.7	79.1	0.3	3.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F02	19.6	19.3	0.3	1.5%	69.3	67.6	0.2	2.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F02	19.2	18.9	0.3	1.6%	80.8	80.6	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS %	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

GILBEYS YARD (BLOCK B) (CONTINUED)

	R5	RESIDENTIAL	BEDROOM		W5/F02	19	18.8	0.2	11%	57.5	56.8	0.1	12%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F02	18.8	18.6	0.2	11%	51.6	50.2	0.1	2.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F02	18.9	18.7	0.2	11%	46.9	46.4	0.0	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F02	18.9	18.8	0.1	0.5%	73.6	73.2	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F02	19.1	18.9	0.2	1.0%	50.1	50.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F02	19.2	19	0.2	1.0%	45.2	45.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F02	19.2	19.1	0.1	0.5%	46.6	45.5	0.1	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F02	18.9	18.7	0.2	11%	74.5	72.7	0.1	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F02	16.5	16.2	0.3	1.8%	43	40.5	0.3	5.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F02	17.6	17.4	0.2	1.1%	62.3	61.1	0.1	1.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F02	16.1	16	0.1	0.6%	52.5	52.2	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	21.2	20.6	0.6	2.8%	85.8	85.6	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F03	21.6	21	0.6	2.8%	85.8	85.4	0.0	0.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F03	21.8	21.3	0.5	2.3%	76.7	75.9	0.1	1.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	KITCHEN-RESI (1)		W4/F03	21.6	21.1	0.5	2.3%	94.9	94.4	0.0	0.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/F03	21.5	21.1	0.4	1.9%	69.8	69.8	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/F03	21.4	21.1	0.3	1.4%	62.6	61.9	0.1	1.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W7/F03	21.6	21.3	0.3	1.4%	61.7	61.5	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	KITCHEN-RESI (1)		W8/F03	21.8	21.4	0.4	1.8%	96	95.3	0.0	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/F03	21.9	21.5	0.4	1.8%	66.1	65.9	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W10/F03	22	21.6	0.4	1.8%	61.5	61.3	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W11/F03	22.1	21.6	0.5	2.3%	60.5	58.2	0.2	3.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	KITCHEN-RESI (1)		W12/F03	22	21.4	0.6	2.7%	94.3	92.7	0.1	1.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/F03	20.6	20	0.6	2.9%	57.2	52.9	0.5	7.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM		W16/F03	20.6	20.1	0.5	2.4%	81.6	79.2	0.2	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM		W17/F03	18.9	18.6	0.3	1.6%	72	69.1	0.2	4.1%	N/A	N/A	N/A	N/A	N/A	N/A

56 GLOUCESTER AVENUE

F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	19.4	19.4	0	0.0%	82.5	82.3	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F00	20.8	20.8	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
F01	R2	RESIDENTIAL	UNKNOWN		W1/F01	27.2	27	0.2	0.7%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
56 GLOUCESTER AVENUE (CONTINUED)																			
			UNKNOWN		W2/F01	30.3	30.1	0.2	0.7%					N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	30.9	30.7	0.2	0.6%	98.4	98.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F02	35.1	34.9	0.2	0.6%					N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	36.4	36.2	0.2	0.5%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/F03	36.6	36.5	0.1	0.3%					N/A	N/A	N/A	N/A	N/A	N/A
58 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	15.3	15.3	0	0.0%	83	82.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	22.2	22	0.2	0.9%	98.6	98.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	35.6	35.4	0.2	0.6%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F02	35.6	35.4	0.2	0.6%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	36.6	36.4	0.2	0.5%	99.2	99.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F03	36.7	36.5	0.2	0.5%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
60 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	8	8	0	0.0%	80	80	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	14.3	14.2	0.1	0.7%	96.7	96.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	34.2	34.1	0.1	0.3%	87.9	87.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	35.8	35.6	0.2	0.6%	87.6	87.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
62 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	15.8	15.8	0	0.0%	45.3	45.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	32.7	32.6	0.1	0.3%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	36.5	36.4	0.1	0.3%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
66 GLOUCESTER AVENUE																			
F00	R1	RESIDENTIAL	UNKNOWN		W1/F00	5.8	5.8	0	0.0%	77.9	77.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F00	15.8	15.8	0	0.0%	45.3	45.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	9	9	0	0.0%	92.8	92.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/F01	32.8	32.7	0.1	0.3%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	12.5	12.5	0	0.0%	96.4	96.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						CO. %	PR. %	LOSS	LOSS %	CO. %	PR. %	LOSS SOM	LOSS %	CO.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
66 GLOUCESTER AVENUE (CONTINUED)																			
	R2	RESIDENTIAL	UNKNOWN		W2/F02	36.6	36.5	0.1	0.3%	99	99	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	32	31.9	0.1	0.3%	92.4	92.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
51 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	24	23.9	0.1	0.4%	57.1	57	0.0	0.2%	61	9	61	9	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	26.2	26.2	0	0.0%	64.4	64.3	0.0	0.2%	68	12	68	12	0.0%	0.0%
52 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	24.5	24.4	0.1	0.4%	47.8	47.8	0.0	0.0%	64	10	64	10	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	26.3	26.2	0.1	0.4%	53.5	53.5	0.0	0.0%	69	14	69	14	0.0%	0.0%
52A CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	24.4	24.3	0.1	0.4%	42.9	42.9	0.0	0.0%	64	11	64	11	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	26.1	26	0.1	0.4%	49.2	49.2	0.0	0.0%	68	14	68	14	0.0%	0.0%
55 CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	24.6	24.6	0	0.0%	47.2	47	0.0	0.4%	65	10	65	10	0.0%	0.0%
			UNKNOWN		W2/F01	24.6	24.5	0.1	0.4%					65	10	65	10	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	26.3	26.3	0	0.0%	48.9	48.8	0.0	0.3%	70	14	70	14	0.0%	0.0%
			UNKNOWN		W2/F02	26.3	26.3	0	0.0%					69	13	69	13	0.0%	0.0%
57A CHALK FARM ROAD																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	26.2	26.2	0	0.0%	75.4	75.4	0.0	0.0%	67	11	67	11	0.0%	0.0%
			UNKNOWN		W2/F01	26	26	0	0.0%					68	12	68	12	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	28.1	28.1	0	0.0%	90.1	90.1	0.0	0.1%	73	17	73	17	0.0%	0.0%
			UNKNOWN		W2/F02	27.9	27.9	0	0.0%					74	18	74	18	0.0%	0.0%
			UNKNOWN		W3/F02	27.8	27.7	0.1	0.4%					74	18	74	18	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m