

1A.	Terracotta tile, single glaze. Profile type A. Colour: RAL 130-50-30 or similar approved	7.	Steel framed glazed curtain wall and door system to Common Room and Main Entrance. Finish: PPC, RAL to match anodised finish (see 2)
1B.	Terracotta tile, single glaze. Profile type B. Colour: RAL 130-50-30 or similar approved	8.	PPC steel gate for emergency access and escape only. Finish: PPC, RAL to match anodised finish (see 2)
2A.	Perforated aluminium cladding and steel structure. Anodised finish. Colour: Anolok 543 by United Anodisers, or similar approved	9.	PPC steel louvered door. Finish: PPC, RAL to match anodised finish (see 2)
2B.	Solid aluminium cladding and steel structure. Anodised finish. Colour: Anolok 543 by United Anodisers, or similar approved	10.	Aluminium / timber composite entrance door, with glazed top hung opening fanlight above. Finish: Painted RAL 030-70-20
3.	Facing brick. Stack bonded with dark grey mortar to match. Staffordshire Smooth Blue, or similar approved.	11.	Aluminium / timber composite framed door with fixed aluminium louvered vent panel at night and low level. PPC, RAL to match adjacent rendered finish, or similar approved (see 4)
4.	Rendered finish. Roughness level 3. Colour: 36436 Sto Colour System, or similar approved	12.	PPC steel 'Elefant Grating' brise soleil. RAL to match anodised finish (see 2)
5.	Aluminium / timber composite framed window with aluminium louvered vent panel. Anodised finish. Colour: Anolok 543 by United Anodisers, or similar approved	13.	Air brick. To match brick finish.
5A.	Type A: Fixed window, flush with the facade.	14.	Signage. Pressed metal letters, anodised finish. Colour: Anolok 543 by United Anodisers, or similar approved
5B.	Type B: Fixed window, recessed with aluminium reveal surround, finished to match window frame.	15.	Steel walkway structure. Finish: PPC, RAL 9010
5C.	Type C: Inward opening window, recessed with aluminium window reveal surround, finished to match window frame.	16.	PPC Steel Railing Finish: PPC, RAL 9010
6.	Aluminium / timber composite framed window, fixed. Anodised finish. Colour: Anolok 543 by United Anodisers, or similar approved	17.	Wall Luminaire adjacent to entrance doors. Nyx Wall 190 from Focus by DW Windsor, or similar approved Finish: Corten Brown
		18.	Fully glazed door to communal stair Finish: PPC, RAL to match anodised finish (see 2)

Do not scale from this drawing. Use written dimensions only.
All dimensions to be checked on site. This drawing is based on
dimensional survey information provided by others. Bell Phillips
Architects cannot accept responsibility for the accuracy of this
survey information.

This drawing remains the copyright of Bell Phillips Architects.

A number line is shown with tick marks at 0, 1, 2, and 5. The segment from 0 to 1 is divided into two equal parts by a vertical line. The segment from 1 to 2 is divided into two equal parts by a vertical line. The segment from 2 to 5 is divided into two equal parts by a vertical line. The segments from 0 to 1, 1 to 2, and 2 to 5 are shaded black.



Project 0614 CHESTER ROAD

BELL PHILLIPS ARCHITECTS
