Osel architecture

DETAILS OF FACING MATERIALS – REV. A

Ref: 171-173 Gray's Inn Road, London, WC1X 8UE – Planning Application Reference No. 2019/3274/P

1. FACING BRICKWORK TO EXTENSIONS: <u>Ibstock Ashdown Crowborough Multicoloured Stock Grey 215 x</u> <u>102 x 65mm</u> to match existing facing brickwork

https://www.jewson.co.uk/p/ibstock-crowborough-multi-65mm-BRRED022



Product Information:

The Ibstock Ashdown Crowborough Multicoloured Stock Grey 215 x 102 x 65mm (L x W x H) is a light textured, sandfaced stock brick generally used for most masonry applications. The grey multi brick is durable with S2 soluble salts. The stock brick has moderate strength with high water absorption and is easy to lay. The high quality facing brick has size tolerance of T1 R1 and has F2 durability. The product comes in a pack 500 and is manufactured to be used as facing such as exterior of a wall.

Specification Details:

Product Name:	Ibstock Crowborough Multi 65mm
Brand:	Ibstock
Manufacturer Name:	Ibstock
Manufacturer Name:	Ibstock
Manufacturer Part Number:	A4002A
EAN:	5036335024010
Materials:	Clay

Commercial Or Domestic Use:	Both
Range:	Traditional stock bricks
Colour:	Buff Multi
Application:	External
Fire Resistance Rating:	A1
Country Of Origin:	United Kingdom
Finish:	Textured
Product Width:	102.5 mm
Product Height:	65 mm
Product Length:	215 mm
Water Absorption:	15 %
Durability Rating:	F2
Manufacturing Process:	Stock
Texture:	Sandfaced
Configuration:	Single frogged

Sample of facing brickwork is provided on site:



Osel architecture limited Registered in England no. 3241377 Directors: Graham Russell, Terry Monan, Victoria Shipton, Richard Campanini, Zeta Kachri Registered Office: Aston House Cornwall Avenue London N3 1LF Tel: 020 7224 2447 Email: admin@oselarch.co.uk Web: www.oselarchitecture.co.uk

2. WINDOWS: <u>Front Elevation: Aluprof MB-70 / Rear Elevation: Aluprof MB-70 & MB-78EI (to fire rated</u> windows)

https://www.aluprof.co.uk/mb-70 https://www.aluprof.co.uk/mb-78ei-1

Product Information & Specification Details:

<u>MB-70</u>

Fixed aluminium windows with thermal barrier and double glazing Frame: 55mm sight line ref: K518101X Finish: Polyester Powder coated Colour: RAL 7016 Anthracite Grey

<u>MB-78EI</u>

Fire resisting fixed aluminium windows with thermal barrier and double glazing Frame: 61mm sight line ref: K518142X Finish: Polyester Powder coated Colour: RAL 7016 Anthracite Grey



Osel architecture limited Registered in England no. 3241377 Directors: Graham Russell, Terry Monan, Victoria Shipton, Richard Campanini, Zeta Kachri Registered Office: Aston House Cornwall Avenue London N3 1LF Tel: 020 7224 2447 Email: admin@oselarch.co.uk Web: www.oselarchitecture.co.uk