
MILLIMETRI


SCALE BAR



18MM TEG FLOORING CHIPBOARD SPOT BONDED TO

A PRE COMPLETION SOUND TEST IS TO BE CARRIED OUT BY AN APPROVED ACOUSTIC CONSULTANT AND A REPORT IS TO BE PRODUCED AND FORWARDED TO BUILDING CONTROL TO SATISFY PART E OF THE BUILDING REGULATIONS

FLOOR COVERING FINISH



TYPICAL SECTION THROUGH COMPARTMENT FLOOR

RE6	
0	300 400 500
:5	
TS R NSTS	
	DRAFT PLANS SUBJECT TO PLANNING \$ BUILDING
	REGULATIONS APPROVAL AND ALL OTHER STATUTORY AGREEMENTS I.E ALL PARTY WALL AND BUILD OVER AGREEMENTS
	CHURLEY & ASSOCIATES Building Surveyors Party Wall Surveyors, Property Consultants Architectural Design and Development Consultants 716 EASTERN AVENUE, NEWBURY PARK, ILFORD, ESSEX IG2 6PE. TEL. 020 8518 5100 FAX. 020 8518 4480 churleysurveys@aol.com
	TITLE Sound Insulation Detail 276 Grays Inn Road London WCIX 8EB
	B9820/9 II5 On A3 DATE AUG 2020 TF REVISION
	C THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF CHURLEY & ASSOCIATES. IT MAY NOT BE COPIED OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE EXCEPT AS AUTHORISED IN WRITING BY CHURLEY & ASSOCIATES.