

Part G Compliance Report

PROJECT DETAILS

Project Reference: BE2036
Client: Almax Group Services Ltd
Property: New units at:
Garages to the South of 27a West End Lane,
London NW6 4QJ

Local Authority: London Borough of Camden
Agent:

Assessor: Build Energy Ltd.
Address: info@buildenergy.co.uk (01202) 280062
Contact: Mr Sean Mills.
Software: G-Calc 2015 version 3.0.2
Prepared on: 11-Jun-20

RESULT SUMMARY

By following the Government's national calculation methodology for assessing water efficiency in new dwellings this 1 bed dwelling, as designed, achieves a water consumption of Less than 110 litres per person per day using fittings approach.

Compliance with Building Regulation 36(1) has been demonstrated.

Maximum Fittings Consumption "As Designed"	
Water Fitting	Maximum Consumption
WCs	4/2.6 litres dual flush
Showers	8 l/min
Baths	170 litres
Basin taps	5l/min
Sink taps	6 l/min
Dishwasher	1.25 l/place setting
Washing machine	8.17 l/kilogram

The table below is to be filled in by the builder prior to completion. The descriptions, values and quantities should represent the 'as built' specification. Please note the values above represent design values and should not be exceeded without prior consultation with the agent/designer ().

The completed table should be returned to the assessor: Build Energy Ltd. (Contact: Mr Sean Mills.).

Declaration of fitting types "As Built"	
Water Fitting	Actual Consumption
WCs	
Showers	
Baths	
Basin taps	
Sink taps	
Dishwasher	
Washing machine	

Project ref: BE2036 - New units at:

The above declaration of fittings, values and quantities is a true reflection of those installed on this project.

Name: Signature: Date:

-----End of Report-----