




1. Planning - Roof Guarding Section - Level 04 Roof
1 : 10




2. Planning - Roof Guarding Elevation - Level 04 Roof
1 : 10



3. Planning - Roof Guarding Section - Level 01
1 : 10



4. Planning - Guarding - L01 Doors
1 : 10



5. Planning - Guarding - L01 Doors (Section)
1 : 10

NOTES:

Roof guarding designed to comply with Industrial stairs and ladders guidance of BS EN ISO 14122-3:2016, replacing BS 5395-3:1985, AND Approved document Part K: 2013.

Minimum heights of 1100mm to top of guarding calculated from specific levels noted on drawing.

To be read in conjunction with roof safety and maintenance strategy (BRK-AHR-GS-RF-DR-A-65-001).

Structural Eng, to confirm existing parapet and roof guarding fixing requirements

P02	(P1) Planning Submission	22.09.2020	AM	GO
P01	(S3) Pre planning application issue for client sign approval	21.07.2020	KW	HT
Rev	Description	Date	Dr by	App by
AS		07/16/20		GO



T +44(0)117 9299146
E bristol@ahr.co.uk
www.ahr.co.uk

client name	Birkbeck University of London
project	Gordon Square, London
drawing	Planning - Roof guarding types
computer file	C:\Revit Projects\BRK-AHR-GS-XX-M3-A-Central_ame.mccab.rvt
plot date	
project number	2019.00916.000
scale	As indicated@A1
drawing number	BRK-AHR-GS-RF-DR-A-27-552
rev	P02
issue status	P1
This drawing is to be read in conjunction with all related drawings. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of AHR.	