LEGEND			
TYPE	DESCRIPTION		
L3	Opal linear line of light 3000K / IP67		
∲ SP3	Miniature spike mounted spotlight 3000K / 31° / IP67		
SP6	Miniature spike mounted spotlight 3000K / 48° / IP67		
\$ SP7	Spike mounted spotlight 3000K / 31° / IP67		
⊕ EM12	Emergency wall light		
€M13	Emergency wall light		
€M14	Emergency wall light		
● U2	Inground adjustable uplight 3000K / 30°/ IP68		
LCP	Lighting Control Plate		


1

2

3

4

4



5

studio 29 Studio 29 The Boathouse, 1A Putney Embankment, London SW15 1LB t: 020 8780 9006 w: studio29lighting.com

Date	Rev	Description
10/07/18	-	Draft Stage 4
09/11/18	A	To match updated planting layout
29.05.20	В	Revised emergency lighting
03.07.20	С	Updated landscape background and U2 added
17.07.20	C1	Updated notes and control plate added
04.09.20	D	Scale bar and North arrow added for planning

Notes

- Reference EM12, EM13 and EM14 are 1 maintained emergency wall lights. Fittings are to be centered on the parapet detail. Please refer to MBA drawings for setting out details. Fitting to be located on the architectural control system for normal use during the evening. 2 Drivers for the planter lights and drivers plus power supplies for the benches are remote. These are to be located in the bench structure in IP rated housing and accessed via a removeable panel. Each planter is to keep its drivers local within the adjoining bench. Please refer to the luminaire schedule for maximum driver distances and dimensions. 3 Reference U2 has an integral DALI driver 4 Reference SP7 has a remote driver, it is suggested the driver is located internally in the pocket gardens landlord accessible cupboard. Please refer to the luminaire
- 5 Suggested location for lighting control plate for terrace lighting for tenant override if required. Client and MBA to confirm final location.

schedule for maximum driver distances.

Important Note

Where Dimensions are not given, drawings must not be scaled.

For complete luminaire breakdown refer to schedules

In the event of conflict between this drawing and lead consultants drawing the matter must be referred prior to proceeding

Careful positioning of spike mounted luminaires to ensure they do not penetrate the drainage layers.

Drawings to be read in conjunction with The Landscape Partnership Detailed Planting Drawings. Lumainaire locations based on TLP drawings, if locations of planting differs from that indicated on Studio 29's drawings the matter must be referred prior to proceeding with any electrical works for lighting.

Emergency wall lights have integral drivers and DALI reporting emergency battery packs which form part of the Lutron system for monitoring

Please refer to MBA drawings for final setting out				
CLIENT	Lazari Investments Ltd			
PROJECT	Stephenson House, 75 Hampstead road, L			
STATUS	For Planning			
SCALE	1:100 @ A1 1:200 @ A3	DATE 10/07/2018		
TITLE Exterior Terraces Level 4				
DRAWING	NO. 0164-223			