



Flood mitigation measures to
at least 300mm above the 1 in
1000 year flood water level

Flood mitigation measures to
at least 300mm above the 1 in
1000 year flood water level

1

Section C

1:50

Reference should be made to the Flood Risk Assessment by
Water Environment for more information on flood water levels

GENERAL NOTES:

This drawing is copyright of KSR architects. This drawing must be read
in conjunction with the Designer's Risk Assessment, specification and all
other relevant documentation and drawings.
KSR architects accept no liability for any expense, loss or damage of
whichever nature and however arising from any variation made to this
drawing or in the execution of the work to which it relates which has not
been referred to them and their approval obtained.
Areas are based on un-checked survey and are approximate only. Do not
scale from this drawing or the digital data, only figured dimensions are to
be used. Refer to linear scale for guidance.
Check all dimensions on site prior to carrying out any works and advise
any discrepancy

Scale 1:50 @A1

0 1 2 4 m



Rev	Description	Date	By
A	FRA notes added	30/11/20	DC

Status:

Scale:

Project:

69 Avenue Road

Date of first issue:

11/30/20

© KSR Architects

Drawn By:

Author

Checked By:

Checker

Drawing No:

18030-P202

Rev:

A

KSR ARCHITECTS &
INTERIOR DESIGNERS
KSR Architects LLP
14 Gower Street
London WC1E 6BP
t: +44 (0)20 7636 5000
e: info@ksrarchitects.com
www.ksrarchitects.com

Drawing Title:

Section C