200914 - 78 Whitfield Street

Tree ID Tree T1	No. Species 1 Pyrus calleryana 'Chanticleer' (Ornamental Pear)	0.6 Height (m)	9 Stem diameter (cm)	L No. of Stems	CRO N NE E 2.0	WN SPRE	EAD (m) S SW W 2.5	NW 2.0	5 Crown clearance 5 (m)	L.B. (m)	Life stage Early Mature	Condition Notes Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Root environment - Restricted.	Survey date 16/09/2020	(m ²) (m ²)	(m) RPR (m)	02 Life 64 expectancy (yrs)	BS Category
Tree T2	1 Acer campestre (Field Maple)	11.5	24	1	6.0	7.0	5.0	4.5	3.0		Early Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Form - Spreading crown. Root environment - Restricted.	16/09/2020	26.1	2.9	20-40	B1/B2
Tree T3	1 Platanus x hispanica (London Plane)	20.0	63	1	7.5	7.5	6.0	6.0	5.5	4.5 SW	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Crown reduction - Recent. Decay / structural defect in crown limb / limbs - Localised. Root environment - Restricted.	16/09/2020	179.6	7.6	40+	A2
Tree T4	1 Platanus x hispanica (London Plane)	21.0	62	1	8.0	6.5	6.0	6.5	4.5	2.8 SW	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Crown reduction - Recent. Root environment - Restricted.	16/09/2020	173.9	7.4	40+	A2
Tree T5	1 Platanus x hispanica (London Plane)	21.0	56	1	8.5	5.5	6.5	5.5	4.0	4 SW	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Crown reduction - Recent. Root environment - Restricted.	16/09/2020	141.9	6.7	40+	A2
Tree T6	1 Platanus x hispanica (London Plane)	21.0	70	1	8.5	7.0	4.5	6.0	4.5	2 NW / 3	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Crown reduction - Recent. Root environment - Restricted.	16/09/2020	221.7	8.4	40+	A2

Stem green Estimated value

Stem AVE Average stem diameter for tree groups

Stem COM Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Table 1 of BS5837 (2012)

Cascade chart for tree quality assessment

Category and definition	Criteria (including subcategories	where appropriate)	Identificati	on on plan			
Trees unsuitable for retention (see not	e)						
Category U Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	 including those that will become unviloss of companion shelter cannot be Trees that are dead or are showing s Trees infected with pathogens of sign suppressing adjacent trees of better 	ns of significant, immediate, and irreversible overall decline icance to health and/or safety of other trees nearby, or very low quality trees					
	1 Mainly arboricultural qualities	2 Mainly landscape qualities	3 Mainly cultural values, including conservation				
Trees to be considered for retention							
Category A	Tree that are particularly good examples of	Trees, groups or woodlands of particular	Trees, groups or	GREEN			
Trees of high quality	their species, especially if rare or unusual; or those that are essential components of	visual importance as arboricutural and/or landscape features.	woodlands of significant conservation, historical,	OREER			
with an estimated remaining life expectancy of at least 40 years	groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue).		commemorative or other value (e.g. veteran trees or wood-pasture).				
Category B	Trees that might be included in category A,	Trees present in numbers, usually growing	Trees with material	BLUE			
Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation.	as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	conservation or other cultural value.				
Category C Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories.	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits.	Trees with no material conservation or other cultural value.	GREY			