

15 Arkenside NW3 5BT

Prune T1 Horsechestnut located at the back of property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Reduce crown height by approximately 1-2 metres to enhance natural form.
- Reduce crown spread by approximately 1-2 metres to provide clearance to building

Prune the following property items:

- T2 Acacia located at the left rear of property
- T3 Acacia located at the left side of property
- T4 Acacia located at the left side of property

according to the following specifications:

Reduce crown spread by approximately 1-2 metres to provide clearance to building.

- Sever ivy at base

Prune TG6 Lime X5 group located at the left side rear of property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Reduce back to previous pruned points to maintain size and a more compact shape remove epicormic growth and

basal growth over path way

Prune T7 Horsechestnut located at the back of property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Reduce back to previous pruned points to maintain size and a more compact shape remove epicormic growth

Prune T8 Sycamore located at the right side of property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Reduce back to previous pruned points to maintain size and a more compact shape remove epicormic growth and basal growth over path way

Prune TG9 Various group located at the entire property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Raise lower branches to a height of 3-4 metres to improve clearance over pavement.
- Trim back over hanging growth back to fence line large branch over Give Way sign at junction reduce back by 3m

and sever ivy on corner tree

Prune T10 Magnolia located at the front of property according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to

improve health and appearance and reduce risk of branch failure.

- Reduce crown height and spread by approximately 2-2.5 metres to enhance natural form.

Prune T11 Liquidambar (new tree) located at the left side of property according to the following specifications: Cut privet back to give clearance for tree to grow