





These notes are based on the use of experienced and competent contractors carrying out the work using an approved safe method of working

Key to Health and Safety Symbols


- Indicates a residual risk requiring a compulsory action
- Indicates a residual risk for information
- Indicates a residual risk requiring a prohibitive action
- Indicates a residual risk as a warning

Safety, Health and Environmental Information	
Notes below are additional to hazards/risks normally associated with this type of work. Numbers correspond to Risk Register references - see General Notes drawing for details.	
Construction	
 C01	Asbestos within existing platform structure
 C04	Services on platform wall and buried within platform
 C07	Damage/Stability of existing foundations
 C07	Damage/Stability of existing foundations
Operations, Maintenance, No risk identified	
Dismantling / Demolition (Future) No risk identified	
Refer to general notes and the Principal Contractor for more information about the risks associated with this work.	

- Legend/Notes
- DO NOT SCALE FROM DRAWING, USE FIGURED DIMENSIONS ONLY.
 - ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES AOD.
 - DRAWING TO READ IN CONJUNCTION WITH:
 - 152319-MOS-DRG-ECV-070020 - PLATFORMS 6/7 DEMOLITION PLAN SUBSURFACE
 - 152319-MOS-DRG-ECV-070021 - PLATFORMS 6/7 DEMOLITION PLAN SURFACE 1 OF 2
 - 152319-MOS-DRG-ECV-070022 - PLATFORMS 6/7 DEMOLITION PLAN SURFACE 2 OF 2
 - 152319-MOS-DRG-ECV-070045 - PLATFORMS 6/7 DEMOLITION SECTIONS 1 OF 3
 - 152319-MOS-DRG-ECV-070046 - PLATFORMS 6/7 DEMOLITION SECTIONS 2 OF 3
 - 152319-MOS-DRG-ECV-070104 - PLATFORMS 6/7 PROPOSED PLATFORM
 - 152319-MOS-DRG-ECV-070245 - PLATFORMS 6/7 PROPOSED SECTIONS 1 OF 3
 - 152319-MOS-DRG-ECV-070246 - PLATFORMS 6/7 PROPOSED SECTIONS 2 OF 3
 - 152319-MOS-DRG-ECV-070247 - PLATFORMS 6/7 PROPOSED SECTIONS 3 OF 3
 - COPERS ARE TO BE CHECKED FOR DAMAGE PRIOR TO RE-USE. CRACKED OR CHIPPED COPERS ARE NOT TO BE RE-USED.
 - CONDITION OF EXISTING WALL TO BE ASSESSED FOR RE-USE
 - THIS DESIGN HAS BEEN BASED UPON LDO 'KX MASTER FEDERATED MODEL TRACKER' AS EXPORTED ON 10/12/19
 - PLEASE REFER TO PROPOSED PLATFORM DRAWINGS (SEE NOTE 3) FOR CLEARANCE DIMENSIONS AND LEVELS OF PROPOSED DESIGN.

COLOUR CONVENTIONS

- BLACK - EXISTING OR UNCHANGED
- BLUE - MODIFIED OR TO BE MOVED
- GREEN - REDUNDANT OR TO BE REMOVED
- RED - PROPOSED OR ADDITIONAL
- PURPLE - WORKS BY OTHERS
- ORANGE - FUTURE WORKS
- CYAN - TEMPORARY WORKS



P01.2	11/11/19	Issued For F003	J.E.	CS	---
B01	12/11/19	Issued For F003	J.E.	CS	HS
P02.1	17/12/19	Issued for Construction	MP	HH	---
C01	18/12/19	Issued for Construction	MP	HH	HS
Rev	Date	Description of Revisions	Drawn	Chkd	Appr

Status	Drawn	Chkd	Appr	Suitability
Accepted for Stage 6				A6



Authorised	I.Carter	Signed	IC	Date	18/12/19
------------	----------	--------	----	------	----------

Contractor(s)
Morgan Sindall Plc

Location/Level	No Specific Location		
Type	CAD Drawing	Sub-type	Section
Role	Civil Engineer	Discipline	Civils
Volume/System	No Specific Volume or System		
Phasing	To be Removed	Grip Stage	6
Project	Kings Cross Remodelling		

Contract No.

Contract Title


Drawing Title
**King's Cross Station
Platform Extension and Modification
Existing Platform 6/7
Demolition Section E-E**

Designed		Signed	---	Date	
Drawn	M.PAGE	Signed	MP	Date	17/12/19
Checked	H.HO	Signed	HH	Date	17/12/19
Approved	H.SIMPSON	Signed	HS	Date	17/12/19

Scale(s)	ELR & Mileage
As Shown	ECM1 to 0m 353yds

Alternative Reference	Sheet
	3 of 3

Drawing Number	Revision
152319-MOS-DRG-ECV-070047	C01

APPROVED FOR CONSTRUCTION
SIGNED 
NAME IAN CARTER
DATE 18/12/2019
CONTRACTOR'S ENGINEERING MANAGER