



## **Construction Dust Monitoring: St Pancras Commercial Centre, Camden**

---

December 2020



Experts in air quality  
management & assessment

## Document Control

<b>Client</b>	Camden Property Holdings Limited	<b>Principal Contact</b>	Richard Hitch (Blackburn & Co.)
---------------	----------------------------------	--------------------------	---------------------------------

<b>Job Number</b>	J3747
-------------------	-------

<b>Report Prepared By:</b>	Tomas Liska
----------------------------	-------------

### Document Status and Review Schedule

Report No.	Date	Status	Reviewed by
J3747A/Nov20/F1	18 December 2020	Final	Dr Denise Evans (Associate Director)

This report has been prepared by Air Quality Consultants Ltd on behalf of the Client, taking into account the agreed scope of works. Unless otherwise agreed, this document and all other Intellectual Property Rights remain the property of Air Quality Consultants Ltd.

In preparing this report, Air Quality Consultants Ltd has exercised all reasonable skill and care, taking into account the objectives and the agreed scope of works. Air Quality Consultants Ltd does not accept any liability in negligence for any matters arising outside of the agreed scope of works. The Company operates a formal Quality Management System, which is certified to ISO 9001:2015, and a formal Environmental Management System, certified to ISO 14001:2015.

When issued in electronic format, Air Quality Consultants Ltd does not accept any responsibility for any unauthorised changes made by others.

When printed by Air Quality Consultants Ltd, this report will be on Evolve Office, 100% Recycled paper.



**Air Quality Consultants Ltd**  
**23 Coldharbour Road, Bristol BS6 7JT Tel: 0117 974 1086**  
**119 Marylebone Road, London NW1 5PU Tel: 020 3873 4780**  
**aqc@aqconsultants.co.uk**

Registered Office: 23 Coldharbour Road, Bristol BS6 7JT  
 Companies House Registration No: 2814570

# 1 Introduction

- 1.1 An Air Quality Monitoring Strategy was prepared by Air Quality Consultants Ltd (AQC) in November 2020 (AQC, 2020) for the proposed mixed-use development at 63 Pratt Street, Camden, known as the St Pancras Commercial Centre. This was submitted to, and approved by, the London Borough of Camden Council. The document sets out the requirements for the monitoring of particulate matter with a diameter of less than 10 microns ( $PM_{10}$ ) to be undertaken at four locations throughout the demolition and construction work, and for three months in advance of commencement of the works.
- 1.2 Work at the St Pancras Campus is expected to begin in February 2021. The anticipated end of on-site works is February 2024. This report presents the dust monitoring results for the first month of the baseline monitoring period from 18<sup>th</sup> November 2020 to 17<sup>th</sup> December 2020.

## 2 Monitoring Methodology

### Monitoring Method


- 2.1 Monitoring is undertaken using four MCERTS certified Osiris instruments to measure concentrations of particulate matter. The Osiris instruments measure concentrations of particulate matter less than 10 micrometres in aerodynamic diameter, which is known as 'PM<sub>10</sub>'. The monitoring is continuous, operating 24 hours a day, 7 days a week. Where data capture is less than 90%, an explanation for the data loss is provided, where possible.
- 2.2 Further details of the Osiris monitoring method are described in Appendix A1.

### Assessment Level

- 2.3 The Osiris monitors are set up to raise an alert if PM<sub>10</sub> concentrations greater than 250 µg/m<sup>3</sup> are recorded during a 15-minute averaging period, or greater than 190 µg/m<sup>3</sup> during a 1-hour averaging period. The former trigger level is based on criteria recommended in the GLA SPG on Construction Dust (GLA, 2014) and the latter is based on criteria recommended in the IAQM Guidance on Air Quality Monitoring in the Vicinity of Demolition and Construction Sites v1.1 (IAQM, 2018). This is to help identify when abnormal levels of particulate matter may be being produced by the construction activities carried out. Instances of PM<sub>10</sub> concentrations greater than the trigger levels above are investigated, and action is taken, if required, to stop dusty site activities.

### Monitoring Locations

- 2.4 There are four Osiris monitors installed, the current locations of which are shown in Figure 1. Photographs of the precise locations are shown in Appendix A2. The locations of the monitors were discussed and agreed with the London Borough of Camden in November 2020 during the preparation of the Air Quality Monitoring Strategy.



**Figure 1: Dust Monitor Locations**

Imagery ©2020 The GeoInformation Group.

### 3 Monitoring Results


3.1 Monitoring statistics are presented in Table 1, and are shown in Figure 2 and Figure 3.

**Table 1: PM<sub>10</sub> Monitoring Statistics**


Monitor	Averaging Period	Average Concentration (µg/m <sup>3</sup> )	Highest Concentration (µg/m <sup>3</sup> )	Date and Time of Highest Concentration	Data Capture (%)
St Pancras CC 1 (South)	1 hour	13.2	103.5	01/12/2020 09:00	91.7
	15 mins	13.2	141.7	01/12/2020 15:00	91.6
St Pancras CC 2 (East)	1 hour	15.5	57.9	27/11/2020 09:00	68.9
	15 mins	15.5	90.5	27/11/2020 10:15	68.8
St Pancras CC 3 (North)	1 hour	11.6	86.6	23/11/2020 16:00	100.0
	15 mins	11.6	213.3	04/12/2020 15:15	99.9
St Pancras CC 4 (West)	1 hour	11.6	40.6	26/11/2020 14:00	100.0
	15 mins	11.6	94.3	26/11/2020 14:45	99.9

3.2 Data capture was greater than 90% at monitors 1, 3 and 4. A power supply issue (which has been resolved) resulted in approximately nine days of data loss at Monitor 2 during the assessed period. There were no exceedances of either of the PM<sub>10</sub> trigger levels at any monitor.





**Figure 2: 1-hour Mean PM<sub>10</sub> concentrations at St Pancras Commercial Centre**



**Figure 3: 15-minute Mean PM<sub>10</sub> concentrations at St Pancras Commercial Centre**



## 4 Conclusions

- 4.1 Except for Monitor 2, data capture at the monitors deployed at St Pancras Commercial Centre was good.
- 4.2 There were no recorded exceedances of either of the PM<sub>10</sub> alert levels.

## 5 References

AQC (2020) *Air Quality Monitoring Strategy: St Pancras Commercial Centre, Camden* (J3747A/1/F2; 3 November 2020).

GLA (2014) *The Control of Dust and Emissions from Construction and Demolition SPG*, Available: <https://www.london.gov.uk/what-we-do/planning/implementing-london-plan/london-plan-guidance-and-spgs/control-dust-and>.

IAQM (2018) *Guidance on Air Quality Monitoring in the Vicinity of Demolition and Construction Sites v1.1*, Available: [http://iaqm.co.uk/text/guidance/guidance\\_monitoring\\_dust\\_2018.pdf](http://iaqm.co.uk/text/guidance/guidance_monitoring_dust_2018.pdf).

## 6 Appendices

A1	Air Quality Monitoring Methodology - Osiris.....	10
A2	Monitor Locations.....	12

## A1 Air Quality Monitoring Methodology - Osiris

- A1.1 The Osiris air quality monitoring units measure concentrations of particulate matter with a diameter of less than 10 micrometres, known as PM<sub>10</sub>.
- A1.2 The Osiris monitors are operated continuously and work by pumping air through a heated inlet to remove moisture, and past an optical sensor which measures the concentration of PM<sub>10</sub> in the sampled air.
- A1.3 The Osiris monitors are set up to record average PM<sub>10</sub> measurements every 15 minutes, which are sent via a mobile connection to an online database which stores the recorded data. Concentrations are recorded in micrograms of PM<sub>10</sub> per cubic metre of air (µg/m<sup>3</sup>).
- A1.4 The Osiris monitors are all subject to the following routine checks and maintenance:
- Daily online checks of monitoring data and power connection;
  - Quarterly filter changes; and
  - Annual monitor servicing.
- A1.5 The dates of most recent filter changes and annual servicing are presented in Table A1.1

**Table A1.1: Monitor maintenance**

Monitor	Last Filter Change	Last Annual Servicing
St Pancras CC 1 (South)	17/11/2020	25/02/2020
St Pancras CC 2 (East)	17/11/2020	25/02/2020
St Pancras CC 3 (North)	17/11/2020	19/10/2020
St Pancras CC 4 (West)	17/11/2020	23/09/2020

- A1.6 It is desirable to achieve over 90% successful data capture on the Osiris monitors. An overall data capture rate of 100% is ideal; however, best practice guidance acknowledges that monitoring methods such as the Osiris can be prone to occasional power losses, communication errors and erroneous readings, which result in data capture lower than 100%. Successful data capture greater than 90% represents a high performance with no devaluation of the monitoring results. Where data capture is less than 90% in any monitoring period, justification as to the reasons for the low data capture are to be provided.
- A1.7 The Osiris monitors are set up so that they send an automated alert message to the St Pancras Commercial Centre site manager, air quality specialists and the London Borough of Camden (airquality@camden.gov.uk) if either 15-minute or 1-hour PM<sub>10</sub> concentrations exceed their respective set level known as a 'Site Action Level'.

- A1.8 The purpose of the Site Action Level is to provide a warning of unusually high concentrations of PM<sub>10</sub>, which may be an indication that dust is being produced by site works, but might also indicate other causes such as regional dust episodes (e.g. Saharan dust clouds) and other local dust and PM<sub>10</sub> sources such as road traffic, roadworks and utility works, bonfires, or adjacent construction sites. Dry and windy weather conditions are often the cause of high dust and PM<sub>10</sub> levels.
- A1.9 When a Site Action Level message is received, it is immediately investigated, logged and reported, in line with the Air Quality Monitoring Strategy (AQC, 2020). If site works are identified as a possible contributory factor in the high PM<sub>10</sub> levels, then remedial action is taken. This might include using additional dust mitigation measures, relocating or stopping the dusty activity.

## A2 Monitor Locations



**Figure A2.1: St Pancras CC 1 (South)**





**Figure A2.2: St Pancras CC 2 (East)**



**Figure A2.3: St Pancras CC 3 (North)**



**Figure A2.4: St Pancras CC 4 (West)**