

Exterior

Interior



Plan Section B-B Scale: 1:10



Do not reproduce this drawing without written permission

HS2 High Speed (HS2) Limited

1st-3rd Floor
The Podium
1 Everts NIMA ODN

London NW1 2DN

COSTAIN SKANSKA Costain Skanska Joint Venture


9th Floor The Tower 1 Eversholt Street


London NW1 2DN


15C Mornington Crescent, London NW1 Third Floor - Bedroom: REAR - EXISTING Window Joinery Details - Sheet 1 of 3 Surveyed by:
AP & OB Presentation Scale:
as shown @ A1 28-02-2021 WPI P066 NI - 15C MC-EX-TF-J-05

Revision:	Date:	Amendment:
1.0	28-02-2021	Issued for listed building consent application


All dimensions are in millimetres unless stated otherwise Drawing Not For Construction








Plan Section B-B with Secondary Glazing Installed











1 Eversholt Street

London NW1 2DN









Section F-F
Scale: 1:5 on A1

SECONDARY GLAZING SHOWN IN RED FOR VISUAL CLARITY ONLY

Revision: Date:
1.0 28-02-2021 Do not reproduce this drawing without written permission All dimensions are in millimetres unless stated otherwise High Speed (HS2) Limited 1st-3rd Floor The Podium Drawing Not For Construction



1 Eversholt Street

London NW1 2DN


COSTAIN SKANSKA

Costain Skanska Joint Venture 9th Floor The Tower 1 Eversholt Street

London NW1 2DN

15C Mornington Crescent, London NW1 Third Floor - Bedroom: REAR - PROPOSED Secondary Glazing Details - Sheet 3 of 3 Surveyed by:

AP & OB Presentation Scale: 1:5 @ A1 Date: Drawing No: 28-02-2021 WPI P066 NI - 15C MC-PR-TH-J-05.2 1.0



Installation Methodology

External Facade Elevation

The subcontractor is expected to properly survey and document the condition of the existing building fabric to enable the placement of the Sonair to have minimum impact on the building fabric. The information surveyed should include, but not be limited to, consideration of the age and likely resilience of the existing external and internal building fabric affected by the works, such as brickwork, wall panelling, joinery and external architraves. In alignment with the details of the approved Listed Building Consent, the subcontractor is required to set-out the position of the ventilation system on site. The positions are to be agreed with CSjv Built Heritage Consultant prior to the commencement of the works. Further details of the proposed penetration process are to be agreed with CSjv Built Heritage Consultant prior to the commencement of the works.

The Sonair installation process involves an initial cylindrical diamond-cut core drill of 115mm diameter. The existing bricks to be removed will be brought into the room rather than being pushed externally. The contractor will temporarily install plywood as a protective measure to ensure that existing surrounding surfaces are protected during the process. The Sonair unit will be inserted in the core-drilled hole and fitted in place with the vent positioned externally from the inside, using a connecting cable.