## PRODUCT SPECIFICATION

## Information correct as at 08 March 2021

Description

**Product Name** Staffordshire Slate Blue Smooth

Product Code A2232A

Quality Best **CLAY FACING BRICK** 

Manufacturing Unit **Lodge Lane Factory** Type Wirecut Extruded

Configuration **Vertically Perforated** 

Voids 23-28

**Specification** (In accordance with BS EN771-1:2011/A1:2015)

Masonry Unit Group **HD units Group 2 Structural** 

Category BS EN771-1:2011/A1:2015 Cat I

Dimensions 215x102x65 mm

**T2** +/-L4W3H2 Tolerance - Mean **L9W6H5** Tolerance - Range R1

Bed Surface Mean  $>=75.0 N/mm^2$ 

Compressive Strength

**Additional Data** 

1650 kg/m<sup>3</sup> **Gross Density** 2300 kg/m<sup>3</sup> **Nett Density** 

**Density Tolerance D1** 

Severe Exposure Durability F2~

Active Soluble Salts S2

% by weight Water Absorption <=7

0.1 labilian batter of system Rate kg/m/min

Fire Reaction Euroclass A1

Water Vapour Diffusion Coefficient 50/100 mu (Water Vapour Permeability)

Bond Strength - Fixed Value 0.15 N/mm Stated as Initial Shear Strength

**Thermal Properties** (Tabulated - CIBSE Guide A 1999/BSEN 1745)

Thermal Conductivity 'K' 1.19 W/mK

(at 5% moisture content - exposed)

m<sup>2</sup>K/W Thermal Resistance 'R' 0.08

(at 5% moisture content - exposed)

**Handling Information** 

2.4 kg Dry Weight per brick

204.0 kg/m<sup>2</sup> Average weight of brickwork

(1/2 brick wall including mortar joints)

Coverage Approximately 60.0 bricks per m

Quantity per pack 380

Pack Size (WxDxH) 1085x660x830 mm Weight per pack (dry) 912 kg approximately

**Application** 

To be used in accordance with BS EN1996, PD6697 and Suitability

our own recommendations

Mortar Joint Profile From a durability point of view, this product is suitable for

all common joint profiles

Movement joints should be incorporated in accordance with Movement Joints

BS EN1996. PD6697 and our own recommendations

Special Shapes Special shapes are available by manufacture &

by cut and bonding.

**Quality Assurance** 

Frost Resistance This product is guaranteed for 60 years in buildings or 20

years in boundary walls. Excludes paving, steps & ramps. All applications should be designed and constructed in accordance with the

guidance contained within BS EN1996, PD6697 and with our own recommendations.

Failure to comply will invalidate all warranties implied.

Workmanship

Mixing from a minimum of three packs on site will ensure a balanced Colour

blend of all the colours formed in the manufacturing process

Test results derived under BS EN 771-1 must be used in conjuction with BS EN1996, PD6697