


1 TYPICAL VALLEY GULLY WITH OVERFLOW
SCALE 1:5

Type of application	Code
Flat roofing	6, 7 or 8
Parapet, box and tapered valley gutters	6, 7 or 8
Pitched roofs	6, 7 or 8
Vertical cladding	6 or 7
Dormer cheeks	5, 6 or 7
Dormer roofs	6, 7 or 8
Chimney flashing: back gutters, front aprons	5 or 6
Lead slates	5 or 6
Hip and ridge flashings	6, 7 or 8
Pitched valley gutters	6 or 7
Weatherings to cornices, parapet walls and projections	6 or 7
DPCs	4 or 5
Apron and cover flashings	5, 6 or 7
Soakers	3 or 4



The Lead Sheet Association's recommended detail for an overflow pipe from a sump (Reproduced from The Lead Sheet Manual by kind permission of the Lead Sheet Association)

CONDITIONS:

DO NOT SCALE FROM THIS DRAWING UNLESS INFORMED OTHERWISE:

THIS DESIGN IS SUBJECT TO FULL WRITTEN APPROVALS:

This drawing is the copyright of **Swift Refurbishments** and must not be copied (in whole or part), reproduced, altered, retained or disclosed in anyway without written authorisation from **Swift Refurbishments** 2021

REV	DATE	DESCRIPTION
P1	19/02/21	PLANNING ISSUE

Swift Refurbishments
P.O. Box 268
Tunbridge Wells
Kent, TN3 9WZ
Tel: 01892 864913
Email: info@swiftrefurbishments.co.uk
Website: www.swiftrefurbishments.co.uk

CLIENT:
WHICH?

CLIENT ADDRESS:
2 Marylebone Road
London
NW1 4DF

FLOOR:
ROOF: TYPICAL DETAILS
SHEET 2

SITE ADDRESS:
2 Marylebone Road
London
NW1 4DF

DRAWING STATUS: PLANNING ISSUE

DATE: 15/02/21	DESIGN: Roof details
SCALE: 1:5 @ A1	DRAWN: DM

DRAWING NO: 20-112-10-DET-02	REV: P1
--	-------------------