
















































BASEMENT FLOOR					
REF.	FIXTURE REF.	DESCRIPTION	ILLUSTRATION	DIMENSION	LAMP
C.L.01	LOCAL -105 LOCAL -106	CEILING LIGHT 14W 1300lm 3000K IP54 mod. UP SQUARE 180 - ceiling installation - made up of matt white aluminium frame end panel PMMA opal white - optics: DIFFUSED.  Included: driver integrated, no dimmable			LED - 3000K
W.L.01	LOCAL -104	WALL LIGHT 10W 650lm 3000K IP54 mod. WL SQUARE 150 - wall installation - made up of matt white aluminium frame end panel PMMA opal white - optics: DIFFUSED.  Included: driver integrated, no dimmable			LED - 3000K
LIG.01	LOCAL -105	CUSTOM VERTICAL LED LIGTH PROFILE - LEAD-GRAY VELVET FINISH 48W 3800lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED.  Included: remote driver ON/OFF  H 244cm			LED - 3000K
LIG.02	LOCAL -101	CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH 12W 915lm 3000K IP20 - wall/ceiling installation - Stripled on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.  Included: remote driver ON/OFF  L 120cm			LED - 3000K
ST.B.2	LOCAL -102 STRIP LED BEHIND MIRROR	STRIP LED BEHIND MIRROR 18W 1410lm 3000K IP20 - free standing - Stripled on 18x5,6mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.  Included: remote driver ON/OFF  L 188cm			LED - 3000K









LIG.03	LOCAL -102 BATHROOM	CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH 9W 685lm 3000K IP20 - wall/ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 90cm			LED - 3000K
ST.B.1	LOCAL -103 STRIP LED ON CEILING	STRIP LED ON CEILING (1PCS) 17W 1500lm 3000K IP20 - ceiling installation - Striped on 9x8mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 90cm X 7PZ			LED - 3000K
LIG.04	LOCAL -104	CUSTOM HORIZONTAL LED LIGTH-ALUMINUM FINISH 13,5W 1025lm 3000K IP20 - wall/ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 110+25cm			LED - 3000K
LIG.05	LOCAL -106	CUSTOM HORIZONTAL LED LIGTH-ALUMINUM FINISH 33W 2X 1262lm 3000K IP20 - wall fixing - Striped on 55x24mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 165cm			LED - 3000K
<b>GROUND FLOOR</b>					
REF.	FIXTURE REF.	DESCRIPTION	ILLUSTRATION	DIMENSION	LAMP
LIG.06	STAIRS FROM B.F. TO G.F	CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH 96W 2X 4005lm 3000K IP20 - wall fixing - Striped on 55x24mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 240cm			LED - 3000K
LIG.07	LOCAL 001	CUSTOM VERTICAL DOUBLE HEIGHT LED LIGTH-LEAD-GRAY VELVET FINISH 125W 10855lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED. Included: remote driver ON/OFF L 450			LED - 3000K

LIG.08	LOCAL 001	<p>CUSTOM VERTICAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>60W 5177lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>H 310cm</p>			LED - 3000K
LIG.09	LOCAL 001 ENTRANCE	<p>CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>12W 915lm 3000K IP20 - ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 120cm</p>			LED - 3000K
LIG.10	LOCAL 002	<p>CUSTOM CEILING CHANDELIER: WITH LED LIGHTS ABOVE AND BELOW</p> <p>112W 8905lm 3000K IP20 - pendant light - made up of iron structure with PMMA opal white cover for strip LED - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p>			LED - 3000K
LIG.11	LOCAL 003 BATHROOM	<p>CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>9W 685lm 3000K IP20 - ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 90cm</p>			LED - 3000K
LIG.12	LOCAL 003 BATHROOM	<p>CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>8W 589lm 3000K IP20 - ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 77cm</p>			LED - 3000K
W.L.01	LOCAL -004	<p>WALL LIGHT</p> <p>10W 650lm 3000K IP54 mod. WL SQUARE 150 - wall installation - made up of matt white aluminium frame end panel PMMA opal white - optics: DIFFUSED.</p> <p>Included: driver integrated, no dimmable</p>			LED - 3000K

FIRST FLOOR					
REF.	FIXTURE REF.	DESCRIPTION	ILLUSTRATION	DIMENSION	LAMP
LIG.10	LOCAL 103	CUSTOM CEILING CHANDELIER: WITH LED LIGHTS ABOVE AND BELOW  112W 8905lm 3000K IP20 - pendant light - made up of iron structure with PMMA opal white cover for strip LED - optics: DIFFUSED.  Included: remote driver ON/OFF			LED - 3000K
LIG.13	LOCAL 103	CUSTOM VERTICAL LED LIGHT- FINISH BRONZE LED LIGHT  60W 5177lm 3000K IP20 mod. BRONZE - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED.  Included: remote driver ON/OFF  H 310cm			LED - 3000K
ST.F.1	STRIPES LED LOCAL 102	STRIPES LED ON SHELVES  (1PCS) 46W 4410lm 3000K IP20 - free standing - Striped on 9x8mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.  Included: remote driver ON/OFF  L 294cm X 7PZ			LED - 3000K
P.L.01	LOCAL 102	CIRCULAR PENDANT LED LIGHT  115W 9195lm 3000K IP20 - pendant light - made up of aluminum profile with PMMA cover, forma Ø1270mm round shape for hanging - optics: DIFFUSED.  Included: remote driver ON/OFF			LED - 3000K
W.L.01	LOCAL 104	WALL LIGHT  10W 650lm 3000K IP54 mod. WL SQUARE 150 - wall installation - made up of matt white aluminium frame end panel PMMA opal white - optics: DIFFUSED.  Included: driver integrated, no dimmable			LED - 3000K
SECOND FLOOR					
REF.	FIXTURE REF.	DESCRIPTION	ILLUSTRATION	DIMENSION	LAMP
P.L.01	LOCAL 202	CIRCULAR PENDANT LED LIGHT  115W 9195lm 3000K IP20 - pendant light - made up of aluminum profile with PMMA cover, forma Ø1270mm round shape for hanging - optics: DIFFUSED.  Included: remote driver ON/OFF  L 294cm X 7PZ			LED - 3000K

W.L.01	LOCAL 203	<p>WALL LIGHT</p> <p>10W 650lm 3000K IP54 mod. WL SQUARE 150 - wall installation - made up of matt white aluminium frame end panel PMMA opal white - optics: DIFFUSED.</p> <p>Included: driver integrated, no dimmable</p>			LED - 3000K
LIG.10	LOCAL 203	<p>CUSTOM CEILING CHANDELIER: WITH LED LIGHTS ABOVE AND BELOW</p> <p>112W 8905lm 3000K IP20 - pendant light - made up of iron structure with PMMA opal white cover for strip LED - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p>			LED - 3000K
LIG.14	LOCAL 201	<p>CUSTOM VERTICAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>50W 4032lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>H 259cm</p>			LED - 3000K
LIG.15	LOCAL 201	<p>CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH</p> <p>12W 915lm 3000K IP20 - wall/ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 120cm</p>			LED - 3000K
LIG.16	LOCAL 202	<p>CUSTOM VERTICAL PENDANT LED LIGTH-BRONZE FINISH</p> <p>(1 PCS) 86W 7005lm 3000K IP20 - suspended light - made up of iron structure with PMMA opal white cover for strip LED - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p>			LED - 3000K
ST.S.1	LOCAL203	<p>STRIPES LED ON BOISERIES</p> <p>(1PCS) 39W 3705lm 3000K IP20 - recess mounting - Striped on 9x8mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 247cm X 3PZ</p>			LED - 3000K

ST.S.2	LOCAL203 BATHROOM	STRIP LED BEHIND MIRROR 25W 1935lm 3000K IP20 - free standing - Striped on 18x5,6mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 254cm			LED - 3000K
ST.S.3	LOCAL203 BATHROOM	STRIP LED BEHIND MIRROR 12W 914lm 3000K IP20 - free standing - Striped on 18x5,6mm aluminium profile and white opal PMMA cover. Included: remote driver ON/OFF L 120cm			LED - 3000K
<b>THIRD FLOOR</b>					
REF.	FIXTURE REF.	DESCRIPTION	ILLUSTRATION	DIMENSION	LAMP
P.L.01	LOCAL 302	CIRCULAR PENDANT LED LIGHT 115W 9195lm 3000K IP20 - pendant light - made up of aluminum profile with PMMA cover, forma Ø1270mm round shape for hanging - optics: DIFFUSED. Included: remote driver ON/OFF L 294cm X 7PZ			LED - 3000K
LIG.10	LOCAL 303	CUSTOM CEILING CHANDELIER: WITH LED LIGHTS ABOVE AND BELOW 112W 8905lm 3000K IP20 - pendant light - made up of iron structure with PMMA opal white cover for strip LED - optics: DIFFUSED. Included: remote driver ON/OFF			LED - 3000K
LIG.17	LOCAL 301	CUSTOM VERTICAL LED LIGTH-LEAD-GRAY VELVET FINISH 50W 4032lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED. Included: remote driver ON/OFF H 259cm			LED - 3000K
LIG.18	LOCAL 301	CUSTOM HORIZONTAL LED LIGTH-LEAD-GRAY VELVET FINISH 9W 685lm 3000K IP20 - ceiling installation - Striped on 35x35mm aluminium profile and white opal PMMA cover - optics: DIFFUSED. Included: remote driver ON/OFF L 90cm			LED - 3000K
LIG.19	LOCAL 302	CUSTOM VERTICAL LED LIGTH-LEAD-GRAY VELVET FINISH 44W 3580lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED. Included: remote driver ON/OFF H 230cm			LED - 3000K

LIG.20	LOCAL 304 BATHROOM	<p>CUSTOM VERTICAL LED LIGH-LEAD-GRAY VELVET FINISH</p> <p>44W 3580lm 3000K IP20 mod. VELVET - free standing, floor-ceiling fixation - composed of aluminium profile with white opal PMMA cover, sanded by rigid iron structure - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>H 230cm</p>			LED - 3000K
ST.F.2	LOCAL 304 BATHROOM	<p>STRIP LED BEHIND MIRROR</p> <p>7W 532lm 3000K IP20 - free standing - Striped on 18x5,6mm aluminium profile and white opal PMMA cover.</p> <p>Included: remote driver ON/OFF</p> <p>L 70cm (1PCS)</p>			LED - 3000K
ST.F.1	LOCAL 303	<p>STRIPES LED BEHIND BOISERIES</p> <p>(1PCS) 80W 4020+3480lm 3000K IP20 - recess mounting - Striped on 9x8mm aluminium profile and white opal PMMA cover - optics: DIFFUSED.</p> <p>Included: remote driver ON/OFF</p> <p>L 268+232cm</p>			LED - 3000K
A.L.01	LOCAL 303	<p>ADJUSTABLE LAMP</p> <p>2W 185lm IP40 mod. FLEXY BED - wall mounting - Light built with a flexible tube of various lengths, ending with a hi-tech spot with reduced dimensions. Touch switch available - optics: 15°.</p> <p>Included: remote driver ON/OFF</p> <p>3 PCS</p>			LED - 3000K